

ON ELLIPTIC $K3$ SURFACES

ICHIRO SHIMADA

ABSTRACT. We make a complete list of all possible ADE -types of singular fibers of complex elliptic $K3$ surfaces and the torsion parts of their Mordell-Weil groups.

1. INTRODUCTION

By virtue of Torelli theorem for the period map on the moduli of complex $K3$ surfaces ([4], [13], [18]), we can study many aspects of $K3$ surfaces from the lattice-theoretic point of view. In this paper, we determine all possible ADE -types of singular fibers of elliptic $K3$ surfaces using Nikulin's theory of discriminant forms of even integral lattices. We also determine, for each ADE -type of singular fibers, all possible torsion parts of the Mordell-Weil groups. Throughout this paper, we use the term “an elliptic $K3$ surface” for “a complex elliptic $K3$ surface with a distinguished zero section” and the term “an elliptic fibration” for “a complex Jacobian elliptic fibration”.

A finite formal sum of the symbols A_l ($l \geq 1$), D_m ($m \geq 4$) and E_n ($n = 6, 7, 8$) with non-negative integer coefficients is called an ADE -type. For an ADE -type

$$\Sigma := \sum a_l A_l + \sum d_m D_m + \sum e_n E_n,$$

we denote by $L(\Sigma)^-$ the negative-definite root lattice generated by a root system of type Σ , and by $\text{rank } \Sigma$ the rank of $L(\Sigma)^-$. By definition, we have $\text{rank } \Sigma = \sum a_l l + \sum d_m m + \sum e_n n$.

Let $f : X \rightarrow \mathbb{P}^1$ be an elliptic $K3$ surface, and $O : \mathbb{P}^1 \rightarrow X$ the zero section of f . Let MW_f be the Mordell-Weil group of f . The torsion part of MW_f is a finite abelian group, which we shall denote by G_f . We put

$$R_f := \{ p \in \mathbb{P}^1 : f^{-1}(p) \text{ is reducible} \},$$

and, for each $p \in R_f$, we denote by $f^{-1}(p)^\sharp$ the union of irreducible components of $f^{-1}(p)$ that are disjoint from the zero section. It is known that the cohomology classes of irreducible components of $f^{-1}(p)^\sharp$ span a negative-definite root lattice generated by an indecomposable root system of type A_l , D_m or E_n . Let $\tau_{f,p}$ be the type. The type of singular fiber $f^{-1}(p)$ in the list of Kodaira's classification [7] is related to $\tau_{f,p}$ in an almost one-to-one way (cf. Table 2.8). We define the ADE -type Σ_f of $f : X \rightarrow \mathbb{P}^1$ by

$$\Sigma_f := \sum_{p \in R_f} \tau_{f,p}.$$

The Néron-Severi lattice NS_X of X contains the sublattice S_f generated by the cohomology classes of the irreducible components of $\cup_{p \in R_f} f^{-1}(p)^\sharp$, which is isomorphic to $L(\Sigma_f)^-$.

Through computer-aided calculation, we have made the complete list of pairs (Σ, G) of an *ADE*-type Σ and a finite abelian group G that can be realized as the data (Σ_f, G_f) of an elliptic $K3$ surface $f : X \rightarrow \mathbb{P}^1$. This list $\mathcal{P}$ consists of 3693 pairs. In this paper, we present the list $\mathcal{P}$, deduce some geometric facts from it, and explain the algorithm for obtaining it.

The list $\mathcal{P}$ is too large to be included here in a naive way. Therefore we describe $\mathcal{P}$ by giving a subset $\mathcal{S}$ of $\mathcal{P}$ and a set of transformation rules of *ADE*-types that generate $\mathcal{P}$ from $\mathcal{S}$ (cf. § 2). The reader can obtain $\mathcal{P}$ easily using this description.

An elliptic $K3$ surface $f : X \rightarrow \mathbb{P}^1$ is said to be extremal if the sublattice S_f attains the maximal rank 18. After the work of Miranda and Persson [10], supplemented by Artal-Bartolo, Tokunaga and Zhang [1] and Ye [23], the *ADE*-types of singular fibers of extremal elliptic $K3$ surfaces and their Mordell-Weil groups were completely determined in [16]. The list consists of 336 pairs.

One of the remarkable facts that can be read off from the list $\mathcal{P}$ is that an *ADE*-type Σ is an *ADE*-type of an elliptic $K3$ surface with trivial Mordell-Weil torsion if and only if Σ is obtained from an *ADE*-type of an extremal elliptic $K3$ surface with trivial Mordell-Weil torsion by *elementary transformation*; that is, by deleting vertices from the corresponding Dynkin graph (cf. Theorem 2.3). In order to describe the list of *ADE*-types of elliptic $K3$ surfaces with non-trivial Mordell-Weil torsion, however, we have to forbid to use some types of elementary transformation (cf. Theorems 2.4-2.7).

By Nishiyama [12] and by Besser [2], the technique of discriminant forms was used to find out all possible elliptic fibrations on special $K3$ surfaces. In [19, 20], Urabe investigated possible configurations of singular points on $K3$ surfaces and suggested an existence of a set of simple rules that generates all possible configurations. In [21, 22], Yang made the complete list of all possible configurations of singularities of *ADE*-type on plane sextic curves and quartic surfaces using the technique of discriminant forms and a computer.

This paper is organized as follows. In § 2, we describe $\mathcal{P}$ and state some facts about elliptic $K3$ surfaces that can be derived from the list $\mathcal{P}$. In § 3, we recall the definition and properties of local invariants of lattices over $\mathbb{Z}$ according to Conway and Sloane [6, Chapter 15]. In § 4 and 5, we review Nikulin's theory [11] of discriminant forms of even lattices over $\mathbb{Z}$. A criterion whether there exists an even integral lattice of a given signature and a discriminant form is described in detail in § 5. This criterion is slightly different from [11, Theorem 1.10.1], and is more suited to machine calculation. In § 6, we recall the properties of root lattices. In § 7, we show that it is possible to determine by a purely lattice-theoretic calculation whether a given pair (Σ, G) can be realized as (Σ_f, G_f) of an elliptic $K3$ surface $f : X \rightarrow \mathbb{P}^1$. Here we use Kondo-Nishiyama's lemma on the Néron-Severi lattice of an elliptic $K3$ surface. In § 8, we explain our algorithm.

¹The list can also be retrieved from the author's homepage.
<http://www.math.sci.hokudai.ac.jp/~shimada/K3.html>

TABLE 2.1. Cardinalities of $\mathcal{P}^G$

G	[1]	[2]	[3]	[4]	[5]	[6]	[7]	[8]	[2, 2]	[4, 2]	[6, 2]	[3, 3]	[4, 4]	total
$ \mathcal{P}^G $	2746	732	85	41	6	10	1	1	61	5	1	3	1	3693

The program for making $\mathcal{P}$ was written by Maple V. The author would like to thank Waterloo Maple Incorporation for developing the nice software. The author also would like to thank the referee for suggesting some improvements on the first version of the paper.

A compressed version of this paper without the table has appeared in
Michigan Math. J. 47 (2000), 423–446.

2. MAIN RESULTS

All results in this section are obtained simply by looking at the list $\mathcal{P}$.

2.1. Torsion parts of Mordell-Weil groups.

Theorem 2.1. *The torsion part of the Mordell-Weil group of an elliptic $K3$ surface is isomorphic to one of the following:*

$$\begin{aligned}
 &(0), \mathbb{Z}/(2), \mathbb{Z}/(3), \mathbb{Z}/(4), \mathbb{Z}/(5), \mathbb{Z}/(6), \mathbb{Z}/(7), \mathbb{Z}/(8), \\
 &\mathbb{Z}/(2) \times \mathbb{Z}/(2), \mathbb{Z}/(4) \times \mathbb{Z}/(2), \mathbb{Z}/(6) \times \mathbb{Z}/(2), \\
 &\mathbb{Z}/(3) \times \mathbb{Z}/(3), \mathbb{Z}/(4) \times \mathbb{Z}/(4).
 \end{aligned} \tag{2.1}$$

For a group G in (2.1), we denote by $\mathcal{P}^G$ the set of all ADE -types Σ such that there exists an elliptic $K3$ surface $f : X \rightarrow \mathbb{P}^1$ with $\Sigma_f = \Sigma$ and $G_f \cong G$. The cardinalities of $\mathcal{P}^G$ are given in Table 2.1. Here, $[a]$ denotes the cyclic group $\mathbb{Z}/(a)$, and $[a, b]$ denotes $\mathbb{Z}/(a) \times \mathbb{Z}/(b)$. In particular, $[1]$ denotes the trivial group.

For a positive integer r , let $\mathcal{P}_r^G$ be the subset of $\mathcal{P}^G$ that consists of $\Sigma \in \mathcal{P}^G$ with $\text{rank } \Sigma = r$. Let $f : X \rightarrow \mathbb{P}^1$ be an elliptic $K3$ surface. Since the Néron-Severi lattice NS_X of X is the orthogonal direct sum of $S_f \cong L(\Sigma_f)^\perp$ and the lattice of rank 2 generated by the cohomology classes of the zero section and a general fiber, and since the Néron-Severi rank of X is at most 20, we always have

$$\text{rank}(\Sigma_f) \leq 18.$$

Hence $\mathcal{P}_r^G$ is empty for $r > 18$.

2.2. ADE -types of singular fibers. Next we describe the list $\mathcal{P}^G$ for each abelian group G in (2.1). We carry out this task by three different methods according to the size of $\mathcal{P}^G$.

Case 1. $G \in \{[1], [2], [3], [4], [2, 2]\}$. We describe $\mathcal{P}^G$ by giving a subset $\mathcal{S}^G \subset \mathcal{P}^G$ and a set of transformation rules on ADE -types that generate the whole $\mathcal{P}^G$ from the subset $\mathcal{S}^G$.

Let $\Gamma(\Sigma)$ be the Dynkin graph of the ADE -type Σ . If we remove a vertex P of $\Gamma(\Sigma)$ and the edges emitting from P , we obtain the Dynkin graph $\Gamma(\Sigma')$ of another ADE -type Σ' with $\text{rank } \Sigma' = \text{rank } \Sigma - 1$. In this case, we say that Σ' is obtained from Σ by deleting a vertex. In other words, an ADE -type Σ' is obtained from

TABLE 2.2. Substitutions.

A_l	$\mapsto A_{l'} + A_{l-1-l'} \quad (0 \leq l' \leq l/2),$
D_m	$\mapsto \begin{cases} A_{m-1}, & 2A_1 + A_{m-3}, & A_3 + A_{m-4}, \\ D_{m'} + A_{m-1-m'} & (4 \leq m' \leq m-1), \end{cases}$
E_n	$\mapsto \begin{cases} A_{n-1}, & D_{n-1}, & A_1 + A_{n-2}, & A_1 + A_2 + A_{n-4}, & A_4 + A_{n-5}, \\ D_5 + A_{n-6}, & E_{n'} + A_{n-1-n'} & (6 \leq n' \leq n-1). \end{cases}$

Σ by deleting a vertex if and only if Σ' is obtained by applying to Σ one of the substitutions listed in Table 2.2. In this Table, we understand that $A_0 := 0$.

Definition 2.2. When we can obtain an ADE -type Σ' from an ADE -type Σ by applying substitutions in Table 2.2 several times, we say that Σ' is obtained from Σ by *elementary transformation*.

Theorem 2.3. (1) *The list $\mathcal{P}_{18}^{[1]}$ consists of 199 elements listed below.*

$2E_8 + A_2, 2E_8 + 2A_1, E_8 + E_7 + A_3, E_8 + E_7 + A_2 + A_1, E_8 + E_6 + D_4, E_8 + E_6 + A_4, E_8 + E_6 + A_3 + A_1, E_8 + D_{10}, E_8 + D_9 + A_1, E_8 + D_7 + A_2 + A_1, E_8 + D_6 + A_4, E_8 + D_6 + 2A_2, E_8 + 2D_5, E_8 + D_5 + A_5, E_8 + D_5 + A_4 + A_1, E_8 + A_{10}, E_8 + A_9 + A_1, E_8 + A_8 + A_2, E_8 + A_8 + 2A_1, E_8 + A_7 + A_2 + A_1, E_8 + A_6 + A_4, E_8 + A_6 + A_3 + A_1, E_8 + A_6 + 2A_2, E_8 + A_6 + A_2 + 2A_1, E_8 + 2A_5, E_8 + A_5 + A_4 + A_1, E_8 + A_5 + A_3 + A_2, E_8 + 2A_4 + 2A_1, E_8 + A_4 + A_3 + A_2 + A_1, E_8 + 2A_3 + 2A_2, 2E_7 + A_4, 2E_7 + 2A_2, E_7 + E_6 + D_5, E_7 + E_6 + A_5, E_7 + E_6 + A_4 + A_1, E_7 + E_6 + A_3 + A_2, E_7 + D_{11}, E_7 + D_9 + A_2, E_7 + D_7 + A_4, E_7 + D_5 + A_6, E_7 + D_5 + A_4 + A_2, E_7 + A_{11}, E_7 + A_{10} + A_1, E_7 + A_9 + A_2, E_7 + A_8 + A_3, E_7 + A_8 + A_2 + A_1, E_7 + A_7 + A_4, E_7 + A_7 + 2A_2, E_7 + A_6 + A_5, E_7 + A_6 + A_4 + A_1, E_7 + A_6 + A_3 + A_2, E_7 + A_6 + 2A_2 + A_1, E_7 + A_5 + A_4 + A_2, E_7 + A_4 + A_3 + 2A_2, 2E_6 + D_6, 2E_6 + A_6, 2E_6 + 2A_3, E_6 + D_{12}, E_6 + D_{11} + A_1, E_6 + D_9 + A_3, E_6 + D_9 + A_2 + A_1, E_6 + D_8 + A_4, E_6 + D_7 + D_5, E_6 + D_7 + A_4 + A_1, E_6 + D_6 + A_6, E_6 + D_6 + A_4 + A_2, E_6 + D_5 + A_7, E_6 + D_5 + A_6 + A_1, E_6 + D_5 + A_4 + A_3, E_6 + A_{12}, E_6 + A_{11} + A_1, E_6 + A_{10} + A_2, E_6 + A_{10} + 2A_1, E_6 + A_9 + A_3, E_6 + A_9 + A_2 + A_1, E_6 + A_8 + A_4, E_6 + A_8 + A_3 + A_1, E_6 + A_7 + A_5, E_6 + A_7 + A_4 + A_1, E_6 + A_6 + A_5 + A_1, E_6 + A_6 + A_4 + A_2, E_6 + A_6 + A_4 + 2A_1, E_6 + A_6 + A_3 + A_2 + A_1, E_6 + A_5 + A_4 + A_3, E_6 + 2A_4 + A_3 + A_1, D_{18}, D_{17} + A_1, D_{15} + A_2 + A_1, D_{14} + A_4, D_{14} + 2A_2, D_{13} + D_5, D_{13} + A_5, D_{13} + A_4 + A_1, D_{11} + A_6 + A_1, D_{11} + A_5 + A_2, D_{11} + A_4 + A_2 + A_1, D_{11} + A_3 + 2A_2, D_{10} + A_8, D_{10} + A_6 + A_2, D_{10} + 2A_4, 2D_9, D_9 + D_5 + A_4, D_9 + A_9, D_9 + A_8 + A_1, D_9 + A_6 + A_2 + A_1, D_9 + A_5 + A_4, D_9 + A_4 + 2A_2 + A_1, D_8 + A_6 + 2A_2, 2D_7 + 2A_2, D_7 + A_{10} + A_1, D_7 + A_9 + A_2, D_7 + A_6 + A_5, D_7 + A_6 + A_4 + A_1, D_7 + A_6 + A_3 + A_2, D_7 + 2A_4 + A_2 + A_1, D_6 + A_{12}, D_6 + A_{10} + A_2, D_6 + A_8 + A_4, D_6 + 2A_6, D_6 + A_6 + A_4 + A_2, D_6 + 2A_4 + 2A_2, 2D_5 + A_8, 2D_5 + 2A_4, D_5 + A_{13}, D_5 + A_{12} + A_1, D_5 + A_{10} + A_2 + A_1, D_5 + A_9 + A_4, D_5 + A_9 + 2A_2, D_5 + A_8 + A_5, D_5 + A_8 + A_4 + A_1, D_5 + 2A_6 + A_1, D_5 + A_6 + A_5 + A_2, D_5 + A_6 + A_4 + A_2 + A_1, D_5 + A_6 + A_3 + 2A_2, D_5 + A_5 + 2A_4, A_{18}, A_{17} + A_1, A_{16} + A_2, A_{16} + 2A_1, A_{15} + A_2 + A_1, A_{14} + A_4, A_{14} + A_3 + A_1, A_{14} + A_2 + 2A_1, A_{13} + A_5, A_{13} + A_4 + A_1, A_{13} + A_3 + A_2, A_{13} + 2A_2 + A_1, A_{12} + A_6, A_{12} + A_5 + A_1, A_{12} + A_4 + A_2, A_{12} + A_4 + 2A_1, A_{12} + A_3 + A_2 + A_1, A_{12} + 2A_2 + 2A_1, A_{11} + A_6 + A_1, A_{11} + A_4 + A_2 + A_1, A_{10} + A_8, A_{10} + A_7 + A_1, A_{10} + A_6 + A_2, A_{10} + A_6 + 2A_1, A_{10} + A_5 + A_3, A_{10} + A_5 + A_2 + A_1, A_{10} + 2A_4, A_{10} + A_4 + A_3 + A_1, A_{10} + A_4 + 2A_2, A_{10} + A_4 + A_2 + 2A_1, A_{10} + 2A_3 + A_2, A_{10} + A_3 + 2A_2 + A_1, 2A_9, A_9 + A_8 + A_1, A_9 + A_7 + A_2, A_9 + A_6 + A_3, A_9 + A_6 + A_2 + A_1, A_9 + A_5 + A_4, 2A_8 + 2A_1, A_8 + A_7 + A_2 + A_1, A_8 + A_6 + A_4, A_8 + A_6 + A_3 + A_1, A_8 + A_6 + A_2 + 2A_1, A_8 + A_5 + A_4 + A_1, A_8 + 2A_4 + 2A_1, A_8 + A_4 + A_3 + A_2 + A_1, 2A_7 + 2A_2, A_7 + A_6 + A_5, A_7 + A_6 + A_4 + A_1, A_7 + A_6 + A_3 + A_2, A_7 + A_6 + 2A_2 + A_1, A_7 + A_5 + A_4 + A_2, A_7 + A_4 + A_3 + 2A_2, 2A_6 + A_4 + A_2, 2A_6 + 2A_3, 2A_6 + 2A_2 + 2A_1, A_6 + A_5 + A_4 + A_3, A_6 + A_5 + A_4 + A_2 + A_1, A_6 + 2A_4 + A_3 + A_1, A_6 + 2A_4 + A_2 + 2A_1, A_6 + A_4 + 2A_3 + A_2, A_6 + A_4 + A_3 + 2A_2 + A_1, 2A_5 + 2A_4, 2A_4 + 2A_3 + 2A_2.$

(2) *An ADE -type Σ with $r := \text{rank } \Sigma < 18$ is a member of $\mathcal{P}_r^{[1]}$ if and only if Σ is obtained from a member of $\mathcal{P}_{18}^{[1]}$ by elementary transformation.*

TABLE 2.3. Forbidden substitutions for [2].

A_l	$\mapsto A_{l'} + A_{l-1-l'}$ with l odd and l' even $(0 \leq l' < l/2)$,
D_m	$\mapsto A_{m-1}$,
D_m	$\mapsto A_3 + A_{m-4}$ with m even,
D_m	$\mapsto D_{m'} + A_{m-1-m'}$ with m even and m' odd $(5 \leq m' \leq m-1)$,
E_7	$\mapsto A_6, A_4 + A_2, E_6$.

TABLE 2.4. Forbidden substitutions for [3].

A_l	$\mapsto A_{l_1} + A_{l_2}$ ($l_1 + l_2 = l - 1$, $0 \leq l_1 \leq l_2$) with $l \bmod 3 = 2$, $l_1 \bmod 3 \neq 2$, $l_2 \bmod 3 \neq 2$,
E_6	$\mapsto A_4 + A_1, D_5$.

TABLE 2.5. Forbidden substitutions for [4].

A_1	$\mapsto 0$
A_l	$\mapsto A_{l_1} + A_{l_2}$ ($l_1 + l_2 = l - 1$, $0 \leq l_1 \leq l_2$) with $l \bmod 4 = 3$, $l_1 \bmod 4 \neq 3$, $l_2 \bmod 4 \neq 3$,
D_m	$\mapsto A_{m-1}, D_{m-1}, 2A_1 + A_{m-3}$ with m odd,
D_m	$\mapsto D_{m-3} + A_2$ with m odd and > 6 .

TABLE 2.6. Forbidden substitutions for [2, 2].

A_l	$\mapsto A_{l'} + A_{l-1-l'}$ with l odd and l' even $(0 \leq l' < l/2)$,
D_m	$\mapsto A_{m-1}, A_3 + A_{m-4}$ with m even,
D_m	$\mapsto D_{m'} + A_{m-1-m'}$ with m even and m' odd $(5 \leq m' \leq m-1)$.

Theorem 2.4. (1) The list $\mathcal{P}_{18}^{[2]}$ consists of 84 elements listed below.

$2E_7 + D_4, 2E_7 + A_3 + A_1, E_7 + D_{10} + A_1, E_7 + D_8 + A_2 + A_1, E_7 + D_7 + A_3 + A_1, E_7 + D_6 + D_5,$
 $E_7 + D_6 + A_5, E_7 + D_6 + A_3 + A_2, E_7 + D_5 + A_5 + A_1, E_7 + A_9 + A_2, E_7 + A_9 + 2A_1, E_7 + A_7 + A_3 + A_1,$
 $E_7 + A_7 + A_2 + 2A_1, E_7 + A_5 + A_4 + 2A_1, E_7 + A_5 + 2A_3, E_7 + A_5 + A_3 + A_2 + A_1, E_7 + A_4 + 2A_3 + A_1,$
 $D_{16} + A_2, D_{16} + 2A_1, D_{14} + A_3 + A_1, D_{14} + A_2 + 2A_1, D_{12} + D_6, D_{12} + D_5 + A_1, D_{12} + A_4 + 2A_1,$
 $D_{12} + A_3 + A_2 + A_1, D_{12} + 2A_2 + 2A_1, D_{10} + D_7 + A_1, D_{10} + D_6 + A_2, D_{10} + D_5 + A_2 + A_1,$
 $D_{10} + A_5 + A_3, D_{10} + A_4 + A_3 + A_1, D_9 + A_7 + 2A_1, D_9 + A_5 + A_3 + A_1, D_8 + 2D_5, D_8 + A_9 + A_1,$
 $D_8 + A_7 + A_2 + A_1, D_8 + 2A_5, D_8 + A_5 + A_4 + A_1, D_8 + 2A_3 + 2A_2, D_7 + D_6 + A_5, D_7 + D_5 + A_5 + A_1,$
 $D_7 + A_9 + 2A_1, D_7 + A_7 + A_2 + 2A_1, D_6 + D_5 + A_7, D_6 + D_5 + A_5 + A_2, D_6 + A_{11} + A_1, D_6 + A_9 + A_3,$
 $D_6 + A_9 + A_2 + A_1, D_6 + A_7 + A_4 + A_1, D_6 + A_7 + A_3 + A_2, D_6 + A_7 + 2A_2 + A_1, D_6 + A_5 + A_4 + A_3,$
 $D_5 + A_{11} + A_2, D_5 + A_9 + A_3 + A_1, D_5 + A_9 + A_2 + 2A_1, D_5 + A_7 + A_4 + 2A_1, D_5 + 2A_5 + A_3,$
 $D_5 + A_5 + A_4 + A_3 + A_1, A_{15} + A_2 + A_1, A_{13} + A_4 + A_1, A_{13} + A_3 + 2A_1, A_{13} + 2A_2 + A_1,$
 $A_{13} + A_2 + 3A_1, A_{11} + A_5 + 2A_1, A_{11} + A_4 + 3A_1, A_{11} + A_3 + A_2 + 2A_1, A_9 + A_6 + 3A_1,$
 $A_9 + A_5 + A_4, A_9 + A_5 + A_3 + A_1, A_9 + A_5 + A_2 + 2A_1, A_9 + A_4 + A_3 + 2A_1, A_9 + A_4 + A_2 + 3A_1,$
 $A_9 + 2A_3 + A_2 + A_1, A_9 + A_3 + 2A_2 + 2A_1, 2A_7 + 2A_2, A_7 + A_6 + A_3 + 2A_1, A_7 + 2A_5 + A_1,$

TABLE 2.7. Cardinalities of $\mathcal{P}_r^G$

r	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	total
$ \mathcal{P}_r^{[1]} $	1	2	3	6	9	16	24	39	57	88	127	189	262	360	448	500	416	199	2746
$ \mathcal{P}_r^{[2]} $	0	0	0	0	0	0	0	1	2	6	13	29	53	92	133	164	155	84	732
$ \mathcal{P}_r^{[3]} $	0	0	0	0	0	0	0	0	0	0	0	1	2	6	12	21	24	19	85
$ \mathcal{P}_r^{[4]} $	0	0	0	0	0	0	0	0	0	0	0	0	0	1	4	10	15	11	41
$ \mathcal{P}_r^{[2,2]} $	0	0	0	0	0	0	0	0	0	0	0	1	2	5	10	16	16	11	61

$A_7 + A_5 + A_4 + 2A_1$, $A_7 + A_5 + A_3 + A_2 + A_1$, $A_7 + A_4 + A_3 + A_2 + 2A_1$, $A_6 + 2A_5 + 2A_1$, $A_6 + A_5 + 2A_3 + A_1$, $2A_5 + A_4 + A_3 + A_1$, $A_5 + A_4 + 2A_3 + A_2 + A_1$.

(2) Let $\mathcal{S}^{[2]}$ be the union of $\mathcal{P}_{18}^{[2]}$ and the following list.

$2E_7 + A_3$, $E_7 + D_{10}$, $E_7 + D_5 + A_5$, $D_{12} + D_5$, $2D_8 + A_1$, $D_7 + A_9 + A_1$, $D_7 + 2A_5$, $D_6 + A_{11}$, $2D_5 + A_7$, $A_{15} + A_2$, $E_7 + A_9$, D_{16} , $2D_8$, $D_5 + A_{11}$, A_{15} .

Then an ADE-type Σ is a member of $\mathcal{P}^{[2]}$ if and only if Σ is a member of $\mathcal{S}^{[2]}$ or obtained from a member of $\mathcal{S}^{[2]}$ by applying substitutions listed in Table 2.2 but not in Table 2.3.

Theorem 2.5. (1) The list $\mathcal{P}_{18}^{[3]}$ consists of 19 elements listed below.

$3E_6$, $2E_6 + A_5 + A_1$, $E_6 + A_{11} + A_1$, $E_6 + A_8 + 2A_2$, $E_6 + A_8 + A_2 + 2A_1$, $E_6 + 2A_5 + A_2$, $E_6 + A_5 + A_3 + 2A_2$, $A_{17} + A_1$, $A_{14} + 2A_2$, $A_{14} + A_2 + 2A_1$, $A_{11} + A_5 + A_2$, $A_{11} + A_3 + 2A_2$, $A_{11} + 3A_2 + A_1$, $2A_8 + 2A_1$, $A_8 + A_5 + A_3 + A_2$, $A_8 + A_5 + 2A_2 + A_1$, $A_8 + A_4 + 3A_2$, $A_8 + A_3 + 3A_2 + A_1$, $2A_5 + A_4 + 2A_2$.

(2) Let $\mathcal{S}^{[3]}$ be $\mathcal{P}_{18}^{[3]}$. Then an ADE-type Σ is a member of $\mathcal{P}^{[3]}$ if and only if Σ is a member of $\mathcal{S}^{[3]}$ or obtained from a member of $\mathcal{S}^{[3]}$ by applying substitutions listed in Table 2.2 but not in Table 2.4.

Theorem 2.6. (1) The list $\mathcal{P}_{18}^{[4]}$ consists of 11 elements listed below.

$D_7 + A_{11}$, $D_7 + A_7 + A_3 + A_1$, $D_7 + 3A_3 + A_2$, $2D_5 + A_7 + A_1$, $D_5 + A_{11} + 2A_1$, $D_5 + A_7 + A_3 + A_2 + A_1$, $A_{15} + A_3$, $A_{15} + 3A_1$, $A_{11} + 2A_3 + A_1$, $A_{11} + A_3 + A_2 + 2A_1$, $A_7 + 3A_3 + A_2$.

(2) Let $\mathcal{S}^{[4]}$ be the union of $\mathcal{P}_{18}^{[4]}$ and the following list.

$2D_5 + A_7$, $A_{15} + 2A_1$.

Then an ADE-type Σ is a member of $\mathcal{P}^{[4]}$ if and only if Σ is a member of $\mathcal{S}^{[4]}$ or obtained from a member of $\mathcal{S}^{[4]}$ by applying substitutions listed in Table 2.2 but not in Table 2.5.

Theorem 2.7. (1) The list $\mathcal{P}_{18}^{[2,2]}$ consists of 11 elements listed below.

$D_{10} + A_5 + 3A_1$, $D_{10} + 2A_3 + 2A_1$, $2D_8 + 2A_1$, $D_8 + D_6 + A_3 + A_1$, $D_8 + A_5 + A_3 + 2A_1$, $3D_6$, $2D_6 + 2A_3$, $D_6 + 2A_5 + 2A_1$, $D_6 + A_5 + 2A_3 + A_1$, $A_7 + A_5 + A_3 + 3A_1$, $2A_5 + 2A_3 + 2A_1$.

(2) Let $\mathcal{S}^{[2,2]}$ be the union of $\mathcal{P}_{18}^{[2,2]}$ and the list

$4D_4$.

Then an ADE-type Σ is a member of $\mathcal{P}^{[2,2]}$ if and only if Σ is a member of $\mathcal{S}^{[2,2]}$ or obtained from a member of $\mathcal{S}^{[2,2]}$ by applying substitutions listed in Table 2.2 but not in Table 2.6.

By these theorems, we can easily generate the complete list $\mathcal{P}^G$ for $G = [1]$, $[2]$, $[3]$, $[4]$, $[2, 2]$. Table 2.7 shows the cardinalities of $\mathcal{P}_r^G$.

Case 2. $G \in \{[5], [6], [4, 2]\}$. We simply give the table of $\mathcal{P}^G$. In each box, the ADE -types are listed according to the rank and the lexicographical order.

$G = [5]$:

$2A_9, A_9 + 2A_4 + A_1, 4A_4 + 2A_1, A_9 + 2A_4, 4A_4 + A_1, 4A_4$.

$G = [6]$:

$A_{11} + A_5 + 2A_1, A_{11} + A_3 + 2A_2, A_{11} + 2A_2 + 3A_1, 3A_5 + A_3, 2A_5 + A_3 + 2A_2 + A_1, A_{11} + 2A_2 + 2A_1, 3A_5 + 2A_1, 2A_5 + A_3 + 2A_2, 2A_5 + 2A_2 + 3A_1, 2A_5 + 2A_2 + 2A_1$.

$G = [4, 2]$:

$2A_7 + 4A_1, A_7 + 3A_3 + 2A_1, A_7 + 2A_3 + 4A_1, 5A_3 + 2A_1, 4A_3 + 4A_1$.

Case 3. $G \in \{[7], [8], [6, 2], [3, 3], [4, 4]\}$. In this case, the ADE -type determines the torsion of the Mordell-Weil group uniquely.

Theorem 2.8. *Let $f : X \rightarrow \mathbb{P}^1$ be an elliptic $K3$ surface. Then the following hold.*

- $G_f \cong \mathbb{Z}/(7) \iff \Sigma_f = 3A_6$.
- $G_f \cong \mathbb{Z}/(8) \iff \Sigma_f = 2A_7 + A_3 + A_1$.
- $G_f \cong \mathbb{Z}/(6) \times \mathbb{Z}/(2) \iff \Sigma_f = 3A_5 + 3A_1$.
- $G_f \cong \mathbb{Z}/(4) \times \mathbb{Z}/(4) \iff \Sigma_f = 6A_3$.
- $G_f \cong \mathbb{Z}/(3) \times \mathbb{Z}/(3) \iff \Sigma_f \in \{2A_5 + 4A_2, A_5 + 6A_2, 8A_2\}$.

Remark 2.9. Elliptic $K3$ surfaces with $G_f = [7], [8], [6, 2], [4, 4]$ are constructed as elliptic modular surfaces (cf. [17, 14]). The corresponding congruence groups $\Gamma \subset \mathrm{SL}_2(\mathbb{Z})$ are as follows.

G_f	[7]	[8]	[6, 2]	[4, 4]
Γ	$\Gamma_1(7)$	$\Gamma_1(8)$	$\Gamma_0(3) \cap \Gamma(2)$	$\Gamma(4)$

2.3. From ADE -types to configurations of singular fibers. The correspondence between the type (in the notation of Kodaira) of a singular fiber of an elliptic fibration and an ADE -type is shown in Table 2.8. There are following ambiguities in recovering the configurations of singular fibers from its ADE -type.

- An irreducible singular fiber is of type either I_1 or II .
- A singular fiber of ADE -type A_1 is of type either I_2 or III .
- A singular fiber of ADE -type A_2 is of type either I_3 or IV .

We present some restrictions on the possibilities of configuration of singular fibers of an elliptic $K3$ surface $f : X \rightarrow \mathbb{P}^1$ with a given ADE -type.

Let i_b be the number of singular fibers of f of type I_b . We define similarly i_b^* , ii , ii^* , iii , iii^* , iv , iv^* . Miranda and Persson gave a formula for the degree of the modulus function $J_f : \mathbb{P}^1 \rightarrow \mathbb{P}^1 := \mathfrak{H}/\mathrm{SL}_2(\mathbb{Z})$ associated with $f : X \rightarrow \mathbb{P}^1$:

$$\deg J_f := \sum_{b \geq 1} b(i_b + i_b^*).$$

By the Hurwitz formula, they obtained the following necessary condition for configurations; if $\deg J_f > 0$, then

$$\deg J_f \leq 6 \sum_{b \geq 1} (i_b + i_b^*) + 4(ii + iv^*) + 3(iii + iii^*) + 2(iv + ii^*) - 12.$$

See [9, §3] for the proof.

TABLE 2.8. Singular fibers of elliptic fibration.

Singular fiber	<i>ADE</i> -type	Euler number	Possible torsion parts
I_0	regular	0	all
I_1	irreducible	1	$\diamond$
$I_b \quad (b \geq 2)$	A_{b-1}	b	
$I_b^* \quad (b \geq 0)$	D_{4+b}	$6 + b$	$\begin{cases} [1], [2], [2, 2] & \text{if } b \text{ is even} \\ [1], [2], [4] & \text{if } b \text{ is odd} \end{cases}$
II	irreducible	2	[1]
II^*	E_8	10	[1]
III	A_1	3	[1], [2]
III^*	E_7	9	[1], [2]
IV	A_2	4	[1], [3]
IV^*	E_6	8	[1], [3]

$$\diamond \begin{cases} [a] \text{ is possible for } a = 1, \dots, 8, \\ [2a, 2] \text{ is possible for } a = 1, \dots, 3 \text{ if and only if } b = 0 \pmod{2}, \\ [3, 3] \text{ is possible if and only if } b = 0 \pmod{3}, \\ [4, 4] \text{ is possible if and only if } b = 0 \pmod{4}. \end{cases}$$

The euler number 24 of the $K3$ surface X is equal to the sum of euler numbers of singular fibers of f . The third column of Table 2.8 shows the euler number of a singular fiber of each type. We define the euler number $\text{euler}(\Sigma)$ of an *ADE*-type $\Sigma := \sum a_l A_l + \sum d_m D_m + \sum e_n E_n$ by

$$\text{euler}(\Sigma) := \sum a_l \cdot (l + 1) + \sum d_m \cdot (m + 2) + \sum e_n \cdot (n + 2).$$

Then $\text{euler}(\Sigma_f)$ is less than or equal to the sum of euler numbers of reducible singular fibers. Hence we always have

$$\text{euler}(\Sigma_f) \leq 24.$$

We can deduce from Table 2.8, for example, that, if $\text{euler}(\Sigma_f) = 24$, then $f : X \rightarrow \mathbb{P}^1$ has no irreducible fibers nor fibers of type III or IV.

When G_f is non-trivial, certain types of singular fibers cannot appear. Let $g : S \rightarrow \Delta$ be an elliptic fibration over an open unit disk Δ such that g is smooth over $\Delta^\times := \Delta \setminus \{0\}$, and let $E := g^{-1}(p)$ be the fiber over a point $p \in \Delta^\times$. Looking at the monodromy action of $\pi_1(\Delta^\times, p)$ on the set of torsion points of E , we can determine whether a finite abelian group can be embedded into the Mordell-Weil group of g . The fourth column of Table 2.8 shows the groups among the list (2.1) that can be isomorphic to the torsion part of the Mordell-Weil group of an elliptic

TABLE 2.9. Cardinalities of $\mathcal{R}_r$, $\mathcal{E}_r$ and $\mathcal{P}_r$

r	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	total
$ \mathcal{R}_r $	1	2	3	6	9	16	24	39	57	88	128	193	276	403	570	815	1137	1599	5366
$ \mathcal{E}_r $	1	2	3	6	9	16	24	39	57	88	128	193	274	393	531	688	773	712	3937
$ \mathcal{P}_r $	1	2	3	6	9	16	24	39	57	88	128	193	274	392	518	624	580	325	3279
$ \mathcal{T}_r $	1	2	3	6	9	16	24	38	55	82	115	162	217	289	362	419	372	188	2360

surface having the singular fiber. We see, for example, that, if G_f is non-trivial, then every irreducible singular fiber must be of type I_1 .

2.4. Miscellaneous facts. For an integer r with $1 \leq r \leq 18$, we put as follows.

$$\mathcal{R}_r := \{ \Sigma ; \Sigma \text{ is an } ADE\text{-type with } \text{rank}(\Sigma) = r \},$$

$$\mathcal{E}_r := \{ \Sigma \in \mathcal{R}_r ; \text{euler}(\Sigma) \leq 24 \}, \quad \text{and}$$

$$\mathcal{P}_r := \{ \Sigma \in \mathcal{E}_r ; \text{there exists an elliptic } K3 \text{ surface } f : X \rightarrow \mathbb{P}^1 \text{ with } \Sigma_f = \Sigma \} = \cup_G \mathcal{P}_r^G.$$

For $\Sigma \in \cup_{r=1}^{18} \mathcal{P}_r$, we denote by $\mathcal{G}(\Sigma)$ the set of isomorphism classes of finite abelian groups G such that $(\Sigma, G) \in \mathcal{P}$. For each r , we denote by $\mathcal{T}_r$ the set of $\Sigma \in \mathcal{P}_r$ such that $\mathcal{G}(\Sigma)$ consists of only the trivial group $[1]$. The cardinalities of these sets are given in Table 2.9. Note that, if $\text{rank}(\Sigma) \leq 12$, then $\text{euler}(\Sigma) \leq 24$ holds automatically.

Theorem 2.10. *Let Σ be an ADE -type with $\text{euler}(\Sigma) \leq 24$. Suppose that $\text{rank}(\Sigma) \leq 13$. Then there exists an elliptic $K3$ surface $f : X \rightarrow \mathbb{P}^1$ with $\Sigma_f = \Sigma$.*

Remark 2.11. The complement of $\mathcal{P}_{14}$ in $\mathcal{E}_{14}$ consists of a single element $E_6 + 8A_1$. Hence, when $\text{euler}(\Sigma) \leq 24$ and $\text{rank}(\Sigma) = 14$, there exists an elliptic $K3$ surface $f : X \rightarrow \mathbb{P}^1$ with $\Sigma_f = \Sigma$ if and only if $\Sigma \neq E_6 + 8A_1$.

Theorem 2.12. *Suppose that $\text{rank}(\Sigma) \leq 10$. Then there exists an elliptic $K3$ surface $f : X \rightarrow \mathbb{P}^1$ with $G_f = [1]$ and $\Sigma_f = \Sigma$.*

Remark 2.13. The complement $\mathcal{P}_{11} \setminus \mathcal{P}_{11}^{[1]}$ consists of a single element $11A_1$. We have $\mathcal{G}(11A_1) = \{[2]\}$.

Theorem 2.14. *Let $f : X \rightarrow \mathbb{P}^1$ be an elliptic $K3$ surface. If $\text{rank}(\Sigma_f) \leq 7$, then G_f must be trivial.*

Remark 2.15. The complement $\mathcal{P}_8^{[1]} \setminus \mathcal{T}_8$ consists of a single element $8A_1$, and the complement $\mathcal{P}_9^{[1]} \setminus \mathcal{T}_9$ consists of two elements $9A_1$ and $A_3 + 6A_1$. We have

$$\mathcal{G}(8A_1) = \mathcal{G}(9A_1) = \mathcal{G}(A_3 + 6A_1) = \{[1], [2]\}.$$

Remark 2.16. There are several ADE -types Σ with $|\mathcal{G}(\Sigma)| \geq 3$. For example,

$$\mathcal{G}(2A_5 + 2A_2 + 2A_1) = \mathcal{G}(A_{11} + 2A_2 + 2A_1) = \{[1], [2], [3], [6]\}.$$

3. LOCAL INVARIANTS OF LATTICES

First we fix some terminologies about lattices.

Let R be either $\mathbb{Z}$ or $\mathbb{Z}_p$. A *lattice* over R is, by definition, a free R -module L of finite rank equipped with a non-degenerate symmetric bilinear form $(\ , \) : L \times L \rightarrow R$. For $\alpha \in R \setminus \{0\}$, let αL denote the lattice obtained from L by multiplying the symmetric bilinear form by α . We will denote L^- for $(-1)L$. We often express a lattice by the intersection matrix with respect to a certain basis of L . For example, (a) is the lattice of rank 1 generated by a vector e such that $(e, e) = a$. A sublattice N of L is said to be *primitive* if L/N is torsion free. A lattice L over R is said to be *even* if $(v, v) \in 2R$ holds for any $v \in L$. Note that, when R is $\mathbb{Z}_p$ with p an odd prime, every lattice over R is even. The *discriminant* $\text{disc}(L)$ of a lattice L is considered as an element of $(R \setminus \{0\})/(R^\times)^2$. A lattice L is said to be *unimodular* if $\text{disc}(L) \in R^\times/(R^\times)^2$.

Suppose that $R = \mathbb{Z}_p$. Then we have $\text{disc}(L) = p^\nu u$ for some $\nu \geq 0$, where $u \in \mathbb{Z}_p^\times/(\mathbb{Z}_p^\times)^2$. We denote the element u by $\text{reddisc}(L)$ and call it the *reduced discriminant* of L .

Let k be the quotient field of R . The k -vector space $L \otimes_R k$ has a natural symmetric bilinear form with values in k . We denote by $L^\vee$ the R -submodule of $L \otimes_R k$ consisting of all vectors v such that $(v, w) \in R$ holds for every $w \in L$, and call it the *dual lattice* of L . An R -submodule M of $L^\vee$ is said to be an *overlattice* of L if M contains L and the symmetric bilinear form restricted to M takes values in R . Two lattices L and M over R are said to be *k-equivalent* if $L \otimes_R k$ and $M \otimes_R k$ together with their symmetric k -valued bilinear forms are isomorphic.

For a detailed account of the following definitions and theorems, see Conway and Sloane [6, Chapter 15] and Cassels [5, Chapters 8 and 9].

3.1. Local invariants. Let Λ be a lattice over $\mathbb{Z}_p$. Then Λ is decomposed into the orthogonal direct sum $\Lambda = \bigoplus_{\nu \geq 0} p^\nu \Lambda_\nu$ with each Λ_ν being unimodular. This decomposition is called a *Jordan decomposition* of Λ , and each $p^\nu \Lambda_\nu$ is called a *Jordan component* of Λ . Note that the reduced discriminant of Λ is the product of the discriminants of Λ_ν .

Suppose that p is odd. Then a lattice Λ over $\mathbb{Z}_p$ is isomorphic to an orthogonal direct sum $\bigoplus_i p^{\nu_i}(a_i)$, where $a_i \in \mathbb{Z}_p^\times$. The *p-excess* of Λ is defined to be

$$-\text{rank}(\Lambda) + 4m + \sum_i p^{\nu_i} \in \mathbb{Z}/(8),$$

where m is the number of orthogonal direct summands $p^{\nu_i}(a_i)$ such that ν_i is odd and that a_i is not square in $\mathbb{Z}_p^\times$. It is known that the *p-excess* is a well-defined invariant of $\mathbb{Q}_p$ -equivalence classes of lattices over $\mathbb{Z}_p$.

Suppose that $p = 2$. We put

$$U := \begin{pmatrix} 0 & 1 \\ 1 & 0 \end{pmatrix} \quad \text{and} \quad V := \begin{pmatrix} 2 & 1 \\ 1 & 2 \end{pmatrix},$$

both of which are even unimodular lattices of rank 2 over $\mathbb{Z}_2$. Then a lattice over $\mathbb{Z}_2$ is decomposed into the orthogonal direct sum of lattices such that each direct

summand is isomorphic to $2^\nu(a)$ ($a \in \mathbb{Z}_2^\times$), $2^\nu U$ or $2^\nu V$. We define the 2-excesses of these lattices by

$$\begin{aligned} 2\text{-excess}(2^\nu(a)) &= \begin{cases} 1 - a \bmod 8 & \text{if } \nu \text{ is even or } a = \pm 1 \bmod 8, \\ 5 - a \bmod 8 & \text{if } \nu \text{ is odd and } a = \pm 3 \bmod 8, \end{cases} \\ 2\text{-excess}(2^\nu U) &= 2 \bmod 8, \\ 2\text{-excess}(2^\nu V) &= \begin{cases} 2 \bmod 8 & \text{if } \nu \text{ is even,} \\ 6 \bmod 8 & \text{if } \nu \text{ is odd.} \end{cases} \end{aligned}$$

Then we define the 2-excess of

$$\Lambda \cong \bigoplus_i 2^{\nu_i}(a_i) \oplus \bigoplus_j 2^{\nu_j} U \oplus \bigoplus_k 2^{\nu_k} V \quad (3.1)$$

to be the sum of the 2-excesses of direct summands in the decomposition (3.1). Even though the decomposition (3.1) is not unique in general, it turns out that the 2-excess is a well-defined invariant of $\mathbb{Q}_2$ -equivalence classes of lattices over $\mathbb{Z}_2$. (Note that U and V are $\mathbb{Q}_2$ -equivalent to $2(1) \oplus 2(7)$ and $2(1) \oplus 2(3)$, respectively.)

3.2. Existence of lattices over $\mathbb{Z}$ with given local data. Combining [6, Chapter 15, Theorem 5] and [5, Chapter 9, Theorem 1.2], we obtain the following:

Theorem 3.1. *Let d be a non-zero integer, and (r, s) a pair of non-negative integers such that $n := r + s$ is positive and that $d = (-1)^s |d|$ holds. Suppose that, for each prime divisor p of $2d$, a lattice $\Lambda^{(p)}$ of rank n over $\mathbb{Z}_p$ is given. Then there exists a lattice L over $\mathbb{Z}$ with discriminant d and signature (r, s) such that $L \otimes_{\mathbb{Z}} \mathbb{Z}_p$ is isomorphic to $\Lambda^{(p)}$ for each p if and only if the following two conditions are satisfied:*

- (i) $\text{disc}(\Lambda^{(p)})$ is equal to $d \cdot (\mathbb{Z}_p^\times)^2$ for each p , and
- (ii) $r - s + \sum_{p|2d} p\text{-excess}(\Lambda^{(p)}) = n \bmod 8$ holds. □

4. THEORY OF DISCRIMINANT FORMS

4.1. Definitions. Let R and k be as above. Let D be a finite abelian group. A finite symmetric bilinear form on D with values in k/R is, by definition, a homomorphism $b : D \times D \rightarrow k/R$ such that $b(x, y) = b(y, x)$ holds for any $x, y \in D$. A finite quadratic form on D with values in $k/2R$ is a map $q : D \rightarrow k/2R$ with the following properties:

- (i) $q(nx) = n^2 q(x)$ for $n \in \mathbb{Z}$ and $x \in D$, and
- (ii) the map $b[q] : D \times D \rightarrow k/R$ defined by $(x, y) \mapsto (q(x+y) - q(x) - q(y))/2$ is a finite symmetric bilinear form.

Let H be a subgroup of D . The orthogonal complement $H^\perp$ of H with respect to q is the subgroup of D consisting of elements y such that $b[q](x, y) = 0$ holds for any $x \in H$. We say that q is non-degenerate if $D^\perp = (0)$. Note that, if $D = H \oplus H^\perp$, then q is written as $q|_H \oplus q|_{H^\perp}$, because the homomorphism $a \mapsto a/2$ from $k/2R$ to k/R is injective.

The length of D is, by definition, the minimal number of generators of D . A subset $\{\gamma_1, \dots, \gamma_l\}$ of D is said to be a *reduced set of generators* of D if l is the length of D and $D = \langle \gamma_1 \rangle \times \dots \times \langle \gamma_l \rangle$ holds. Let $\{\gamma_1, \dots, \gamma_l\}$ be a reduced set of generators of D . Then a finite quadratic form q on D is expressed by a symmetric

TABLE 4.1. Discriminant forms of even lattices over $\mathbb{Z}_p$

Λ	$p^\nu(a)$	$2^\nu U$	$2^\nu V$
D_Λ	$\mathbb{Z}/(p^\nu)$	$(\mathbb{Z}/(2^\nu))^{\oplus 2}$	$(\mathbb{Z}/(2^\nu))^{\oplus 2}$
q_Λ	$\begin{bmatrix} a \\ p^\nu \end{bmatrix}$	$\frac{1}{2^\nu} \begin{bmatrix} 0 & 1 \\ 1 & 0 \end{bmatrix}$	$\frac{1}{2^\nu} \begin{bmatrix} 2 & 1 \\ 1 & 2 \end{bmatrix}$

$l \times l$ matrix whose diagonal entries are $q(\gamma_i) \in k/2R$ and whose off-diagonal entries are $b[q](\gamma_i, \gamma_j) \in k/R$.

Let L be a lattice over R . The discriminant group D_L of L is, by definition, the quotient group $L^\vee/L$. We denote by $\Psi_L : L^\vee \rightarrow D_L$ the natural projection. Suppose that L is even. Then we can define a finite quadratic form q_L on D_L with values in $k/2R$ by $q_L(x) := (x', x') \bmod 2R$, where x' is a vector of $L^\vee$ such that $\Psi_L(x') = x$. We call q_L the *discriminant form* of L . Because L is non-degenerate, q_L is also non-degenerate. By definition, we have $(D_{L \oplus M}, q_{L \oplus M}) = (D_L, q_L) \oplus (D_M, q_M)$.

4.2. Discriminant forms and overlattices. The following two propositions, due to Nikulin, play a central role in making the list $\mathcal{P}$.

Proposition 4.1 ([11] Proposition 1.4.1). *Let L be an even lattice over $\mathbb{Z}$.*

(1) *If $H \subset D_L$ is a subgroup isotopic with respect to q_L , then $M := \Psi_L^{-1}(H)$ is an even overlattice of L , and the discriminant form of M is isomorphic to $(H^\perp/H, q_L|_{H^\perp/H})$.*

(2) *The map $H \mapsto \Psi_L^{-1}(H)$ establishes a bijection between the set of isotopic subgroups of (D_L, q_L) and the set of even overlattices of L .* $\square$

Proposition 4.2 ([11] Proposition 1.6.1). *Let L and M be even lattices over $\mathbb{Z}$. Then the following are equivalent.*

- (i) *The two finite quadratic forms (D_L, q_L) and $(D_M, -q_M)$ are isomorphic.*
- (ii) *There exists an even unimodular overlattice of $L \oplus M$ into which L and M are embedded primitively.*

$\square$

4.3. Localization and discriminant form. Let L be an even lattice over $\mathbb{Z}$. We decompose D_L into the direct sum of its p -Sylow subgroups $D_L^{(p)}$, where p runs through the set of prime divisors of $|D_L| = |\text{disc}(L)|$. These p -parts are orthogonal to each other with respect to q_L , and hence q_L is also decomposed into the p -parts; $q_L = \oplus_p q_L^{(p)}$, where $q_L^{(p)}$ is the restriction of q_L to $D_L^{(p)}$. By the definition of the discriminant form, we can easily prove the following:

Lemma 4.3. *The image of $q_L^{(p)}$ is contained in $2\mathbb{Z}[1/p]/2\mathbb{Z} \subset \mathbb{Q}/2\mathbb{Z}$. The natural inclusion $2\mathbb{Z}[1/p] \hookrightarrow \mathbb{Q}_p$ induces an isomorphism $2\mathbb{Z}[1/p]/2\mathbb{Z} \cong \mathbb{Q}_p/2\mathbb{Z}_p$. Under this identification, $(D_L^{(p)}, q_L^{(p)})$ is isomorphic to $(D_{L \otimes \mathbb{Z}_p}, q_{L \otimes \mathbb{Z}_p})$.* $\square$

The discriminant form of an even lattice Λ over $\mathbb{Z}_p$ is calculated by Table 4.1. In particular, D_Λ is a p -group of length equal to $\text{rank}(\Lambda) - \text{rank}(\Lambda_0)$, where Λ_0 is the first Jordan component of Λ . We also have $\text{disc}(\Lambda) = |D_\Lambda| \cdot \text{reddisc}(\Lambda)$.

5. EXISTENCE OF EVEN LATTICES WITH A GIVEN DISCRIMINANT FORM

5.1. **Over $\mathbb{Z}_p$.** Suppose that a finite abelian p -group D and a non-degenerate finite quadratic form $q : D \rightarrow \mathbb{Q}_p/2\mathbb{Z}_p$ are given. It is known that, if $n \geq \text{length}(D)$, then there exists an even lattice Λ of rank n over $\mathbb{Z}_p$ such that (D_Λ, q_Λ) is isomorphic to (D, q) . The purpose of this subsection is to describe a method to determine the set $\mathcal{L}^{(p)}(n, D, q)$ of all $[\sigma, u] \in \mathbb{Z}/(8) \times \mathbb{Z}_p^\times/(\mathbb{Z}_p^\times)^2$ such that there exists an even lattice Λ of rank n over $\mathbb{Z}_p$ with $(D_\Lambda, q_\Lambda) \cong (D, q)$, $p\text{-excess}(\Lambda) = \sigma$ and $\text{reddisc}(\Lambda) = u$.

Note that

$$\begin{aligned} p\text{-excess}(\Lambda_1 \oplus \Lambda_2) &= p\text{-excess}(\Lambda_1) + p\text{-excess}(\Lambda_2), \quad \text{and} \\ \text{reddisc}(\Lambda_1 \oplus \Lambda_2) &= \text{reddisc}(\Lambda_1) \cdot \text{reddisc}(\Lambda_2). \end{aligned}$$

Taking these into account, for sets $\mathcal{L}$ and $\mathcal{L}'$ of elements of $\mathbb{Z}/(8) \times \mathbb{Z}_p^\times/(\mathbb{Z}_p^\times)^2$, we define $\mathcal{L} * \mathcal{L}'$ to be the set

$$\{ [\sigma + \sigma', uu'] ; [\sigma, u] \in \mathcal{L}, [\sigma', u'] \in \mathcal{L}' \}.$$

We also put $\mathcal{L}_0^{(p)} := \{[0, 1]\}$. Then $\mathcal{L} * \mathcal{L}_0^{(p)} = \mathcal{L}$ holds for any $\mathcal{L}$.

Lemma 5.1. *Let l be the length of D . Then we have*

$$\mathcal{L}^{(p)}(n, D, q) = \mathcal{L}^{(p)}(n-l, (0), [0]) * \mathcal{L}^{(p)}(l, D, q). \quad (5.1)$$

If p is odd, then

$$\mathcal{L}^{(p)}(n-l, (0), [0]) = \begin{cases} \emptyset & \text{if } n < l, \\ \mathcal{L}_0^{(p)} & \text{if } n = l, \\ \{[0, 1], [0, v_p]\} & \text{if } n > l, \end{cases} \quad (5.2)$$

where v_p is the unique non-trivial element of $\mathbb{Z}_p^\times/(\mathbb{Z}_p^\times)^2$. If $p = 2$, then

$$\mathcal{L}^{(2)}(n-l, (0), [0]) = \begin{cases} \emptyset & \text{if } n < l \text{ or } n-l \bmod 2 = 1, \\ \mathcal{L}_0^{(2)} & \text{if } n = l, \\ \{[n-l, 1], [n-l, 5]\} & \text{if } n > l \text{ and } n-l \bmod 4 = 0, \\ \{[n-l, 3], [n-l, 7]\} & \text{if } n > l \text{ and } n-l \bmod 4 = 2. \end{cases}$$

Proof. Let $\Lambda = \Lambda_0 \oplus \bigoplus_{\nu > 0} p^\nu \Lambda_\nu$ be a Jordan decomposition of an even lattice Λ over $\mathbb{Z}_p$ with $(D_\Lambda, q_\Lambda) \cong (D, q)$. We put $\Lambda_{>0} := \Lambda_0^\perp = \bigoplus_{\nu > 0} p^\nu \Lambda_\nu$. Then we have $\text{rank}(\Lambda_{>0}) = l$, $(D_{\Lambda_0}, q_{\Lambda_0}) = ((0), [0])$ and $(D_{\Lambda_{>0}}, q_{\Lambda_{>0}}) = (D_\Lambda, q_\Lambda) \cong (D, q)$. Hence (5.1) holds. The statement (5.2) is obvious. A lattice Λ over $\mathbb{Z}_2$ is even if and only if Λ_0 is of even rank and is isomorphic to an orthogonal direct sum of copies of U and V . Because of

$$[2\text{-excess}(U), \text{reddisc}(U)] = [2, 7] \quad \text{and} \quad [2\text{-excess}(V), \text{reddisc}(V)] = [2, 3],$$

we can easily prove the last statement. $\square$

Lemma 5.2. *Let p be a prime integer, and ν a positive integer.*

(1) *Suppose that p is an odd prime, and let v_p be the unique non-trivial element of $\mathbb{Z}_p^\times/(\mathbb{Z}_p^\times)^2$. Let u be an integer prime to p . We put*

$$\chi_p(u) := \left(\frac{u}{p} \right) \in \{\pm 1\}.$$

Then

$$\mathcal{L}^{(p)}(1, \mathbb{Z}/(p^\nu), \left[\frac{u}{p^\nu}\right]) = \begin{cases} \{[p^\nu - 1, 1]\} & \text{if } \chi_p(u) = 1, \\ \{[p^\nu - 1, v_p]\} & \text{if } \nu \text{ is even and } \chi_p(u) = -1, \\ \{[p^\nu + 3, v_p]\} & \text{if } \nu \text{ is odd and } \chi_p(u) = -1. \end{cases}$$

(2) Suppose that $p = 2$ and a is an odd integer. Then we have

$$\mathcal{L}^{(2)}(1, \mathbb{Z}/(2^\nu), \left[\frac{a}{2^\nu}\right]) = \begin{cases} \{[1 - a, a]\} & \text{if } \nu \text{ is even,} \\ \{[1 - a, a]\} & \text{if } \nu \text{ is odd, } \nu \geq 2, \text{ and } a \equiv \pm 1 \pmod{8}, \\ \{[5 - a, a]\} & \text{if } \nu \text{ is odd, } \nu \geq 2, \text{ and } a \equiv \pm 3 \pmod{8}, \\ \{[1 - a, a], [1 - a, 5a]\} & \text{if } \nu = 1 \text{ and } a \equiv \pm 1 \pmod{8}, \\ \{[5 - a, a], [5 - a, 5a]\} & \text{if } \nu = 1 \text{ and } a \equiv \pm 3 \pmod{8}. \end{cases}$$

Let u, v and w be integers with v being odd. Then

$$\mathcal{L}^{(2)}(2, (\mathbb{Z}/(2^\nu))^{\oplus 2}, \frac{1}{2^\nu} \begin{bmatrix} 2u & v \\ v & 2w \end{bmatrix}) = \begin{cases} \{[2, 7]\} & \text{if } \nu \text{ is even and } uw \text{ is even,} \\ \{[2, 3]\} & \text{if } \nu \text{ is even and } uw \text{ is odd,} \\ \{[2, 7]\} & \text{if } \nu \text{ is odd and } uw \text{ is even,} \\ \{[6, 3]\} & \text{if } \nu \text{ is odd and } uw \text{ is odd.} \end{cases}$$

Proof. Two non-degenerate quadratic forms $[u/p^\nu]$ and $[u'/p^\nu]$ on $\mathbb{Z}/(p^\nu)$ with values in $\mathbb{Q}_p/2\mathbb{Z}_p$ are isomorphic if and only if

$$uu' \in (\mathbb{Z}_p^\times)^2, \quad \text{or} \quad (p = 2, \quad \nu = 1, \quad \text{and} \quad u = u' \pmod{4})$$

is satisfied. On the other hand, two lattices $p^\nu(u)$ and $p^\nu(u')$ with $u, u' \in \mathbb{Z}_p^\times$ of rank 1 over $\mathbb{Z}_p$ are isomorphic if and only if $uu' \in (\mathbb{Z}_p^\times)^2$ holds. Therefore the first statement follows. The finite quadratic form

$$q = \frac{1}{2^\nu} \begin{bmatrix} 2u & v \\ v & 2w \end{bmatrix} \quad (v : \text{odd})$$

on $(\mathbb{Z}/(2^\nu))^{\oplus 2}$ with values in $\mathbb{Q}_2/2\mathbb{Z}_2$ is isomorphic to $q_{2^\nu U}$ (resp. $q_{2^\nu V}$) if and only if $uw \pmod{2} = 0$ (resp. $uw \pmod{2} = 1$). These two forms can never be isomorphic to $[u'/2^\nu] \oplus [w'/2^\nu]$ with u' and w' being odd. Thus the second statement follows. $\square$

Now we state an algorithm to calculate $\mathcal{L}^{(p)}(n, D, q)$. By Lemma 5.1, it is enough to determine $\mathcal{L}^{(p)}(l, D, q)$. Let $\{\gamma_1, \dots, \gamma_l\}$ be a reduced set of generators of D . We denote the order of γ_i by p^{ν_i} , and arrange the generators in such a way that $\nu_1 \geq \dots \geq \nu_l$ holds. For an element $\alpha \in \mathbb{Q}_p/\mathbb{Z}_p$, we define $\phi_p(\alpha)$ to be the integer such that the order of α is $p^{\phi_p(\alpha)}$. Note that $\phi_p(b[q](\gamma_i, \gamma_j)) \leq \min(\nu_i, \nu_j)$ holds for any γ_i and γ_j .

When $l = 1$, $\mathcal{L}^{(p)}(l, D, q)$ is given by Lemma 5.2. Suppose that $l > 1$.

Case 1. Suppose that there exists a generator γ_i such that $\phi_p(b[q](\gamma_i, \gamma_i)) = \nu_1$. Then we have $\nu_i = \nu_1$. Interchanging γ_1 and γ_i , we will assume that $\phi_p(b[q](\gamma_1, \gamma_1)) = \nu_1$. Let u be an integer such that $b[q](\gamma_1, \gamma_1) = u/p^{\nu_1} \pmod{\mathbb{Z}_p}$. Then u is prime to p , and hence there is an integer v such that $uv = 1 \pmod{p^{\nu_1}}$ holds. Since $\phi_p(b[q](\gamma_j, \gamma_1)) \leq \min(\nu_j, \nu_1) = \nu_j$, we can write $b[q](\gamma_j, \gamma_1)$ in the form $w_j/p^{\nu_1} \pmod{\mathbb{Z}_p}$ by some integer w_j that is divisible by $p^{\nu_1 - \nu_j}$. For $j \geq 2$, we put $\gamma'_j := \gamma_j - vw_j\gamma_1$. Because γ_1 is of order p^{ν_1} in D , γ'_j is independent of the choice of u, v and w_j .

Moreover, γ'_j is of order p^{ν_j} , and $\{\gamma_1, \gamma'_2, \dots, \gamma'_l\}$ is again a reduced set of generators. By definition, we have $b[q](\gamma'_j, \gamma_1) = 0$ for any $j \geq 2$. We put

$$(D_1, q_1) := (\langle \gamma_1 \rangle, q|_{\langle \gamma_1 \rangle}) \cong (\mathbb{Z}/(p^{\nu_1}), [u/p^{\nu_1}])$$

and $(D_2, q_2) := (\langle \gamma'_2, \dots, \gamma'_l \rangle, q|_{\langle \gamma'_2, \dots, \gamma'_l \rangle})$. Then (D, q) is decomposed into the orthogonal direct sum of (D_1, q_1) and (D_2, q_2) .

Let Λ be an even lattice of rank l over $\mathbb{Z}_p$ such that there exists an isomorphism $h : (D_\Lambda, q_\Lambda) \xrightarrow{\sim} (D, q)$. Let $e^* \in \Lambda^\vee$ be a vector such that $h \circ \Psi_\Lambda(e^*) = \gamma_1$, and $\Lambda'_1 \subset \Lambda^\vee$ the $\mathbb{Z}_p$ -submodule generated by e^* . Then $\Lambda_1 := \Lambda'_1 \cap \Lambda$ is a sublattice of rank 1 generated by $e := p^{\nu_1} e^*$. Let x be an arbitrary vector of Λ . Because of $\text{ord}_p((x, e)) \geq \nu_1 = \text{ord}_p((e, e))$, the vector

$$x' := x - \frac{(x, e)}{(e, e)} e$$

is in Λ and orthogonal to Λ_1 . Hence we obtain an orthogonal decomposition $\Lambda = \Lambda_1 \oplus \Lambda_1^\perp$. The homomorphism $h \circ \Psi_\Lambda : \Lambda^\vee = \Lambda_1^\vee \oplus (\Lambda_1^\perp)^\vee \rightarrow D$ induces isomorphisms $(D_{\Lambda_1}, q_{\Lambda_1}) \cong (D_1, q_1)$ and $(D_{\Lambda_1^\perp}, q_{\Lambda_1^\perp}) \cong (D_2, q_2)$. It follows that

$$\mathcal{L}^{(p)}(l, D, q) = \mathcal{L}^{(p)}(1, D_1, q_1) * \mathcal{L}^{(p)}(l-1, D_2, q_2).$$

Thus $\mathcal{L}^{(p)}(l, D, q)$ is calculated by Lemma 5.2 and the induction hypothesis on l .

Case 2. Suppose that $\phi_p(b[q](\gamma_i, \gamma_i)) < \nu_1$ holds for any generator γ_i . Since q is non-degenerate, there exists at least one generator γ_k that satisfies $\phi_p(b[q](\gamma_1, \gamma_k)) = \nu_1$. Because of $\phi_p(b[q](\gamma_1, \gamma_k)) \leq \nu_k$, we have $\nu_k = \nu_1$.

Case 2.1. Suppose that p is odd. We replace γ_1 by $\gamma'_1 := \gamma_1 + \gamma_k$, which is an element of order p^{ν_1} . It is obvious that $\{\gamma'_1, \gamma_2, \dots, \gamma_l\}$ is again a reduced set of generators of D . Moreover we have $\phi_p(b[q](\gamma'_1, \gamma'_1)) = \nu_1$. Therefore we are led to Case 1.

Case 2.2. Suppose that $p = 2$. We replace γ_2 by γ_k . There exist integers u, v and w with v being odd such that

$$b[q](\gamma_1, \gamma_1) = \frac{2u}{2^{\nu_1}}, \quad b[q](\gamma_1, \gamma_2) = \frac{v}{2^{\nu_1}}, \quad \text{and} \quad b[q](\gamma_2, \gamma_2) = \frac{2w}{2^{\nu_1}}$$

hold modulo $\mathbb{Z}_2$. Note that $q(\gamma_1) = 2\tilde{u}/2^{\nu_1}$ and $q(\gamma_2) = 2\tilde{w}/2^{\nu_1}$ hold modulo $2\mathbb{Z}_2$ for some integers $\tilde{u}$ and $\tilde{w}$ with $u = \tilde{u} \bmod 2^{\nu_1-1}$ and $w = \tilde{w} \bmod 2^{\nu_1-1}$.

If $l = 2$, then $\mathcal{L}^{(2)}(l, D, q)$ is determined by Lemma 5.2. Suppose that $l \geq 3$. There exists an integer t such that $(4uw - v^2)t = 1 \bmod 2^{\nu_1}$ holds. For each $j \geq 3$, we choose integers s_{j1} and s_{j2} such that $b[q](\gamma_j, \gamma_1) = s_{j1}/2^{\nu_1} \bmod \mathbb{Z}_2$ and $b[q](\gamma_j, \gamma_2) = s_{j2}/2^{\nu_1} \bmod \mathbb{Z}_2$ hold, and calculate

$$\begin{pmatrix} \beta_{j1} \\ \beta_{j2} \end{pmatrix} := t \cdot \begin{pmatrix} 2w & -v \\ -v & 2u \end{pmatrix} \cdot \begin{pmatrix} s_{j1} \\ s_{j2} \end{pmatrix}.$$

Then β_{j1} and β_{j2} are divisible by $2^{\nu_1-\nu_j}$. Hence $\gamma'_j := \gamma_j - \beta_{j1}\gamma_1 - \beta_{j2}\gamma_2$ is an element of order 2^{ν_j} , which is independent of the choice of the integers. The set $\{\gamma_1, \gamma_2, \gamma'_3, \dots, \gamma'_l\}$ is again a reduced set of generators of D , and the two subgroups $\langle \gamma_1, \gamma_2 \rangle$ and $\langle \gamma'_3, \dots, \gamma'_l \rangle$ of D are orthogonal with respect to q . Therefore, putting

$$(D_1, q_1) := (\langle \gamma_1, \gamma_2 \rangle, q|_{\langle \gamma_1, \gamma_2 \rangle}) \cong \left((\mathbb{Z}/(p^{\nu_1}))^{\oplus 2}, \frac{1}{2^{\nu_1}} \begin{bmatrix} 2\tilde{u} & v \\ v & 2\tilde{w} \end{bmatrix} \right)$$

and $(D_2, q_2) := (\langle \gamma'_3, \dots, \gamma'_l \rangle, q|_{\langle \gamma'_3, \dots, \gamma'_l \rangle})$, we obtain an orthogonal decomposition $(D, q) = (D_1, q_1) \oplus (D_2, q_2)$.

Let Λ be an even lattice of rank l over $\mathbb{Z}_2$ such that there exists an isomorphism $h : (D_\Lambda, q_\Lambda) \xrightarrow{\sim} (D, q)$. We pick up two vectors $e_1^*, e_2^* \in \Lambda^\vee$ such that $h \circ \Psi_\Lambda(e_1^*) = \gamma_1$ and $h \circ \Psi_\Lambda(e_2^*) = \gamma_2$. Let $\Lambda'_1 \subset \Lambda^\vee$ be the $\mathbb{Z}_2$ -submodule of $\Lambda^\vee$ generated by e_1^* and e_2^* . Then $\Lambda_1 := \Lambda'_1 \cap \Lambda$ is a sublattice of Λ generated by $e_1 := 2^{\nu_1} e_1^*$ and $e_2 := 2^{\nu_1} e_2^*$. The intersection matrix M_1 of Λ_1 with respect to e_1 and e_2 satisfies $\text{ord}_2(\det M_1^{-1}) = -\nu_1$. Because $\text{ord}_2((x, e_1)) \geq \nu_1$ and $\text{ord}_2((x, e_2)) \geq \nu_1$ hold for any vector $x \in \Lambda$, we have $((x, e_1), (x, e_2)) \cdot M_1^{-1} \in \mathbb{Z}_2^{\oplus 2}$. Therefore Λ is decomposed into the orthogonal direct sum of Λ_1 and $\Lambda_1^\perp$. The homomorphism $h \circ \Psi_\Lambda$ induces isomorphisms $(D_{\Lambda_1}, q_{\Lambda_1}) \cong (D_1, q_1)$ and $(D_{\Lambda_1^\perp}, q_{\Lambda_1^\perp}) \cong (D_2, q_2)$. It follows that

$$\mathcal{L}^{(2)}(l, D, q) = \mathcal{L}^{(2)}(2, D_1, q_1) * \mathcal{L}^{(2)}(l-2, D_2, q_2).$$

Thus $\mathcal{L}^{(2)}(l, D, q)$ is calculated by Lemma 5.2 and the induction hypothesis on l .

5.2. Over $\mathbb{Z}$. Let D be a finite abelian group, and $q : D \rightarrow \mathbb{Q}/2\mathbb{Z}$ a non-degenerate finite quadratic form. Let (r, s) be a pair of non-negative integers such that $n := r + s > 0$. We will describe a criterion to determine whether there exists an even lattice L over $\mathbb{Z}$ with signature (r, s) such that (D_L, q_L) is isomorphic to the given finite quadratic form (D, q) .

We put $d := (-1)^s |D|$. Let P be the set of prime divisors of $2d$, and let $(D, q) = \bigoplus_{p \in P} (D^{(p)}, q^{(p)})$ be the orthogonal decomposition of (D, q) into the p -parts. If d is odd, then we put $(D^{(2)}, q^{(2)}) = ((0), [0])$. By Lemma 4.3 and Theorem 3.1, an even lattice L over $\mathbb{Z}$ with signature (r, s) and $(D_L, q_L) \cong (D, q)$ exists if and only if the following claim is verified:

(#) For each $p \in P$, there exists an even lattice $\Lambda^{(p)}$ of rank n over $\mathbb{Z}_p$ such that

- (i) $\text{disc}(\Lambda^{(p)}) = d \cdot (\mathbb{Z}_p^\times)^2$ and
- (ii) $(D_{\Lambda^{(p)}}, q_{\Lambda^{(p)}}) \cong (D^{(p)}, q^{(p)})$ hold,

and they satisfy

$$r - s + \sum_{p \in P} p\text{-excess}(\Lambda^{(p)}) = n \pmod{8}.$$

We put $\delta_p := d/p^{\text{ord}_p(d)} \in \mathbb{Z}$. Under the condition (ii), which implies $|D_{\Lambda^{(p)}}| = d/\delta_p$, the condition (i) is equivalent to the condition


$$\text{reddisc}(\Lambda^{(p)}) = \delta_p \cdot (\mathbb{Z}_p^\times)^2.$$

Therefore we can check the claim (#) by the following method. First we calculate $\mathcal{L}^{(p)}(n, D^{(p)}, q^{(p)})$ for each $p \in P$. Then we search for an element $([\sigma_p, u_p] ; p \in P)$ of the Cartesian product of the sets $\mathcal{L}^{(p)}(n, D^{(p)}, q^{(p)})$ that satisfies $u_p = \delta_p \cdot (\mathbb{Z}_p^\times)^2$ for each $p \in P$ and $r - s + \sum \sigma_p = n \pmod{8}$. The claim (#) is true if and only if we find such an element.

6. ROOTS

For the following, we refer to [3], [6, Chapter 4] or [12].

FIGURE 6.1. Dynkin diagram



6.1. Root system of a positive-definite even lattice over $\mathbb{Z}$. Let L be a positive-definite even lattice over $\mathbb{Z}$. A vector of L is said to be a *root* if its norm is 2. We denote by L_{root} the sublattice of L generated by roots. A lattice L is said to be a *root lattice* if $L = L_{\text{root}}$ holds. Let $\text{Roots}(L)$ be the set of roots of L . We define $\sim$ to be the finest equivalence relation on $\text{Roots}(L)$ that satisfies $(v, w) \neq 0 \implies v \sim w$. Let $I_1, \dots, I_k$ be the equivalence classes of roots under the relation $\sim$, and let L_i be the sublattice of L_{root} generated by I_i . There exists a basis $B_i \subset I_i$ such that the intersection matrix of L_i with respect to B_i is the Cartan matrix corresponding to a Dynkin diagram of type A_l , D_m or E_n . Let τ_i be the type of the Dynkin diagram of the intersection matrix of L_i . We define the root type of L to be $\sum_{i=1}^k \tau_i$. Conversely, for an ADE-type Σ , there exists a root lattice $L(\Sigma)$, unique up to isomorphism, whose root type is Σ .

The root type of a positive-definite even lattice L over $\mathbb{Z}$ is therefore determined by the following procedure.

- (1) Create the list $\text{Roots}(L)$, and decompose it into $I_1, \dots, I_k$.
- (2) Calculate the rank of L_i for $i = 1, \dots, k$.
- (3) Determine the type τ_i from $\text{rank}(L_i)$ and $|I_i|$ by using Table 6.1.

6.2. Discriminant forms of root lattices. The discriminant form $(D_{L(\tau)}, q_{L(\tau)})$, where τ is A_l , D_m or E_n , is indicated in Table 6.1. In this table, for example, $\{a_1^*, \dots, a_l^*\}$ is the basis of $L(A_l)^\vee$ dual to the basis $\{a_1, \dots, a_l\}$ of $L(A_l)$ given in Figure 6.1, and $\bar{a}_i^* \in D_{L(A_l)}$ is the image of a_i^* by the homomorphism $\Psi_{L(A_l)} : L(A_l)^\vee \rightarrow D_{L(A_l)}$.

Let $\Gamma(\tau)$ denote the image of the natural homomorphism from the orthogonal group $O(L(\tau))$ of the lattice $L(\tau)$ to $\text{Aut}(D_{L(\tau)}, q_{L(\tau)})$. The structure of $\Gamma(\tau)$ is given as follows.

- If $\tau = A_1$ or $\tau = E_7$, then $\Gamma(\tau)$ is trivial.
- If $\tau = A_l$ ($l > 1$) or $\tau = D_m$ (m : odd) or $\tau = E_6$, then $\Gamma(\tau)$ is isomorphic to $\mathbb{Z}/(2)$ generated by the multiplication by -1 .
- If $\tau = D_m$ with m being even and > 4 , then $\Gamma(\tau)$ is isomorphic to $\mathbb{Z}/(2)$ generated by

$$\bar{d}_1^* \mapsto \bar{d}_1^* + \bar{d}_m^*, \quad \bar{d}_m^* \mapsto \bar{d}_m^*.$$

TABLE 6.1. Number of roots and discriminant forms of root lattices

τ	$ \text{Roots}(L(\tau)) $	$D_{L(\tau)}$	$q_{L(\tau)}$
A_l	$l(l+1)$	$\langle \bar{a}_l^* \rangle \cong \mathbb{Z}/(l+1)$	$\left[\frac{l}{l+1} \right]$
D_m (m : even)	$2m(m-1)$	$\langle \bar{d}_1^* \rangle \oplus \langle \bar{d}_m^* \rangle \cong (\mathbb{Z}/(2))^{\oplus 2}$	$\begin{bmatrix} m/4 & 1/2 \\ 1/2 & 1 \end{bmatrix}$
D_m (m : odd)	$2m(m-1)$	$\langle \bar{d}_1^* \rangle \cong \mathbb{Z}/(4)$	$[m/4]$
E_6	72	$\langle \bar{e}_6^* \rangle \cong \mathbb{Z}/(3)$	$[4/3]$
E_7	126	$\langle \bar{e}_7^* \rangle \cong \mathbb{Z}/(2)$	$[3/2]$
E_8	240	(0)	$[0]$

- If $\tau = D_4$, then $\Gamma(\tau)$ is isomorphic to the full symmetric group acting on the set $\{\bar{d}_1^*, \bar{d}_4^*, \bar{d}_1^* + \bar{d}_4^*\}$ of non-trivial elements of $D_{L(\tau)}$.

7. EXISTENCE OF AN ELLIPTIC $K3$ SURFACE WITH GIVEN DATA

Theorem 7.1. *Let Σ be an ADE-type with $\text{rank}(\Sigma) \leq 18$, and G a finite abelian group. There exists an elliptic $K3$ surface $f : X \rightarrow \mathbb{P}^1$ with $\Sigma_f = \Sigma$ and $G_f \cong G$ if and only if the root lattice $L(\Sigma)$ has an even overlattice M with the following properties.*

- (i) $M/L(\Sigma) \cong G$,
- (ii) there exists an even lattice N of signature $(2, 18 - \text{rank}(\Sigma))$ such that (D_N, q_N) is isomorphic to (D_M, q_M) , and
- (iii) the sublattice M_{root} of M coincides with $L(\Sigma)$.

Proof. Suppose that a pair (Σ, G) satisfies the condition of Theorem. By Proposition 4.2, the property (ii) implies that there exists an even unimodular overlattice K' of $M^- \oplus N$ into which M^- and N are primitively embedded. Let H denote the hyperbolic lattice;

$$H := \begin{pmatrix} 0 & 1 \\ 1 & 0 \end{pmatrix}.$$

Then $K := K' \oplus H$ is an even unimodular lattice with signature $(3, 19)$. Hence K is isomorphic to the $K3$ lattice $L(2E_8)^- \oplus H^{\oplus 2}$ by Milnor's structure theorem (cf. [15]). There exists a 2-dimensional linear subspace V of $N \otimes_{\mathbb{Z}} \mathbb{R}$ such that the bilinear form is positive-definite on V and that, if $N' \subset N$ is a sublattice such that $N' \otimes_{\mathbb{Z}} \mathbb{R}$ contains V , then N' coincides with N . By the surjectivity of the period map on the moduli of $K3$ surfaces, there exists a complex $K3$ surface X and an isomorphism $\alpha : H^2(X; \mathbb{Z}) \xrightarrow{\sim} K$ of lattices such that

$$\alpha_{\mathbb{R}}^{-1}(V) = (H^{0,2}(X) \oplus H^{2,0}(X)) \cap H^2(X; \mathbb{R})$$

holds, where $\alpha_{\mathbb{R}} := \alpha \otimes_{\mathbb{Z}} \mathbb{R}$. Then we have

$$\alpha^{-1}(M^- \oplus H) = \text{NS}_X. \quad (7.1)$$

By Kondo's lemma [8, Lemma 2.1], there exists a structure of the elliptic fibration $f : X \rightarrow \mathbb{P}^1$ with a section $O : \mathbb{P}^1 \rightarrow X$ such that, if F denotes the cohomology

class of a general fiber of f , then

$$\mathbb{Z}[F]^\perp / \mathbb{Z}[F] \cong M^- \quad (7.2)$$

holds, where $\mathbb{Z}[F]^\perp$ is the orthogonal complement of $\mathbb{Z}[F]$ in the Néron-Severi lattice NS_X of X . Let H_f be the sublattice of NS_X spanned by the cohomology classes of the zero section and a general fiber of f , S_f the sublattice of NS_X defined in § 1, and W_f the orthogonal complement of H_f in NS_X . The lattice H_f is isomorphic to the hyperbolic lattice H , and is orthogonal to S_f . By abuse of notation, we denote $(W_f)_{\text{root}}$ for the sublattice of W_f generated by the vectors of norm -2 . From (7.2), we have

$$W_f \cong M^-. \quad (7.3)$$

On the other hand, by Nishiyama's lemma [12, Lemma 6.1], we have

$$W_f / (W_f)_{\text{root}} \cong MW_f, \quad \text{and} \quad (7.4)$$

$$S_f = (W_f)_{\text{root}}. \quad (7.5)$$

Combining these with the properties (i) and (iii) of M and the isomorphism (7.3), we have $S_f \cong L(\Sigma)^-$ and $MW_f \cong G$. Hence $\Sigma = \Sigma_f$ and $G \cong G_f$ hold.

Conversely, suppose that there exists an elliptic $K3$ surface $f : X \rightarrow \mathbb{P}^1$ with $\Sigma_f = \Sigma$ and $G_f \cong G$. Using Nishiyama's lemma again, we see that the primitive closure $\overline{S}_f$ of S_f in NS_X satisfies $\overline{S}_f / S_f \cong G$ and $(\overline{S}_f)_{\text{root}} = S_f$. We have an isomorphism $S_f \cong L(\Sigma)^-$. Let M^- be the overlattice of $L(\Sigma)^-$ corresponding to $\overline{S}_f$ via this isomorphism. Then $M := (M^-)^-$ is an overlattice of $L(\Sigma)$ that possess the properties (i) and (iii). Moreover, $\overline{S}_f \oplus H_f$ is primitive in the even unimodular lattice $H^2(X; \mathbb{Z})$, and hence Proposition 4.2 implies that the orthogonal complement N_f of $\overline{S}_f \oplus H_f$ in $H^2(X; \mathbb{Z})$ satisfies $(D_{N_f}, q_{N_f}) \cong (D_{\overline{S}_f}, -q_{\overline{S}_f}) \cong (D_M, q_M)$. Because the signature of N_f is $(2, 18 - \text{rank}(\Sigma))$, the overlattice M has the property (ii). $\square$

8. MAKING THE LIST

Recall that, in order for an ADE -type Σ to be an ADE -type of an elliptic $K3$ surface, it is necessary that $\text{rank}(\Sigma) \leq 18$ and $\text{euler}(\Sigma) \leq 24$. It is obvious that the torsion part of the Mordell-Weil group of an elliptic surface is of length ≤ 2 .

First we list up all ADE -types Σ with $\text{rank}(\Sigma) \leq 18$ and $\text{euler}(\Sigma) \leq 24$. There are 3937 such ADE -types. For each

$$\Sigma := \sum a_l A_l + \sum d_m D_m + \sum e_n E_n$$

in this list, we carry out the following calculation.

Step 1. We calculate the discriminant form $(D_{L(\Sigma)}, q_{L(\Sigma)})$ using Table 6.1. Note that the product of the wreath products

$$\prod_{a_l > 0} (\Gamma(A_l) \wr \mathfrak{S}_{a_l}) \times \prod_{d_m > 0} (\Gamma(D_m) \wr \mathfrak{S}_{d_m}) \times \prod_{e_n > 0} (\Gamma(E_n) \wr \mathfrak{S}_{e_n})$$

acts on $(D_{L(\Sigma)}, q_{L(\Sigma)})$. Here, for example, the full symmetric group $\mathfrak{S}_{a_l}$ acts on $D_{L(\Sigma)}$ as the permutation group on the a_l components of $D_{L(\Sigma)}$ isomorphic to $D_{L(A_l)}$. We denote this group by $\Gamma(\Sigma)$.

Step 2. We make a complete list of representatives of the quotient set $D_{L(\Sigma)} / \Gamma(\Sigma)$ and pick up from this list elements isotopic with respect to $q_{L(\Sigma)}$. Let $\mathcal{V}_\Sigma =$

$\{\bar{v}_1, \dots, \bar{v}_N\}$ be the list of isotopic elements of $D_{L(\Sigma)}$ modulo $\Gamma(\Sigma)$. For each $\bar{v}_i \in \mathcal{V}_\Sigma$, we calculate the stabilizer subgroup $St(\Gamma(\Sigma), \bar{v}_i)$ of $\bar{v}_i$ in $\Gamma(\Sigma)$. Then we make a complete list of representatives of $D_{L(\Sigma)}/St(\Gamma(\Sigma), \bar{v}_i)$, and pick up from this list elements isotopic with respect to $q_{L(\Sigma)}$ and orthogonal to $\bar{v}_i$ with respect to $b[q_{L(\Sigma)}]$. Let $\mathcal{W}_{\Sigma,i}$ be the list of isotopic elements orthogonal to $\bar{v}_i$ modulo $St(\Gamma(\Sigma), \bar{v}_i)$.

Next we make the list $\mathcal{G}'_\Sigma$ of all pairs $[\bar{v}_i, \bar{w}_j]$ of $\bar{v}_i \in \mathcal{V}_\Sigma$ and $\bar{w}_j \in \mathcal{W}_{\Sigma,i}$. Then every isotopic subgroup of $(D_{L(\Sigma)}, q_{L(\Sigma)})$ with length ≤ 2 is conjugate under the action of $\Gamma(\Sigma)$ to a subgroup $\langle \bar{v}_i, \bar{w}_j \rangle$ generated by $\bar{v}_i$ and $\bar{w}_j$ for some $[\bar{v}_i, \bar{w}_j] \in \mathcal{G}'_\Sigma$. Of course, there are several different pairs that generate a same subgroup. We remove this redundancy from $\mathcal{G}'_\Sigma$, and make a list $\mathcal{G}_\Sigma$.

Step 3. For each $[\bar{v}, \bar{w}] \in \mathcal{G}_\Sigma$, we calculate the subgroup $G := \langle \bar{v}, \bar{w} \rangle$ of $D_{L(\Sigma)}$, its orthogonal complement $G^\perp$ in $(D_{L(\Sigma)}, q_{L(\Sigma)})$, and the finite quadratic form $(D_G, q_G) := (G^\perp/G, q_{L(\Sigma)}|_{G^\perp/G})$.

Step 3.1. By the algorithm described in § 5, we determine whether there exists an even lattice N over $\mathbb{Z}$ of signature $(2, 18 - \text{rank}(\Sigma))$ such that $(D_N, q_N) \cong (D_G, q_G)$. If the answer is affirmative, we go to the next step.

Step 3.2. We calculate the intersection matrix of the even overlattice M_G of $L(\Sigma)$ generated by $L(\Sigma)$ and v, w in $L(\Sigma)^\vee$, where v and w are vectors of $L(\Sigma)^\vee$ such that $\Psi_{L(\Sigma)}(v) = \bar{v}$ and $\Psi_{L(\Sigma)}(w) = \bar{w}$. Then we calculate the root type of M_G by the algorithm described in § 6. If this root type coincides with the initial ADE-type Σ , then we let the pair (Σ, G) be a member of the list $\mathcal{P}$.

By Theorem 7.1, the list $\mathcal{P}$ thus made is the complete list of the data of elliptic K3 surfaces.

The following remarks are useful in checking the program.

Remark 8.1. Note that neither $\text{euler}(\Sigma) \leq 24$ nor $\text{length}(G) \leq 2$ is contained in the conditions of Theorem 7.1. Therefore, if we input Σ with $\text{euler}(\Sigma) > 24$ into the program, then it should return no subgroups G of $D_{L(\Sigma)}$ such that (Σ, G) can be a member of the list $\mathcal{P}$. If we change Step 2 of the program so that it lists up all isotopic subgroups of length ≥ 3 , then the result should also be an empty set.

Remark 8.2. Suppose that the root type Σ' of M_G is not equal to Σ in Step 3.2 of the program. Let G' be the finite abelian group $M_G/(M_G)_{\text{root}}$. Then (Σ', G') appears in $\mathcal{P}$.

Remark 8.3. For each $(\Sigma, G) \in \mathcal{P}$, there should be at least one configuration that satisfies the conditions given in § 2.3.

REFERENCES

- [1] E. Artal-Bartolo, H. Tokunaga and D. Q. Zhang. *Miranda-Persson's problem on extremal elliptic K3 surfaces*. Pacific J. Math. **202** (2002), no. 1, 37–72.
- [2] A. Besser. *Elliptic fibrations of K3 surfaces and QM Kummer surfaces*. Math. Z. **228** (1998), no. 2, 283–308.
- [3] N. Bourbaki. *Éléments de mathématique. Groupes et algèbres de Lie. Chapitre IV-VI*. Hermann, Paris, 1968.
- [4] D. Burns and M. Rapoport. *On the Torelli problem for kählerian K–3 surfaces*. Ann. Sci. École Norm. Sup. (4) **8** (1975), no. 2, 235–273.
- [5] J. W. S. Cassels. *Rational quadratic forms*. Academic Press, London, 1978.
- [6] J. H. Conway and N. J. A. Sloane. *Sphere packings, lattices and groups*. Second edition. Grundlehren der Mathematischen Wissenschaften, **290**, Springer, New York, 1993.

- [7] K. Kodaira. *On compact analytic surfaces. II, III*. Ann. of Math. **77** (1963), 563–626; *ibid.* **78** (1963) 1–40.
- [8] S. Kondō. *Automorphisms of algebraic $K3$ surfaces which act trivially on Picard groups*. J. Math. Soc. Japan **44** (1992), no. 1, 75–98.
- [9] R. Miranda and U. Persson. *On extremal rational elliptic surfaces*. Math. Z. **193** (1986), no. 4, 537–558.
- [10] R. Miranda and U. Persson. *Mordell-Weil groups of extremal elliptic $K3$ surfaces*. Problems in the theory of surfaces and their classification (Cortona, 1988), Sympos. Math., XXXII, Academic Press, London, 1991, pp. 167–192.
- [11] V. V. Nikulin. *Integer symmetric bilinear forms and some of their applications*. Math. USSR Izvestija **14** (1980), no. 1, 103–167.
- [12] K. Nishiyama. *The Jacobian fibrations on some $K3$ surfaces and their Mordell-Weil groups*. Japan. J. Math. (N.S.) **22** (1996), no. 2, 293–347.
- [13] I. Piatetskii-Shapiro and I. R. Shafarevich. *A Torelli theorem for algebraic surfaces of type $K3$* . Math. USSR Izv. **35** (1971), 530–572.
- [14] A. Sebbar. *Congruence groups, Hauptmoduls and elliptic surfaces*. Talk at “Infinite dimensional Lie algebras, the Monster and related topics”. July 1999 Hokkaido Univ.
- [15] J.-P. Serre. *A course in arithmetic*. Graduate Texts in Mathematics, **7**, Springer, New York, 1973.
- [16] I. Shimada and D. Q. Zhang. *Classification of extremal elliptic $K3$ surfaces and fundamental groups of open $K3$ surfaces*. Nagoya Math. J. **161** (2001), 23–54.
- [17] T. Shioda. *On elliptic modular surfaces*. J. Math. Soc. Japan **24** (1972), 20–59.
- [18] A. N. Todorov. *Applications of the Kähler-Einstein-Calabi-Yau metric to moduli of $K3$ surfaces*. Invent. Math. **61** (1980), no. 3, 251–265.
- [19] T. Urabe. *Elementary transformations of Dynkin graphs and singularities on quartic surfaces*. Invent. Math. **87** (1987), no. 3, 549–572.
- [20] T. Urabe. *Tie transformations of Dynkin graphs and singularities on quartic surfaces*. Invent. Math. **100** (1990), no. 1, 207–230.
- [21] J.-G. Yang. *Sextic curves with simple singularities*. Tôhoku Math. J. **48** (1996), no. 2, 203–227.
- [22] J.-G. Yang. *Enumeration of combinations of rational double points on quartic surfaces*. Singularities and complex geometry (Beijing, 1994), AMS/IP Stud. Adv. Math., **5**, Amer. Math. Soc., Providence, RI, 1997, 275–312.
- [23] Q. Ye. *On extremal elliptic $K3$ surfaces*. J. Korean Math. Soc. **36** (1999), no. 6, 1091–1113.

This is the table of all *ADE*-types of singular fibers of complex elliptic *K3* surfaces with a zero section and the torsion parts of their Mordell-Weil groups.

In Table 1, the *ADE*-types of the singular fibers are listed according to the rank and the lexicographic order. For each *ADE*-type Σ , the third column shows the list of all abelian groups that can be realized as the torsion part of the Mordell-Weil group of an elliptic *K3* surface $f : X \rightarrow \mathbb{P}^1$ with $\Sigma_f = \Sigma$. Here, $[1]$ is the trivial group, $[a]$ is the cyclic group $\mathbb{Z}/(a)$, and $[a, b]$ is the group $\mathbb{Z}/(a) \times \mathbb{Z}/(b)$.

Table 2 shows, for each abelian group G with order ≥ 3 that appears as G_f of some elliptic *K3* surface, the list of all *ADE*-types Σ such that the pair (Σ, G) appears in Table 1.

Table 1.

No.	rank	<i>ADE</i> -type		G
0	1	A_1		$[1]$

No.	rank	<i>ADE</i> -type		G
1	2	A_2		$[1]$
2	2	$2 A_1$		$[1]$

No.	rank	<i>ADE</i> -type		G
3	3	A_3		$[1]$
4	3	$A_2 + A_1$		$[1]$
5	3	$3 A_1$		$[1]$

No.	rank	<i>ADE</i> -type		G
6	4	D_4		$[1]$
7	4	A_4		$[1]$
8	4	$A_3 + A_1$		$[1]$
9	4	$2 A_2$		$[1]$
10	4	$A_2 + 2 A_1$		$[1]$
11	4	$4 A_1$		$[1]$

No.	rank	<i>ADE</i> -type		G
12	5	D_5		$[1]$
13	5	$D_4 + A_1$		$[1]$
14	5	A_5		$[1]$

15		5		$A_4 + A_1$		[1]
16		5		$A_3 + A_2$		[1]
17		5		$A_3 + 2 A_1$		[1]
18		5		$2 A_2 + A_1$		[1]
19		5		$A_2 + 3 A_1$		[1]
20		5		$5 A_1$		[1]

No.		rank		ADE -type		G
21		6		E_6		[1]
22		6		D_6		[1]
23		6		$D_5 + A_1$		[1]
24		6		$D_4 + A_2$		[1]
25		6		$D_4 + 2 A_1$		[1]
26		6		A_6		[1]
27		6		$A_5 + A_1$		[1]
28		6		$A_4 + A_2$		[1]
29		6		$A_4 + 2 A_1$		[1]
30		6		$2 A_3$		[1]
31		6		$A_3 + A_2 + A_1$		[1]
32		6		$A_3 + 3 A_1$		[1]
33		6		$3 A_2$		[1]
34		6		$2 A_2 + 2 A_1$		[1]
35		6		$A_2 + 4 A_1$		[1]
36		6		$6 A_1$		[1]

No.		rank		ADE -type		G
37		7		E_7		[1]
38		7		$E_6 + A_1$		[1]
39		7		D_7		[1]
40		7		$D_6 + A_1$		[1]
41		7		$D_5 + A_2$		[1]
42		7		$D_5 + 2 A_1$		[1]
43		7		$D_4 + A_3$		[1]
44		7		$D_4 + A_2 + A_1$		[1]
45		7		$D_4 + 3 A_1$		[1]

46		7		A_7		[1]
47		7		$A_6 + A_1$		[1]
48		7		$A_5 + A_2$		[1]
49		7		$A_5 + 2 A_1$		[1]
50		7		$A_4 + A_3$		[1]
51		7		$A_4 + A_2 + A_1$		[1]
52		7		$A_4 + 3 A_1$		[1]
53		7		$2 A_3 + A_1$		[1]
54		7		$A_3 + 2 A_2$		[1]
55		7		$A_3 + A_2 + 2 A_1$		[1]
56		7		$A_3 + 4 A_1$		[1]
57		7		$3 A_2 + A_1$		[1]
58		7		$2 A_2 + 3 A_1$		[1]
59		7		$A_2 + 5 A_1$		[1]
60		7		$7 A_1$		[1]

No.		rank		ADE -type		G
61		8		E_8		[1]
62		8		$E_7 + A_1$		[1]
63		8		$E_6 + A_2$		[1]
64		8		$E_6 + 2 A_1$		[1]
65		8		D_8		[1]
66		8		$D_7 + A_1$		[1]
67		8		$D_6 + A_2$		[1]
68		8		$D_6 + 2 A_1$		[1]
69		8		$D_5 + A_3$		[1]
70		8		$D_5 + A_2 + A_1$		[1]
71		8		$D_5 + 3 A_1$		[1]
72		8		$2 D_4$		[1]
73		8		$D_4 + A_4$		[1]
74		8		$D_4 + A_3 + A_1$		[1]
75		8		$D_4 + 2 A_2$		[1]
76		8		$D_4 + A_2 + 2 A_1$		[1]
77		8		$D_4 + 4 A_1$		[1]
78		8		A_8		[1]
79		8		$A_7 + A_1$		[1]

80		8		$A_6 + A_2$		[1]
81		8		$A_6 + 2 A_1$		[1]
82		8		$A_5 + A_3$		[1]
83		8		$A_5 + A_2 + A_1$		[1]
84		8		$A_5 + 3 A_1$		[1]
85		8		$2 A_4$		[1]
86		8		$A_4 + A_3 + A_1$		[1]
87		8		$A_4 + 2 A_2$		[1]
88		8		$A_4 + A_2 + 2 A_1$		[1]
89		8		$A_4 + 4 A_1$		[1]
90		8		$2 A_3 + A_2$		[1]
91		8		$2 A_3 + 2 A_1$		[1]
92		8		$A_3 + 2 A_2 + A_1$		[1]
93		8		$A_3 + A_2 + 3 A_1$		[1]
94		8		$A_3 + 5 A_1$		[1]
95		8		$4 A_2$		[1]
96		8		$3 A_2 + 2 A_1$		[1]
97		8		$2 A_2 + 4 A_1$		[1]
98		8		$A_2 + 6 A_1$		[1]
99		8		$8 A_1$		[2], [1]

No.		rank		ADE -type		G
100		9		$E_8 + A_1$		[1]
101		9		$E_7 + A_2$		[1]
102		9		$E_7 + 2 A_1$		[1]
103		9		$E_6 + A_3$		[1]
104		9		$E_6 + A_2 + A_1$		[1]
105		9		$E_6 + 3 A_1$		[1]
106		9		D_9		[1]
107		9		$D_8 + A_1$		[1]
108		9		$D_7 + A_2$		[1]
109		9		$D_7 + 2 A_1$		[1]
110		9		$D_6 + A_3$		[1]
111		9		$D_6 + A_2 + A_1$		[1]
112		9		$D_6 + 3 A_1$		[1]
113		9		$D_5 + D_4$		[1]

114		9		$D_5 + A_4$		[1]
115		9		$D_5 + A_3 + A_1$		[1]
116		9		$D_5 + 2 A_2$		[1]
117		9		$D_5 + A_2 + 2 A_1$		[1]
118		9		$D_5 + 4 A_1$		[1]
119		9		$2 D_4 + A_1$		[1]
120		9		$D_4 + A_5$		[1]
121		9		$D_4 + A_4 + A_1$		[1]
122		9		$D_4 + A_3 + A_2$		[1]
123		9		$D_4 + A_3 + 2 A_1$		[1]
124		9		$D_4 + 2 A_2 + A_1$		[1]
125		9		$D_4 + A_2 + 3 A_1$		[1]
126		9		$D_4 + 5 A_1$		[1]
127		9		A_9		[1]
128		9		$A_8 + A_1$		[1]
129		9		$A_7 + A_2$		[1]
130		9		$A_7 + 2 A_1$		[1]
131		9		$A_6 + A_3$		[1]
132		9		$A_6 + A_2 + A_1$		[1]
133		9		$A_6 + 3 A_1$		[1]
134		9		$A_5 + A_4$		[1]
135		9		$A_5 + A_3 + A_1$		[1]
136		9		$A_5 + 2 A_2$		[1]
137		9		$A_5 + A_2 + 2 A_1$		[1]
138		9		$A_5 + 4 A_1$		[1]
139		9		$2 A_4 + A_1$		[1]
140		9		$A_4 + A_3 + A_2$		[1]
141		9		$A_4 + A_3 + 2 A_1$		[1]
142		9		$A_4 + 2 A_2 + A_1$		[1]
143		9		$A_4 + A_2 + 3 A_1$		[1]
144		9		$A_4 + 5 A_1$		[1]
145		9		$3 A_3$		[1]
146		9		$2 A_3 + A_2 + A_1$		[1]
147		9		$2 A_3 + 3 A_1$		[1]
148		9		$A_3 + 3 A_2$		[1]
149		9		$A_3 + 2 A_2 + 2 A_1$		[1]
150		9		$A_3 + A_2 + 4 A_1$		[1]

151		9		$A_3 + 6 A_1$		[2], [1]
152		9		$4 A_2 + A_1$		[1]
153		9		$3 A_2 + 3 A_1$		[1]
154		9		$2 A_2 + 5 A_1$		[1]
155		9		$A_2 + 7 A_1$		[1]
156		9		$9 A_1$		[2], [1]

No.		rank		ADE -type		G
157		10		$E_8 + A_2$		[1]
158		10		$E_8 + 2 A_1$		[1]
159		10		$E_7 + A_3$		[1]
160		10		$E_7 + A_2 + A_1$		[1]
161		10		$E_7 + 3 A_1$		[1]
162		10		$E_6 + D_4$		[1]
163		10		$E_6 + A_4$		[1]
164		10		$E_6 + A_3 + A_1$		[1]
165		10		$E_6 + 2 A_2$		[1]
166		10		$E_6 + A_2 + 2 A_1$		[1]
167		10		$E_6 + 4 A_1$		[1]
168		10		D_{10}		[1]
169		10		$D_9 + A_1$		[1]
170		10		$D_8 + A_2$		[1]
171		10		$D_8 + 2 A_1$		[1]
172		10		$D_7 + A_3$		[1]
173		10		$D_7 + A_2 + A_1$		[1]
174		10		$D_7 + 3 A_1$		[1]
175		10		$D_6 + D_4$		[1]
176		10		$D_6 + A_4$		[1]
177		10		$D_6 + A_3 + A_1$		[1]
178		10		$D_6 + 2 A_2$		[1]
179		10		$D_6 + A_2 + 2 A_1$		[1]
180		10		$D_6 + 4 A_1$		[1]
181		10		$2 D_5$		[1]
182		10		$D_5 + D_4 + A_1$		[1]
183		10		$D_5 + A_5$		[1]
184		10		$D_5 + A_4 + A_1$		[1]

185		10		$D_5 + A_3 + A_2$		[1]
186		10		$D_5 + A_3 + 2 A_1$		[1]
187		10		$D_5 + 2 A_2 + A_1$		[1]
188		10		$D_5 + A_2 + 3 A_1$		[1]
189		10		$D_5 + 5 A_1$		[1]
190		10		$2 D_4 + A_2$		[1]
191		10		$2 D_4 + 2 A_1$		[1]
192		10		$D_4 + A_6$		[1]
193		10		$D_4 + A_5 + A_1$		[1]
194		10		$D_4 + A_4 + A_2$		[1]
195		10		$D_4 + A_4 + 2 A_1$		[1]
196		10		$D_4 + 2 A_3$		[1]
197		10		$D_4 + A_3 + A_2 + A_1$		[1]
198		10		$D_4 + A_3 + 3 A_1$		[1]
199		10		$D_4 + 3 A_2$		[1]
200		10		$D_4 + 2 A_2 + 2 A_1$		[1]
201		10		$D_4 + A_2 + 4 A_1$		[1]
202		10		$D_4 + 6 A_1$		[2], [1]
203		10		A_{10}		[1]
204		10		$A_9 + A_1$		[1]
205		10		$A_8 + A_2$		[1]
206		10		$A_8 + 2 A_1$		[1]
207		10		$A_7 + A_3$		[1]
208		10		$A_7 + A_2 + A_1$		[1]
209		10		$A_7 + 3 A_1$		[1]
210		10		$A_6 + A_4$		[1]
211		10		$A_6 + A_3 + A_1$		[1]
212		10		$A_6 + 2 A_2$		[1]
213		10		$A_6 + A_2 + 2 A_1$		[1]
214		10		$A_6 + 4 A_1$		[1]
215		10		$2 A_5$		[1]
216		10		$A_5 + A_4 + A_1$		[1]
217		10		$A_5 + A_3 + A_2$		[1]
218		10		$A_5 + A_3 + 2 A_1$		[1]
219		10		$A_5 + 2 A_2 + A_1$		[1]
220		10		$A_5 + A_2 + 3 A_1$		[1]
221		10		$A_5 + 5 A_1$		[2], [1]

222	10	$2 A_4 + A_2$		[1]
223	10	$2 A_4 + 2 A_1$		[1]
224	10	$A_4 + 2 A_3$		[1]
225	10	$A_4 + A_3 + A_2 + A_1$		[1]
226	10	$A_4 + A_3 + 3 A_1$		[1]
227	10	$A_4 + 3 A_2$		[1]
228	10	$A_4 + 2 A_2 + 2 A_1$		[1]
229	10	$A_4 + A_2 + 4 A_1$		[1]
230	10	$A_4 + 6 A_1$		[1]
231	10	$3 A_3 + A_1$		[1]
232	10	$2 A_3 + 2 A_2$		[1]
233	10	$2 A_3 + A_2 + 2 A_1$		[1]
234	10	$2 A_3 + 4 A_1$		[2], [1]
235	10	$A_3 + 3 A_2 + A_1$		[1]
236	10	$A_3 + 2 A_2 + 3 A_1$		[1]
237	10	$A_3 + A_2 + 5 A_1$		[1]
238	10	$A_3 + 7 A_1$		[2], [1]
239	10	$5 A_2$		[1]
240	10	$4 A_2 + 2 A_1$		[1]
241	10	$3 A_2 + 4 A_1$		[1]
242	10	$2 A_2 + 6 A_1$		[1]
243	10	$A_2 + 8 A_1$		[2], [1]
244	10	$10 A_1$		[2], [1]

No.	rank	ADE -type		G
245	11	$E_8 + A_3$		[1]
246	11	$E_8 + A_2 + A_1$		[1]
247	11	$E_8 + 3 A_1$		[1]
248	11	$E_7 + D_4$		[1]
249	11	$E_7 + A_4$		[1]
250	11	$E_7 + A_3 + A_1$		[1]
251	11	$E_7 + 2 A_2$		[1]
252	11	$E_7 + A_2 + 2 A_1$		[1]
253	11	$E_7 + 4 A_1$		[1]
254	11	$E_6 + D_5$		[1]
255	11	$E_6 + D_4 + A_1$		[1]

256		11		$E_6 + A_5$		[1]
257		11		$E_6 + A_4 + A_1$		[1]
258		11		$E_6 + A_3 + A_2$		[1]
259		11		$E_6 + A_3 + 2 A_1$		[1]
260		11		$E_6 + 2 A_2 + A_1$		[1]
261		11		$E_6 + A_2 + 3 A_1$		[1]
262		11		$E_6 + 5 A_1$		[1]
263		11		D_{11}		[1]
264		11		$D_{10} + A_1$		[1]
265		11		$D_9 + A_2$		[1]
266		11		$D_9 + 2 A_1$		[1]
267		11		$D_8 + A_3$		[1]
268		11		$D_8 + A_2 + A_1$		[1]
269		11		$D_8 + 3 A_1$		[1]
270		11		$D_7 + D_4$		[1]
271		11		$D_7 + A_4$		[1]
272		11		$D_7 + A_3 + A_1$		[1]
273		11		$D_7 + 2 A_2$		[1]
274		11		$D_7 + A_2 + 2 A_1$		[1]
275		11		$D_7 + 4 A_1$		[1]
276		11		$D_6 + D_5$		[1]
277		11		$D_6 + D_4 + A_1$		[1]
278		11		$D_6 + A_5$		[1]
279		11		$D_6 + A_4 + A_1$		[1]
280		11		$D_6 + A_3 + A_2$		[1]
281		11		$D_6 + A_3 + 2 A_1$		[1]
282		11		$D_6 + 2 A_2 + A_1$		[1]
283		11		$D_6 + A_2 + 3 A_1$		[1]
284		11		$D_6 + 5 A_1$		[2], [1]
285		11		$2 D_5 + A_1$		[1]
286		11		$D_5 + D_4 + A_2$		[1]
287		11		$D_5 + D_4 + 2 A_1$		[1]
288		11		$D_5 + A_6$		[1]
289		11		$D_5 + A_5 + A_1$		[1]
290		11		$D_5 + A_4 + A_2$		[1]
291		11		$D_5 + A_4 + 2 A_1$		[1]
292		11		$D_5 + 2 A_3$		[1]

293		11		$D_5 + A_3 + A_2 + A_1$		[1]
294		11		$D_5 + A_3 + 3 A_1$		[1]
295		11		$D_5 + 3 A_2$		[1]
296		11		$D_5 + 2 A_2 + 2 A_1$		[1]
297		11		$D_5 + A_2 + 4 A_1$		[1]
298		11		$D_5 + 6 A_1$		[2], [1]
299		11		$2 D_4 + A_3$		[1]
300		11		$2 D_4 + A_2 + A_1$		[1]
301		11		$2 D_4 + 3 A_1$		[1]
302		11		$D_4 + A_7$		[1]
303		11		$D_4 + A_6 + A_1$		[1]
304		11		$D_4 + A_5 + A_2$		[1]
305		11		$D_4 + A_5 + 2 A_1$		[1]
306		11		$D_4 + A_4 + A_3$		[1]
307		11		$D_4 + A_4 + A_2 + A_1$		[1]
308		11		$D_4 + A_4 + 3 A_1$		[1]
309		11		$D_4 + 2 A_3 + A_1$		[1]
310		11		$D_4 + A_3 + 2 A_2$		[1]
311		11		$D_4 + A_3 + A_2 + 2 A_1$		[1]
312		11		$D_4 + A_3 + 4 A_1$		[2], [1]
313		11		$D_4 + 3 A_2 + A_1$		[1]
314		11		$D_4 + 2 A_2 + 3 A_1$		[1]
315		11		$D_4 + A_2 + 5 A_1$		[1]
316		11		$D_4 + 7 A_1$		[2], [1]
317		11		A_{11}		[1]
318		11		$A_{10} + A_1$		[1]
319		11		$A_9 + A_2$		[1]
320		11		$A_9 + 2 A_1$		[1]
321		11		$A_8 + A_3$		[1]
322		11		$A_8 + A_2 + A_1$		[1]
323		11		$A_8 + 3 A_1$		[1]
324		11		$A_7 + A_4$		[1]
325		11		$A_7 + A_3 + A_1$		[1]
326		11		$A_7 + 2 A_2$		[1]
327		11		$A_7 + A_2 + 2 A_1$		[1]
328		11		$A_7 + 4 A_1$		[2], [1]
329		11		$A_6 + A_5$		[1]

330		11		$A_6 + A_4 + A_1$		[1]
331		11		$A_6 + A_3 + A_2$		[1]
332		11		$A_6 + A_3 + 2 A_1$		[1]
333		11		$A_6 + 2 A_2 + A_1$		[1]
334		11		$A_6 + A_2 + 3 A_1$		[1]
335		11		$A_6 + 5 A_1$		[1]
336		11		$2 A_5 + A_1$		[1]
337		11		$A_5 + A_4 + A_2$		[1]
338		11		$A_5 + A_4 + 2 A_1$		[1]
339		11		$A_5 + 2 A_3$		[1]
340		11		$A_5 + A_3 + A_2 + A_1$		[1]
341		11		$A_5 + A_3 + 3 A_1$		[2], [1]
342		11		$A_5 + 3 A_2$		[1]
343		11		$A_5 + 2 A_2 + 2 A_1$		[1]
344		11		$A_5 + A_2 + 4 A_1$		[1]
345		11		$A_5 + 6 A_1$		[2], [1]
346		11		$2 A_4 + A_3$		[1]
347		11		$2 A_4 + A_2 + A_1$		[1]
348		11		$2 A_4 + 3 A_1$		[1]
349		11		$A_4 + 2 A_3 + A_1$		[1]
350		11		$A_4 + A_3 + 2 A_2$		[1]
351		11		$A_4 + A_3 + A_2 + 2 A_1$		[1]
352		11		$A_4 + A_3 + 4 A_1$		[1]
353		11		$A_4 + 3 A_2 + A_1$		[1]
354		11		$A_4 + 2 A_2 + 3 A_1$		[1]
355		11		$A_4 + A_2 + 5 A_1$		[1]
356		11		$A_4 + 7 A_1$		[1]
357		11		$3 A_3 + A_2$		[1]
358		11		$3 A_3 + 2 A_1$		[2], [1]
359		11		$2 A_3 + 2 A_2 + A_1$		[1]
360		11		$2 A_3 + A_2 + 3 A_1$		[1]
361		11		$2 A_3 + 5 A_1$		[2], [1]
362		11		$A_3 + 4 A_2$		[1]
363		11		$A_3 + 3 A_2 + 2 A_1$		[1]
364		11		$A_3 + 2 A_2 + 4 A_1$		[1]
365		11		$A_3 + A_2 + 6 A_1$		[2], [1]
366		11		$A_3 + 8 A_1$		[2], [1]

367	11		$5 A_2 + A_1$		[1]
368	11		$4 A_2 + 3 A_1$		[1]
369	11		$3 A_2 + 5 A_1$		[1]
370	11		$2 A_2 + 7 A_1$		[1]
371	11		$A_2 + 9 A_1$		[2], [1]
372	11		$11 A_1$		[2]

No.	rank		ADE -type		G
373	12		$E_8 + D_4$		[1]
374	12		$E_8 + A_4$		[1]
375	12		$E_8 + A_3 + A_1$		[1]
376	12		$E_8 + 2 A_2$		[1]
377	12		$E_8 + A_2 + 2 A_1$		[1]
378	12		$E_8 + 4 A_1$		[1]
379	12		$E_7 + D_5$		[1]
380	12		$E_7 + D_4 + A_1$		[1]
381	12		$E_7 + A_5$		[1]
382	12		$E_7 + A_4 + A_1$		[1]
383	12		$E_7 + A_3 + A_2$		[1]
384	12		$E_7 + A_3 + 2 A_1$		[1]
385	12		$E_7 + 2 A_2 + A_1$		[1]
386	12		$E_7 + A_2 + 3 A_1$		[1]
387	12		$E_7 + 5 A_1$		[2], [1]
388	12		$2 E_6$		[1]
389	12		$E_6 + D_6$		[1]
390	12		$E_6 + D_5 + A_1$		[1]
391	12		$E_6 + D_4 + A_2$		[1]
392	12		$E_6 + D_4 + 2 A_1$		[1]
393	12		$E_6 + A_6$		[1]
394	12		$E_6 + A_5 + A_1$		[1]
395	12		$E_6 + A_4 + A_2$		[1]
396	12		$E_6 + A_4 + 2 A_1$		[1]
397	12		$E_6 + 2 A_3$		[1]
398	12		$E_6 + A_3 + A_2 + A_1$		[1]
399	12		$E_6 + A_3 + 3 A_1$		[1]
400	12		$E_6 + 3 A_2$		[1]

401		12		$E_6 + 2 A_2 + 2 A_1$		[1]
402		12		$E_6 + A_2 + 4 A_1$		[1]
403		12		$E_6 + 6 A_1$		[1]
404		12		D_{12}		[1]
405		12		$D_{11} + A_1$		[1]
406		12		$D_{10} + A_2$		[1]
407		12		$D_{10} + 2 A_1$		[1]
408		12		$D_9 + A_3$		[1]
409		12		$D_9 + A_2 + A_1$		[1]
410		12		$D_9 + 3 A_1$		[1]
411		12		$D_8 + D_4$		[1]
412		12		$D_8 + A_4$		[1]
413		12		$D_8 + A_3 + A_1$		[1]
414		12		$D_8 + 2 A_2$		[1]
415		12		$D_8 + A_2 + 2 A_1$		[1]
416		12		$D_8 + 4 A_1$		[2], [1]
417		12		$D_7 + D_5$		[1]
418		12		$D_7 + D_4 + A_1$		[1]
419		12		$D_7 + A_5$		[1]
420		12		$D_7 + A_4 + A_1$		[1]
421		12		$D_7 + A_3 + A_2$		[1]
422		12		$D_7 + A_3 + 2 A_1$		[1]
423		12		$D_7 + 2 A_2 + A_1$		[1]
424		12		$D_7 + A_2 + 3 A_1$		[1]
425		12		$D_7 + 5 A_1$		[1]
426		12		$2 D_6$		[1]
427		12		$D_6 + D_5 + A_1$		[1]
428		12		$D_6 + D_4 + A_2$		[1]
429		12		$D_6 + D_4 + 2 A_1$		[1]
430		12		$D_6 + A_6$		[1]
431		12		$D_6 + A_5 + A_1$		[1]
432		12		$D_6 + A_4 + A_2$		[1]
433		12		$D_6 + A_4 + 2 A_1$		[1]
434		12		$D_6 + 2 A_3$		[1]
435		12		$D_6 + A_3 + A_2 + A_1$		[1]
436		12		$D_6 + A_3 + 3 A_1$		[2], [1]
437		12		$D_6 + 3 A_2$		[1]

438		12		$D_6 + 2 A_2 + 2 A_1$		[1]
439		12		$D_6 + A_2 + 4 A_1$		[1]
440		12		$D_6 + 6 A_1$		[2], [1]
441		12		$2 D_5 + A_2$		[1]
442		12		$2 D_5 + 2 A_1$		[1]
443		12		$D_5 + D_4 + A_3$		[1]
444		12		$D_5 + D_4 + A_2 + A_1$		[1]
445		12		$D_5 + D_4 + 3 A_1$		[1]
446		12		$D_5 + A_7$		[1]
447		12		$D_5 + A_6 + A_1$		[1]
448		12		$D_5 + A_5 + A_2$		[1]
449		12		$D_5 + A_5 + 2 A_1$		[1]
450		12		$D_5 + A_4 + A_3$		[1]
451		12		$D_5 + A_4 + A_2 + A_1$		[1]
452		12		$D_5 + A_4 + 3 A_1$		[1]
453		12		$D_5 + 2 A_3 + A_1$		[1]
454		12		$D_5 + A_3 + 2 A_2$		[1]
455		12		$D_5 + A_3 + A_2 + 2 A_1$		[1]
456		12		$D_5 + A_3 + 4 A_1$		[2], [1]
457		12		$D_5 + 3 A_2 + A_1$		[1]
458		12		$D_5 + 2 A_2 + 3 A_1$		[1]
459		12		$D_5 + A_2 + 5 A_1$		[1]
460		12		$D_5 + 7 A_1$		[2], [1]
461		12		$3 D_4$		[1]
462		12		$2 D_4 + A_4$		[1]
463		12		$2 D_4 + A_3 + A_1$		[1]
464		12		$2 D_4 + 2 A_2$		[1]
465		12		$2 D_4 + A_2 + 2 A_1$		[1]
466		12		$2 D_4 + 4 A_1$		[2], [1]
467		12		$D_4 + A_8$		[1]
468		12		$D_4 + A_7 + A_1$		[1]
469		12		$D_4 + A_6 + A_2$		[1]
470		12		$D_4 + A_6 + 2 A_1$		[1]
471		12		$D_4 + A_5 + A_3$		[1]
472		12		$D_4 + A_5 + A_2 + A_1$		[1]
473		12		$D_4 + A_5 + 3 A_1$		[2], [1]
474		12		$D_4 + 2 A_4$		[1]

475		12		$D_4 + A_4 + A_3 + A_1$		[1]
476		12		$D_4 + A_4 + 2 A_2$		[1]
477		12		$D_4 + A_4 + A_2 + 2 A_1$		[1]
478		12		$D_4 + A_4 + 4 A_1$		[1]
479		12		$D_4 + 2 A_3 + A_2$		[1]
480		12		$D_4 + 2 A_3 + 2 A_1$		[2], [1]
481		12		$D_4 + A_3 + 2 A_2 + A_1$		[1]
482		12		$D_4 + A_3 + A_2 + 3 A_1$		[1]
483		12		$D_4 + A_3 + 5 A_1$		[2], [1]
484		12		$D_4 + 4 A_2$		[1]
485		12		$D_4 + 3 A_2 + 2 A_1$		[1]
486		12		$D_4 + 2 A_2 + 4 A_1$		[1]
487		12		$D_4 + A_2 + 6 A_1$		[2], [1]
488		12		$D_4 + 8 A_1$		[2]
489		12		A_{12}		[1]
490		12		$A_{11} + A_1$		[1]
491		12		$A_{10} + A_2$		[1]
492		12		$A_{10} + 2 A_1$		[1]
493		12		$A_9 + A_3$		[1]
494		12		$A_9 + A_2 + A_1$		[1]
495		12		$A_9 + 3 A_1$		[2], [1]
496		12		$A_8 + A_4$		[1]
497		12		$A_8 + A_3 + A_1$		[1]
498		12		$A_8 + 2 A_2$		[1]
499		12		$A_8 + A_2 + 2 A_1$		[1]
500		12		$A_8 + 4 A_1$		[1]
501		12		$A_7 + A_5$		[1]
502		12		$A_7 + A_4 + A_1$		[1]
503		12		$A_7 + A_3 + A_2$		[1]
504		12		$A_7 + A_3 + 2 A_1$		[2], [1]
505		12		$A_7 + 2 A_2 + A_1$		[1]
506		12		$A_7 + A_2 + 3 A_1$		[1]
507		12		$A_7 + 5 A_1$		[2], [1]
508		12		$2 A_6$		[1]
509		12		$A_6 + A_5 + A_1$		[1]
510		12		$A_6 + A_4 + A_2$		[1]
511		12		$A_6 + A_4 + 2 A_1$		[1]

512		12		$A_6 + 2 A_3$		[1]
513		12		$A_6 + A_3 + A_2 + A_1$		[1]
514		12		$A_6 + A_3 + 3 A_1$		[1]
515		12		$A_6 + 3 A_2$		[1]
516		12		$A_6 + 2 A_2 + 2 A_1$		[1]
517		12		$A_6 + A_2 + 4 A_1$		[1]
518		12		$A_6 + 6 A_1$		[1]
519		12		$2 A_5 + A_2$		[1]
520		12		$2 A_5 + 2 A_1$		[2], [1]
521		12		$A_5 + A_4 + A_3$		[1]
522		12		$A_5 + A_4 + A_2 + A_1$		[1]
523		12		$A_5 + A_4 + 3 A_1$		[1]
524		12		$A_5 + 2 A_3 + A_1$		[2], [1]
525		12		$A_5 + A_3 + 2 A_2$		[1]
526		12		$A_5 + A_3 + A_2 + 2 A_1$		[1]
527		12		$A_5 + A_3 + 4 A_1$		[2], [1]
528		12		$A_5 + 3 A_2 + A_1$		[1]
529		12		$A_5 + 2 A_2 + 3 A_1$		[1]
530		12		$A_5 + A_2 + 5 A_1$		[2], [1]
531		12		$A_5 + 7 A_1$		[2], [1]
532		12		$3 A_4$		[1]
533		12		$2 A_4 + A_3 + A_1$		[1]
534		12		$2 A_4 + 2 A_2$		[1]
535		12		$2 A_4 + A_2 + 2 A_1$		[1]
536		12		$2 A_4 + 4 A_1$		[1]
537		12		$A_4 + 2 A_3 + A_2$		[1]
538		12		$A_4 + 2 A_3 + 2 A_1$		[1]
539		12		$A_4 + A_3 + 2 A_2 + A_1$		[1]
540		12		$A_4 + A_3 + A_2 + 3 A_1$		[1]
541		12		$A_4 + A_3 + 5 A_1$		[1]
542		12		$A_4 + 4 A_2$		[1]
543		12		$A_4 + 3 A_2 + 2 A_1$		[1]
544		12		$A_4 + 2 A_2 + 4 A_1$		[1]
545		12		$A_4 + A_2 + 6 A_1$		[1]
546		12		$A_4 + 8 A_1$		[2], [1]
547		12		$4 A_3$		[2], [1]
548		12		$3 A_3 + A_2 + A_1$		[1]

549	12	$3 A_3 + 3 A_1$		$[2], [1]$
550	12	$2 A_3 + 3 A_2$		$[1]$
551	12	$2 A_3 + 2 A_2 + 2 A_1$		$[1]$
552	12	$2 A_3 + A_2 + 4 A_1$		$[2], [1]$
553	12	$2 A_3 + 6 A_1$		$[2], [1]$
554	12	$A_3 + 4 A_2 + A_1$		$[1]$
555	12	$A_3 + 3 A_2 + 3 A_1$		$[1]$
556	12	$A_3 + 2 A_2 + 5 A_1$		$[1]$
557	12	$A_3 + A_2 + 7 A_1$		$[2], [1]$
558	12	$A_3 + 9 A_1$		$[2]$
559	12	$6 A_2$		$[3], [1]$
560	12	$5 A_2 + 2 A_1$		$[1]$
561	12	$4 A_2 + 4 A_1$		$[1]$
562	12	$3 A_2 + 6 A_1$		$[1]$
563	12	$2 A_2 + 8 A_1$		$[2], [1]$
564	12	$A_2 + 10 A_1$		$[2]$
565	12	$12 A_1$		$[2], [2]$

No.	rank	<i>ADE</i> -type		<i>G</i>
566	13	$E_8 + D_5$		$[1]$
567	13	$E_8 + D_4 + A_1$		$[1]$
568	13	$E_8 + A_5$		$[1]$
569	13	$E_8 + A_4 + A_1$		$[1]$
570	13	$E_8 + A_3 + A_2$		$[1]$
571	13	$E_8 + A_3 + 2 A_1$		$[1]$
572	13	$E_8 + 2 A_2 + A_1$		$[1]$
573	13	$E_8 + A_2 + 3 A_1$		$[1]$
574	13	$E_8 + 5 A_1$		$[1]$
575	13	$E_7 + E_6$		$[1]$
576	13	$E_7 + D_6$		$[1]$
577	13	$E_7 + D_5 + A_1$		$[1]$
578	13	$E_7 + D_4 + A_2$		$[1]$
579	13	$E_7 + D_4 + 2 A_1$		$[1]$
580	13	$E_7 + A_6$		$[1]$
581	13	$E_7 + A_5 + A_1$		$[1]$
582	13	$E_7 + A_4 + A_2$		$[1]$

583		13		$E_7 + A_4 + 2 A_1$		[1]
584		13		$E_7 + 2 A_3$		[1]
585		13		$E_7 + A_3 + A_2 + A_1$		[1]
586		13		$E_7 + A_3 + 3 A_1$		[2], [1]
587		13		$E_7 + 3 A_2$		[1]
588		13		$E_7 + 2 A_2 + 2 A_1$		[1]
589		13		$E_7 + A_2 + 4 A_1$		[1]
590		13		$E_7 + 6 A_1$		[2], [1]
591		13		$2 E_6 + A_1$		[1]
592		13		$E_6 + D_7$		[1]
593		13		$E_6 + D_6 + A_1$		[1]
594		13		$E_6 + D_5 + A_2$		[1]
595		13		$E_6 + D_5 + 2 A_1$		[1]
596		13		$E_6 + D_4 + A_3$		[1]
597		13		$E_6 + D_4 + A_2 + A_1$		[1]
598		13		$E_6 + D_4 + 3 A_1$		[1]
599		13		$E_6 + A_7$		[1]
600		13		$E_6 + A_6 + A_1$		[1]
601		13		$E_6 + A_5 + A_2$		[1]
602		13		$E_6 + A_5 + 2 A_1$		[1]
603		13		$E_6 + A_4 + A_3$		[1]
604		13		$E_6 + A_4 + A_2 + A_1$		[1]
605		13		$E_6 + A_4 + 3 A_1$		[1]
606		13		$E_6 + 2 A_3 + A_1$		[1]
607		13		$E_6 + A_3 + 2 A_2$		[1]
608		13		$E_6 + A_3 + A_2 + 2 A_1$		[1]
609		13		$E_6 + A_3 + 4 A_1$		[1]
610		13		$E_6 + 3 A_2 + A_1$		[1]
611		13		$E_6 + 2 A_2 + 3 A_1$		[1]
612		13		$E_6 + A_2 + 5 A_1$		[1]
613		13		$E_6 + 7 A_1$		[1]
614		13		D_{13}		[1]
615		13		$D_{12} + A_1$		[1]
616		13		$D_{11} + A_2$		[1]
617		13		$D_{11} + 2 A_1$		[1]
618		13		$D_{10} + A_3$		[1]
619		13		$D_{10} + A_2 + A_1$		[1]

620		13		$D_{10} + 3 A_1$		[2], [1]
621		13		$D_9 + D_4$		[1]
622		13		$D_9 + A_4$		[1]
623		13		$D_9 + A_3 + A_1$		[1]
624		13		$D_9 + 2 A_2$		[1]
625		13		$D_9 + A_2 + 2 A_1$		[1]
626		13		$D_9 + 4 A_1$		[1]
627		13		$D_8 + D_5$		[1]
628		13		$D_8 + D_4 + A_1$		[1]
629		13		$D_8 + A_5$		[1]
630		13		$D_8 + A_4 + A_1$		[1]
631		13		$D_8 + A_3 + A_2$		[1]
632		13		$D_8 + A_3 + 2 A_1$		[2], [1]
633		13		$D_8 + 2 A_2 + A_1$		[1]
634		13		$D_8 + A_2 + 3 A_1$		[1]
635		13		$D_8 + 5 A_1$		[2], [1]
636		13		$D_7 + D_6$		[1]
637		13		$D_7 + D_5 + A_1$		[1]
638		13		$D_7 + D_4 + A_2$		[1]
639		13		$D_7 + D_4 + 2 A_1$		[1]
640		13		$D_7 + A_6$		[1]
641		13		$D_7 + A_5 + A_1$		[1]
642		13		$D_7 + A_4 + A_2$		[1]
643		13		$D_7 + A_4 + 2 A_1$		[1]
644		13		$D_7 + 2 A_3$		[1]
645		13		$D_7 + A_3 + A_2 + A_1$		[1]
646		13		$D_7 + A_3 + 3 A_1$		[1]
647		13		$D_7 + 3 A_2$		[1]
648		13		$D_7 + 2 A_2 + 2 A_1$		[1]
649		13		$D_7 + A_2 + 4 A_1$		[1]
650		13		$D_7 + 6 A_1$		[2], [1]
651		13		$2 D_6 + A_1$		[1]
652		13		$D_6 + D_5 + A_2$		[1]
653		13		$D_6 + D_5 + 2 A_1$		[1]
654		13		$D_6 + D_4 + A_3$		[1]
655		13		$D_6 + D_4 + A_2 + A_1$		[1]
656		13		$D_6 + D_4 + 3 A_1$		[2], [1]

657		13		$D_6 + A_7$		[1]
658		13		$D_6 + A_6 + A_1$		[1]
659		13		$D_6 + A_5 + A_2$		[1]
660		13		$D_6 + A_5 + 2 A_1$		[2], [1]
661		13		$D_6 + A_4 + A_3$		[1]
662		13		$D_6 + A_4 + A_2 + A_1$		[1]
663		13		$D_6 + A_4 + 3 A_1$		[1]
664		13		$D_6 + 2 A_3 + A_1$		[2], [1]
665		13		$D_6 + A_3 + 2 A_2$		[1]
666		13		$D_6 + A_3 + A_2 + 2 A_1$		[1]
667		13		$D_6 + A_3 + 4 A_1$		[2], [1]
668		13		$D_6 + 3 A_2 + A_1$		[1]
669		13		$D_6 + 2 A_2 + 3 A_1$		[1]
670		13		$D_6 + A_2 + 5 A_1$		[2], [1]
671		13		$D_6 + 7 A_1$		[2]
672		13		$2 D_5 + A_3$		[1]
673		13		$2 D_5 + A_2 + A_1$		[1]
674		13		$2 D_5 + 3 A_1$		[1]
675		13		$D_5 + 2 D_4$		[1]
676		13		$D_5 + D_4 + A_4$		[1]
677		13		$D_5 + D_4 + A_3 + A_1$		[1]
678		13		$D_5 + D_4 + 2 A_2$		[1]
679		13		$D_5 + D_4 + A_2 + 2 A_1$		[1]
680		13		$D_5 + D_4 + 4 A_1$		[2], [1]
681		13		$D_5 + A_8$		[1]
682		13		$D_5 + A_7 + A_1$		[1]
683		13		$D_5 + A_6 + A_2$		[1]
684		13		$D_5 + A_6 + 2 A_1$		[1]
685		13		$D_5 + A_5 + A_3$		[1]
686		13		$D_5 + A_5 + A_2 + A_1$		[1]
687		13		$D_5 + A_5 + 3 A_1$		[2], [1]
688		13		$D_5 + 2 A_4$		[1]
689		13		$D_5 + A_4 + A_3 + A_1$		[1]
690		13		$D_5 + A_4 + 2 A_2$		[1]
691		13		$D_5 + A_4 + A_2 + 2 A_1$		[1]
692		13		$D_5 + A_4 + 4 A_1$		[1]
693		13		$D_5 + 2 A_3 + A_2$		[1]

694		13		$D_5 + 2 A_3 + 2 A_1$		[2], [1]
695		13		$D_5 + A_3 + 2 A_2 + A_1$		[1]
696		13		$D_5 + A_3 + A_2 + 3 A_1$		[1]
697		13		$D_5 + A_3 + 5 A_1$		[2], [1]
698		13		$D_5 + 4 A_2$		[1]
699		13		$D_5 + 3 A_2 + 2 A_1$		[1]
700		13		$D_5 + 2 A_2 + 4 A_1$		[1]
701		13		$D_5 + A_2 + 6 A_1$		[2], [1]
702		13		$D_5 + 8 A_1$		[2]
703		13		$3 D_4 + A_1$		[1]
704		13		$2 D_4 + A_5$		[1]
705		13		$2 D_4 + A_4 + A_1$		[1]
706		13		$2 D_4 + A_3 + A_2$		[1]
707		13		$2 D_4 + A_3 + 2 A_1$		[2], [1]
708		13		$2 D_4 + 2 A_2 + A_1$		[1]
709		13		$2 D_4 + A_2 + 3 A_1$		[1]
710		13		$2 D_4 + 5 A_1$		[2]
711		13		$D_4 + A_9$		[1]
712		13		$D_4 + A_8 + A_1$		[1]
713		13		$D_4 + A_7 + A_2$		[1]
714		13		$D_4 + A_7 + 2 A_1$		[2], [1]
715		13		$D_4 + A_6 + A_3$		[1]
716		13		$D_4 + A_6 + A_2 + A_1$		[1]
717		13		$D_4 + A_6 + 3 A_1$		[1]
718		13		$D_4 + A_5 + A_4$		[1]
719		13		$D_4 + A_5 + A_3 + A_1$		[2], [1]
720		13		$D_4 + A_5 + 2 A_2$		[1]
721		13		$D_4 + A_5 + A_2 + 2 A_1$		[1]
722		13		$D_4 + A_5 + 4 A_1$		[2], [1]
723		13		$D_4 + 2 A_4 + A_1$		[1]
724		13		$D_4 + A_4 + A_3 + A_2$		[1]
725		13		$D_4 + A_4 + A_3 + 2 A_1$		[1]
726		13		$D_4 + A_4 + 2 A_2 + A_1$		[1]
727		13		$D_4 + A_4 + A_2 + 3 A_1$		[1]
728		13		$D_4 + A_4 + 5 A_1$		[1]
729		13		$D_4 + 3 A_3$		[2], [1]
730		13		$D_4 + 2 A_3 + A_2 + A_1$		[1]

731		13		$D_4 + 2 A_3 + 3 A_1$		[2], [1]
732		13		$D_4 + A_3 + 3 A_2$		[1]
733		13		$D_4 + A_3 + 2 A_2 + 2 A_1$		[1]
734		13		$D_4 + A_3 + A_2 + 4 A_1$		[2], [1]
735		13		$D_4 + A_3 + 6 A_1$		[2]
736		13		$D_4 + 4 A_2 + A_1$		[1]
737		13		$D_4 + 3 A_2 + 3 A_1$		[1]
738		13		$D_4 + 2 A_2 + 5 A_1$		[1]
739		13		$D_4 + A_2 + 7 A_1$		[2]
740		13		$D_4 + 9 A_1$		[2, 2]
741		13		A_{13}		[1]
742		13		$A_{12} + A_1$		[1]
743		13		$A_{11} + A_2$		[1]
744		13		$A_{11} + 2 A_1$		[2], [1]
745		13		$A_{10} + A_3$		[1]
746		13		$A_{10} + A_2 + A_1$		[1]
747		13		$A_{10} + 3 A_1$		[1]
748		13		$A_9 + A_4$		[1]
749		13		$A_9 + A_3 + A_1$		[2], [1]
750		13		$A_9 + 2 A_2$		[1]
751		13		$A_9 + A_2 + 2 A_1$		[1]
752		13		$A_9 + 4 A_1$		[2], [1]
753		13		$A_8 + A_5$		[1]
754		13		$A_8 + A_4 + A_1$		[1]
755		13		$A_8 + A_3 + A_2$		[1]
756		13		$A_8 + A_3 + 2 A_1$		[1]
757		13		$A_8 + 2 A_2 + A_1$		[1]
758		13		$A_8 + A_2 + 3 A_1$		[1]
759		13		$A_8 + 5 A_1$		[1]
760		13		$A_7 + A_6$		[1]
761		13		$A_7 + A_5 + A_1$		[2], [1]
762		13		$A_7 + A_4 + A_2$		[1]
763		13		$A_7 + A_4 + 2 A_1$		[1]
764		13		$A_7 + 2 A_3$		[2], [1]
765		13		$A_7 + A_3 + A_2 + A_1$		[1]
766		13		$A_7 + A_3 + 3 A_1$		[2], [1]
767		13		$A_7 + 3 A_2$		[1]

768	13	$A_7 + 2 A_2 + 2 A_1$		[1]
769	13	$A_7 + A_2 + 4 A_1$		[2], [1]
770	13	$A_7 + 6 A_1$		[2], [1]
771	13	$2 A_6 + A_1$		[1]
772	13	$A_6 + A_5 + A_2$		[1]
773	13	$A_6 + A_5 + 2 A_1$		[1]
774	13	$A_6 + A_4 + A_3$		[1]
775	13	$A_6 + A_4 + A_2 + A_1$		[1]
776	13	$A_6 + A_4 + 3 A_1$		[1]
777	13	$A_6 + 2 A_3 + A_1$		[1]
778	13	$A_6 + A_3 + 2 A_2$		[1]
779	13	$A_6 + A_3 + A_2 + 2 A_1$		[1]
780	13	$A_6 + A_3 + 4 A_1$		[1]
781	13	$A_6 + 3 A_2 + A_1$		[1]
782	13	$A_6 + 2 A_2 + 3 A_1$		[1]
783	13	$A_6 + A_2 + 5 A_1$		[1]
784	13	$A_6 + 7 A_1$		[1]
785	13	$2 A_5 + A_3$		[2], [1]
786	13	$2 A_5 + A_2 + A_1$		[1]
787	13	$2 A_5 + 3 A_1$		[2], [1]
788	13	$A_5 + 2 A_4$		[1]
789	13	$A_5 + A_4 + A_3 + A_1$		[1]
790	13	$A_5 + A_4 + 2 A_2$		[1]
791	13	$A_5 + A_4 + A_2 + 2 A_1$		[1]
792	13	$A_5 + A_4 + 4 A_1$		[1]
793	13	$A_5 + 2 A_3 + A_2$		[1]
794	13	$A_5 + 2 A_3 + 2 A_1$		[2], [1]
795	13	$A_5 + A_3 + 2 A_2 + A_1$		[1]
796	13	$A_5 + A_3 + A_2 + 3 A_1$		[2], [1]
797	13	$A_5 + A_3 + 5 A_1$		[2], [1]
798	13	$A_5 + 4 A_2$		[3], [1]
799	13	$A_5 + 3 A_2 + 2 A_1$		[1]
800	13	$A_5 + 2 A_2 + 4 A_1$		[1]
801	13	$A_5 + A_2 + 6 A_1$		[2], [1]
802	13	$A_5 + 8 A_1$		[2]
803	13	$3 A_4 + A_1$		[1]
804	13	$2 A_4 + A_3 + A_2$		[1]

805		13		$2A_4 + A_3 + 2A_1$		[1]
806		13		$2A_4 + 2A_2 + A_1$		[1]
807		13		$2A_4 + A_2 + 3A_1$		[1]
808		13		$2A_4 + 5A_1$		[1]
809		13		$A_4 + 3A_3$		[1]
810		13		$A_4 + 2A_3 + A_2 + A_1$		[1]
811		13		$A_4 + 2A_3 + 3A_1$		[1]
812		13		$A_4 + A_3 + 3A_2$		[1]
813		13		$A_4 + A_3 + 2A_2 + 2A_1$		[1]
814		13		$A_4 + A_3 + A_2 + 4A_1$		[1]
815		13		$A_4 + A_3 + 6A_1$		[2], [1]
816		13		$A_4 + 4A_2 + A_1$		[1]
817		13		$A_4 + 3A_2 + 3A_1$		[1]
818		13		$A_4 + 2A_2 + 5A_1$		[1]
819		13		$A_4 + A_2 + 7A_1$		[1]
820		13		$A_4 + 9A_1$		[2]
821		13		$4A_3 + A_1$		[2], [1]
822		13		$3A_3 + 2A_2$		[1]
823		13		$3A_3 + A_2 + 2A_1$		[2], [1]
824		13		$3A_3 + 4A_1$		[2], [1]
825		13		$2A_3 + 3A_2 + A_1$		[1]
826		13		$2A_3 + 2A_2 + 3A_1$		[1]
827		13		$2A_3 + A_2 + 5A_1$		[2], [1]
828		13		$2A_3 + 7A_1$		[2]
829		13		$A_3 + 5A_2$		[1]
830		13		$A_3 + 4A_2 + 2A_1$		[1]
831		13		$A_3 + 3A_2 + 4A_1$		[1]
832		13		$A_3 + 2A_2 + 6A_1$		[2], [1]
833		13		$A_3 + A_2 + 8A_1$		[2]
834		13		$A_3 + 10A_1$		[2, 2]
835		13		$6A_2 + A_1$		[3], [1]
836		13		$5A_2 + 3A_1$		[1]
837		13		$4A_2 + 5A_1$		[1]
838		13		$3A_2 + 7A_1$		[1]
839		13		$2A_2 + 9A_1$		[2]

No.	rank	ADE -type	G
840	14	$E_8 + E_6$	[1]
841	14	$E_8 + D_6$	[1]
842	14	$E_8 + D_5 + A_1$	[1]
843	14	$E_8 + D_4 + A_2$	[1]
844	14	$E_8 + D_4 + 2 A_1$	[1]
845	14	$E_8 + A_6$	[1]
846	14	$E_8 + A_5 + A_1$	[1]
847	14	$E_8 + A_4 + A_2$	[1]
848	14	$E_8 + A_4 + 2 A_1$	[1]
849	14	$E_8 + 2 A_3$	[1]
850	14	$E_8 + A_3 + A_2 + A_1$	[1]
851	14	$E_8 + A_3 + 3 A_1$	[1]
852	14	$E_8 + 3 A_2$	[1]
853	14	$E_8 + 2 A_2 + 2 A_1$	[1]
854	14	$E_8 + A_2 + 4 A_1$	[1]
855	14	$E_8 + 6 A_1$	[1]
856	14	$2 E_7$	[1]
857	14	$E_7 + E_6 + A_1$	[1]
858	14	$E_7 + D_7$	[1]
859	14	$E_7 + D_6 + A_1$	[1]
860	14	$E_7 + D_5 + A_2$	[1]
861	14	$E_7 + D_5 + 2 A_1$	[1]
862	14	$E_7 + D_4 + A_3$	[1]
863	14	$E_7 + D_4 + A_2 + A_1$	[1]
864	14	$E_7 + D_4 + 3 A_1$	[2], [1]
865	14	$E_7 + A_7$	[1]
866	14	$E_7 + A_6 + A_1$	[1]
867	14	$E_7 + A_5 + A_2$	[1]
868	14	$E_7 + A_5 + 2 A_1$	[2], [1]
869	14	$E_7 + A_4 + A_3$	[1]
870	14	$E_7 + A_4 + A_2 + A_1$	[1]
871	14	$E_7 + A_4 + 3 A_1$	[1]
872	14	$E_7 + 2 A_3 + A_1$	[2], [1]
873	14	$E_7 + A_3 + 2 A_2$	[1]
874	14	$E_7 + A_3 + A_2 + 2 A_1$	[1]
875	14	$E_7 + A_3 + 4 A_1$	[2], [1]

876		14		$E_7 + 3 A_2 + A_1$		[1]
877		14		$E_7 + 2 A_2 + 3 A_1$		[1]
878		14		$E_7 + A_2 + 5 A_1$		[2], [1]
879		14		$E_7 + 7 A_1$		[2]
880		14		$2 E_6 + A_2$		[1]
881		14		$2 E_6 + 2 A_1$		[1]
882		14		$E_6 + D_8$		[1]
883		14		$E_6 + D_7 + A_1$		[1]
884		14		$E_6 + D_6 + A_2$		[1]
885		14		$E_6 + D_6 + 2 A_1$		[1]
886		14		$E_6 + D_5 + A_3$		[1]
887		14		$E_6 + D_5 + A_2 + A_1$		[1]
888		14		$E_6 + D_5 + 3 A_1$		[1]
889		14		$E_6 + 2 D_4$		[1]
890		14		$E_6 + D_4 + A_4$		[1]
891		14		$E_6 + D_4 + A_3 + A_1$		[1]
892		14		$E_6 + D_4 + 2 A_2$		[1]
893		14		$E_6 + D_4 + A_2 + 2 A_1$		[1]
894		14		$E_6 + D_4 + 4 A_1$		[1]
895		14		$E_6 + A_8$		[1]
896		14		$E_6 + A_7 + A_1$		[1]
897		14		$E_6 + A_6 + A_2$		[1]
898		14		$E_6 + A_6 + 2 A_1$		[1]
899		14		$E_6 + A_5 + A_3$		[1]
900		14		$E_6 + A_5 + A_2 + A_1$		[1]
901		14		$E_6 + A_5 + 3 A_1$		[1]
902		14		$E_6 + 2 A_4$		[1]
903		14		$E_6 + A_4 + A_3 + A_1$		[1]
904		14		$E_6 + A_4 + 2 A_2$		[1]
905		14		$E_6 + A_4 + A_2 + 2 A_1$		[1]
906		14		$E_6 + A_4 + 4 A_1$		[1]
907		14		$E_6 + 2 A_3 + A_2$		[1]
908		14		$E_6 + 2 A_3 + 2 A_1$		[1]
909		14		$E_6 + A_3 + 2 A_2 + A_1$		[1]
910		14		$E_6 + A_3 + A_2 + 3 A_1$		[1]
911		14		$E_6 + A_3 + 5 A_1$		[1]
912		14		$E_6 + 4 A_2$		[3], [1]

913		14		$E_6 + 3 A_2 + 2 A_1$		[1]
914		14		$E_6 + 2 A_2 + 4 A_1$		[1]
915		14		$E_6 + A_2 + 6 A_1$		[1]
916		14		D_{14}		[1]
917		14		$D_{13} + A_1$		[1]
918		14		$D_{12} + A_2$		[1]
919		14		$D_{12} + 2 A_1$		[2], [1]
920		14		$D_{11} + A_3$		[1]
921		14		$D_{11} + A_2 + A_1$		[1]
922		14		$D_{11} + 3 A_1$		[1]
923		14		$D_{10} + D_4$		[1]
924		14		$D_{10} + A_4$		[1]
925		14		$D_{10} + A_3 + A_1$		[2], [1]
926		14		$D_{10} + 2 A_2$		[1]
927		14		$D_{10} + A_2 + 2 A_1$		[1]
928		14		$D_{10} + 4 A_1$		[2], [1]
929		14		$D_9 + D_5$		[1]
930		14		$D_9 + D_4 + A_1$		[1]
931		14		$D_9 + A_5$		[1]
932		14		$D_9 + A_4 + A_1$		[1]
933		14		$D_9 + A_3 + A_2$		[1]
934		14		$D_9 + A_3 + 2 A_1$		[1]
935		14		$D_9 + 2 A_2 + A_1$		[1]
936		14		$D_9 + A_2 + 3 A_1$		[1]
937		14		$D_9 + 5 A_1$		[1]
938		14		$D_8 + D_6$		[1]
939		14		$D_8 + D_5 + A_1$		[1]
940		14		$D_8 + D_4 + A_2$		[1]
941		14		$D_8 + D_4 + 2 A_1$		[2], [1]
942		14		$D_8 + A_6$		[1]
943		14		$D_8 + A_5 + A_1$		[2], [1]
944		14		$D_8 + A_4 + A_2$		[1]
945		14		$D_8 + A_4 + 2 A_1$		[1]
946		14		$D_8 + 2 A_3$		[2], [1]
947		14		$D_8 + A_3 + A_2 + A_1$		[1]
948		14		$D_8 + A_3 + 3 A_1$		[2], [1]
949		14		$D_8 + 3 A_2$		[1]

950		14		$D_8 + 2 A_2 + 2 A_1$		[1]
951		14		$D_8 + A_2 + 4 A_1$		[2], [1]
952		14		$D_8 + 6 A_1$		[2]
953		14		$2 D_7$		[1]
954		14		$D_7 + D_6 + A_1$		[1]
955		14		$D_7 + D_5 + A_2$		[1]
956		14		$D_7 + D_5 + 2 A_1$		[1]
957		14		$D_7 + D_4 + A_3$		[1]
958		14		$D_7 + D_4 + A_2 + A_1$		[1]
959		14		$D_7 + D_4 + 3 A_1$		[1]
960		14		$D_7 + A_7$		[1]
961		14		$D_7 + A_6 + A_1$		[1]
962		14		$D_7 + A_5 + A_2$		[1]
963		14		$D_7 + A_5 + 2 A_1$		[1]
964		14		$D_7 + A_4 + A_3$		[1]
965		14		$D_7 + A_4 + A_2 + A_1$		[1]
966		14		$D_7 + A_4 + 3 A_1$		[1]
967		14		$D_7 + 2 A_3 + A_1$		[1]
968		14		$D_7 + A_3 + 2 A_2$		[1]
969		14		$D_7 + A_3 + A_2 + 2 A_1$		[1]
970		14		$D_7 + A_3 + 4 A_1$		[2], [1]
971		14		$D_7 + 3 A_2 + A_1$		[1]
972		14		$D_7 + 2 A_2 + 3 A_1$		[1]
973		14		$D_7 + A_2 + 5 A_1$		[1]
974		14		$D_7 + 7 A_1$		[2]
975		14		$2 D_6 + A_2$		[1]
976		14		$2 D_6 + 2 A_1$		[2], [1]
977		14		$D_6 + D_5 + A_3$		[1]
978		14		$D_6 + D_5 + A_2 + A_1$		[1]
979		14		$D_6 + D_5 + 3 A_1$		[2], [1]
980		14		$D_6 + 2 D_4$		[1]
981		14		$D_6 + D_4 + A_4$		[1]
982		14		$D_6 + D_4 + A_3 + A_1$		[2], [1]
983		14		$D_6 + D_4 + 2 A_2$		[1]
984		14		$D_6 + D_4 + A_2 + 2 A_1$		[1]
985		14		$D_6 + D_4 + 4 A_1$		[2]
986		14		$D_6 + A_8$		[1]

987		14		$D_6 + A_7 + A_1$		[2], [1]
988		14		$D_6 + A_6 + A_2$		[1]
989		14		$D_6 + A_6 + 2 A_1$		[1]
990		14		$D_6 + A_5 + A_3$		[2], [1]
991		14		$D_6 + A_5 + A_2 + A_1$		[1]
992		14		$D_6 + A_5 + 3 A_1$		[2], [1]
993		14		$D_6 + 2 A_4$		[1]
994		14		$D_6 + A_4 + A_3 + A_1$		[1]
995		14		$D_6 + A_4 + 2 A_2$		[1]
996		14		$D_6 + A_4 + A_2 + 2 A_1$		[1]
997		14		$D_6 + A_4 + 4 A_1$		[1]
998		14		$D_6 + 2 A_3 + A_2$		[1]
999		14		$D_6 + 2 A_3 + 2 A_1$		[2], [1]
1000		14		$D_6 + A_3 + 2 A_2 + A_1$		[1]
1001		14		$D_6 + A_3 + A_2 + 3 A_1$		[2], [1]
1002		14		$D_6 + A_3 + 5 A_1$		[2]
1003		14		$D_6 + 4 A_2$		[1]
1004		14		$D_6 + 3 A_2 + 2 A_1$		[1]
1005		14		$D_6 + 2 A_2 + 4 A_1$		[1]
1006		14		$D_6 + A_2 + 6 A_1$		[2]
1007		14		$D_6 + 8 A_1$		[2, 2]
1008		14		$2 D_5 + D_4$		[1]
1009		14		$2 D_5 + A_4$		[1]
1010		14		$2 D_5 + A_3 + A_1$		[1]
1011		14		$2 D_5 + 2 A_2$		[1]
1012		14		$2 D_5 + A_2 + 2 A_1$		[1]
1013		14		$2 D_5 + 4 A_1$		[2], [1]
1014		14		$D_5 + 2 D_4 + A_1$		[1]
1015		14		$D_5 + D_4 + A_5$		[1]
1016		14		$D_5 + D_4 + A_4 + A_1$		[1]
1017		14		$D_5 + D_4 + A_3 + A_2$		[1]
1018		14		$D_5 + D_4 + A_3 + 2 A_1$		[2], [1]
1019		14		$D_5 + D_4 + 2 A_2 + A_1$		[1]
1020		14		$D_5 + D_4 + A_2 + 3 A_1$		[1]
1021		14		$D_5 + D_4 + 5 A_1$		[2]
1022		14		$D_5 + A_9$		[1]
1023		14		$D_5 + A_8 + A_1$		[1]

1024		14		$D_5 + A_7 + A_2$		[1]
1025		14		$D_5 + A_7 + 2 A_1$		[2], [1]
1026		14		$D_5 + A_6 + A_3$		[1]
1027		14		$D_5 + A_6 + A_2 + A_1$		[1]
1028		14		$D_5 + A_6 + 3 A_1$		[1]
1029		14		$D_5 + A_5 + A_4$		[1]
1030		14		$D_5 + A_5 + A_3 + A_1$		[2], [1]
1031		14		$D_5 + A_5 + 2 A_2$		[1]
1032		14		$D_5 + A_5 + A_2 + 2 A_1$		[1]
1033		14		$D_5 + A_5 + 4 A_1$		[2], [1]
1034		14		$D_5 + 2 A_4 + A_1$		[1]
1035		14		$D_5 + A_4 + A_3 + A_2$		[1]
1036		14		$D_5 + A_4 + A_3 + 2 A_1$		[1]
1037		14		$D_5 + A_4 + 2 A_2 + A_1$		[1]
1038		14		$D_5 + A_4 + A_2 + 3 A_1$		[1]
1039		14		$D_5 + A_4 + 5 A_1$		[1]
1040		14		$D_5 + 3 A_3$		[2], [1]
1041		14		$D_5 + 2 A_3 + A_2 + A_1$		[1]
1042		14		$D_5 + 2 A_3 + 3 A_1$		[2], [1]
1043		14		$D_5 + A_3 + 3 A_2$		[1]
1044		14		$D_5 + A_3 + 2 A_2 + 2 A_1$		[1]
1045		14		$D_5 + A_3 + A_2 + 4 A_1$		[2], [1]
1046		14		$D_5 + A_3 + 6 A_1$		[2]
1047		14		$D_5 + 4 A_2 + A_1$		[1]
1048		14		$D_5 + 3 A_2 + 3 A_1$		[1]
1049		14		$D_5 + 2 A_2 + 5 A_1$		[1]
1050		14		$D_5 + A_2 + 7 A_1$		[2]
1051		14		$3 D_4 + A_2$		[1]
1052		14		$3 D_4 + 2 A_1$		[2]
1053		14		$2 D_4 + A_6$		[1]
1054		14		$2 D_4 + A_5 + A_1$		[2], [1]
1055		14		$2 D_4 + A_4 + A_2$		[1]
1056		14		$2 D_4 + A_4 + 2 A_1$		[1]
1057		14		$2 D_4 + 2 A_3$		[2], [1]
1058		14		$2 D_4 + A_3 + A_2 + A_1$		[1]
1059		14		$2 D_4 + A_3 + 3 A_1$		[2]
1060		14		$2 D_4 + 3 A_2$		[1]

1061		14		$2 D_4 + 2 A_2 + 2 A_1$		[1]
1062		14		$2 D_4 + A_2 + 4 A_1$		[2]
1063		14		$2 D_4 + 6 A_1$		[2, 2]
1064		14		$D_4 + A_{10}$		[1]
1065		14		$D_4 + A_9 + A_1$		[2], [1]
1066		14		$D_4 + A_8 + A_2$		[1]
1067		14		$D_4 + A_8 + 2 A_1$		[1]
1068		14		$D_4 + A_7 + A_3$		[2], [1]
1069		14		$D_4 + A_7 + A_2 + A_1$		[1]
1070		14		$D_4 + A_7 + 3 A_1$		[2], [1]
1071		14		$D_4 + A_6 + A_4$		[1]
1072		14		$D_4 + A_6 + A_3 + A_1$		[1]
1073		14		$D_4 + A_6 + 2 A_2$		[1]
1074		14		$D_4 + A_6 + A_2 + 2 A_1$		[1]
1075		14		$D_4 + A_6 + 4 A_1$		[1]
1076		14		$D_4 + 2 A_5$		[2], [1]
1077		14		$D_4 + A_5 + A_4 + A_1$		[1]
1078		14		$D_4 + A_5 + A_3 + A_2$		[1]
1079		14		$D_4 + A_5 + A_3 + 2 A_1$		[2], [1]
1080		14		$D_4 + A_5 + 2 A_2 + A_1$		[1]
1081		14		$D_4 + A_5 + A_2 + 3 A_1$		[2], [1]
1082		14		$D_4 + A_5 + 5 A_1$		[2]
1083		14		$D_4 + 2 A_4 + A_2$		[1]
1084		14		$D_4 + 2 A_4 + 2 A_1$		[1]
1085		14		$D_4 + A_4 + 2 A_3$		[1]
1086		14		$D_4 + A_4 + A_3 + A_2 + A_1$		[1]
1087		14		$D_4 + A_4 + A_3 + 3 A_1$		[1]
1088		14		$D_4 + A_4 + 3 A_2$		[1]
1089		14		$D_4 + A_4 + 2 A_2 + 2 A_1$		[1]
1090		14		$D_4 + A_4 + A_2 + 4 A_1$		[1]
1091		14		$D_4 + A_4 + 6 A_1$		[2]
1092		14		$D_4 + 3 A_3 + A_1$		[2], [1]
1093		14		$D_4 + 2 A_3 + 2 A_2$		[1]
1094		14		$D_4 + 2 A_3 + A_2 + 2 A_1$		[2], [1]
1095		14		$D_4 + 2 A_3 + 4 A_1$		[2]
1096		14		$D_4 + A_3 + 3 A_2 + A_1$		[1]
1097		14		$D_4 + A_3 + 2 A_2 + 3 A_1$		[1]

1098		14		$D_4 + A_3 + A_2 + 5 A_1$		[2]
1099		14		$D_4 + A_3 + 7 A_1$		[2, 2]
1100		14		$D_4 + 5 A_2$		[1]
1101		14		$D_4 + 4 A_2 + 2 A_1$		[1]
1102		14		$D_4 + 3 A_2 + 4 A_1$		[1]
1103		14		$D_4 + 2 A_2 + 6 A_1$		[2]
1104		14		A_{14}		[1]
1105		14		$A_{13} + A_1$		[2], [1]
1106		14		$A_{12} + A_2$		[1]
1107		14		$A_{12} + 2 A_1$		[1]
1108		14		$A_{11} + A_3$		[2], [1]
1109		14		$A_{11} + A_2 + A_1$		[1]
1110		14		$A_{11} + 3 A_1$		[2], [1]
1111		14		$A_{10} + A_4$		[1]
1112		14		$A_{10} + A_3 + A_1$		[1]
1113		14		$A_{10} + 2 A_2$		[1]
1114		14		$A_{10} + A_2 + 2 A_1$		[1]
1115		14		$A_{10} + 4 A_1$		[1]
1116		14		$A_9 + A_5$		[2], [1]
1117		14		$A_9 + A_4 + A_1$		[1]
1118		14		$A_9 + A_3 + A_2$		[1]
1119		14		$A_9 + A_3 + 2 A_1$		[2], [1]
1120		14		$A_9 + 2 A_2 + A_1$		[1]
1121		14		$A_9 + A_2 + 3 A_1$		[2], [1]
1122		14		$A_9 + 5 A_1$		[2], [1]
1123		14		$A_8 + A_6$		[1]
1124		14		$A_8 + A_5 + A_1$		[1]
1125		14		$A_8 + A_4 + A_2$		[1]
1126		14		$A_8 + A_4 + 2 A_1$		[1]
1127		14		$A_8 + 2 A_3$		[1]
1128		14		$A_8 + A_3 + A_2 + A_1$		[1]
1129		14		$A_8 + A_3 + 3 A_1$		[1]
1130		14		$A_8 + 3 A_2$		[3], [1]
1131		14		$A_8 + 2 A_2 + 2 A_1$		[1]
1132		14		$A_8 + A_2 + 4 A_1$		[1]
1133		14		$A_8 + 6 A_1$		[1]
1134		14		$2 A_7$		[2], [1]

1135		14		$A_7 + A_6 + A_1$		[1]
1136		14		$A_7 + A_5 + A_2$		[1]
1137		14		$A_7 + A_5 + 2 A_1$		[2], [1]
1138		14		$A_7 + A_4 + A_3$		[1]
1139		14		$A_7 + A_4 + A_2 + A_1$		[1]
1140		14		$A_7 + A_4 + 3 A_1$		[1]
1141		14		$A_7 + 2 A_3 + A_1$		[2], [1]
1142		14		$A_7 + A_3 + 2 A_2$		[1]
1143		14		$A_7 + A_3 + A_2 + 2 A_1$		[2], [1]
1144		14		$A_7 + A_3 + 4 A_1$		[2], [1]
1145		14		$A_7 + 3 A_2 + A_1$		[1]
1146		14		$A_7 + 2 A_2 + 3 A_1$		[1]
1147		14		$A_7 + A_2 + 5 A_1$		[2], [1]
1148		14		$A_7 + 7 A_1$		[2]
1149		14		$2 A_6 + A_2$		[1]
1150		14		$2 A_6 + 2 A_1$		[1]
1151		14		$A_6 + A_5 + A_3$		[1]
1152		14		$A_6 + A_5 + A_2 + A_1$		[1]
1153		14		$A_6 + A_5 + 3 A_1$		[1]
1154		14		$A_6 + 2 A_4$		[1]
1155		14		$A_6 + A_4 + A_3 + A_1$		[1]
1156		14		$A_6 + A_4 + 2 A_2$		[1]
1157		14		$A_6 + A_4 + A_2 + 2 A_1$		[1]
1158		14		$A_6 + A_4 + 4 A_1$		[1]
1159		14		$A_6 + 2 A_3 + A_2$		[1]
1160		14		$A_6 + 2 A_3 + 2 A_1$		[1]
1161		14		$A_6 + A_3 + 2 A_2 + A_1$		[1]
1162		14		$A_6 + A_3 + A_2 + 3 A_1$		[1]
1163		14		$A_6 + A_3 + 5 A_1$		[1]
1164		14		$A_6 + 4 A_2$		[1]
1165		14		$A_6 + 3 A_2 + 2 A_1$		[1]
1166		14		$A_6 + 2 A_2 + 4 A_1$		[1]
1167		14		$A_6 + A_2 + 6 A_1$		[1]
1168		14		$A_6 + 8 A_1$		[2]
1169		14		$2 A_5 + A_4$		[1]
1170		14		$2 A_5 + A_3 + A_1$		[2], [1]
1171		14		$2 A_5 + 2 A_2$		[3], [1]

1172		14		$2A_5 + A_2 + 2A_1$		[2], [1]
1173		14		$2A_5 + 4A_1$		[2], [1]
1174		14		$A_5 + 2A_4 + A_1$		[1]
1175		14		$A_5 + A_4 + A_3 + A_2$		[1]
1176		14		$A_5 + A_4 + A_3 + 2A_1$		[1]
1177		14		$A_5 + A_4 + 2A_2 + A_1$		[1]
1178		14		$A_5 + A_4 + A_2 + 3A_1$		[1]
1179		14		$A_5 + A_4 + 5A_1$		[2], [1]
1180		14		$A_5 + 3A_3$		[1]
1181		14		$A_5 + 2A_3 + A_2 + A_1$		[2], [1]
1182		14		$A_5 + 2A_3 + 3A_1$		[2], [1]
1183		14		$A_5 + A_3 + 3A_2$		[1]
1184		14		$A_5 + A_3 + 2A_2 + 2A_1$		[1]
1185		14		$A_5 + A_3 + A_2 + 4A_1$		[2], [1]
1186		14		$A_5 + A_3 + 6A_1$		[2]
1187		14		$A_5 + 4A_2 + A_1$		[3], [1]
1188		14		$A_5 + 3A_2 + 3A_1$		[1]
1189		14		$A_5 + 2A_2 + 5A_1$		[2], [1]
1190		14		$A_5 + A_2 + 7A_1$		[2]
1191		14		$A_5 + 9A_1$		[2, 2]
1192		14		$3A_4 + A_2$		[1]
1193		14		$3A_4 + 2A_1$		[1]
1194		14		$2A_4 + 2A_3$		[1]
1195		14		$2A_4 + A_3 + A_2 + A_1$		[1]
1196		14		$2A_4 + A_3 + 3A_1$		[1]
1197		14		$2A_4 + 3A_2$		[1]
1198		14		$2A_4 + 2A_2 + 2A_1$		[1]
1199		14		$2A_4 + A_2 + 4A_1$		[1]
1200		14		$2A_4 + 6A_1$		[1]
1201		14		$A_4 + 3A_3 + A_1$		[1]
1202		14		$A_4 + 2A_3 + 2A_2$		[1]
1203		14		$A_4 + 2A_3 + A_2 + 2A_1$		[1]
1204		14		$A_4 + 2A_3 + 4A_1$		[2], [1]
1205		14		$A_4 + A_3 + 3A_2 + A_1$		[1]
1206		14		$A_4 + A_3 + 2A_2 + 3A_1$		[1]
1207		14		$A_4 + A_3 + A_2 + 5A_1$		[1]
1208		14		$A_4 + A_3 + 7A_1$		[2]

1209	14	$A_4 + 5 A_2$	[1]
1210	14	$A_4 + 4 A_2 + 2 A_1$	[1]
1211	14	$A_4 + 3 A_2 + 4 A_1$	[1]
1212	14	$A_4 + 2 A_2 + 6 A_1$	[1]
1213	14	$A_4 + A_2 + 8 A_1$	[2]
1214	14	$4 A_3 + A_2$	[2], [1]
1215	14	$4 A_3 + 2 A_1$	[4], [2], [1]
1216	14	$3 A_3 + 2 A_2 + A_1$	[1]
1217	14	$3 A_3 + A_2 + 3 A_1$	[2], [1]
1218	14	$3 A_3 + 5 A_1$	[2]
1219	14	$2 A_3 + 4 A_2$	[1]
1220	14	$2 A_3 + 3 A_2 + 2 A_1$	[1]
1221	14	$2 A_3 + 2 A_2 + 4 A_1$	[2], [1]
1222	14	$2 A_3 + A_2 + 6 A_1$	[2]
1223	14	$2 A_3 + 8 A_1$	[2, 2]
1224	14	$A_3 + 5 A_2 + A_1$	[1]
1225	14	$A_3 + 4 A_2 + 3 A_1$	[1]
1226	14	$A_3 + 3 A_2 + 5 A_1$	[1]
1227	14	$A_3 + 2 A_2 + 7 A_1$	[2]
1228	14	$7 A_2$	[3]
1229	14	$6 A_2 + 2 A_1$	[3], [1]
1230	14	$5 A_2 + 4 A_1$	[1]
1231	14	$4 A_2 + 6 A_1$	[1]

No.	rank	<i>ADE</i> -type	<i>G</i>
1232	15	$E_8 + E_7$	[1]
1233	15	$E_8 + E_6 + A_1$	[1]
1234	15	$E_8 + D_7$	[1]
1235	15	$E_8 + D_6 + A_1$	[1]
1236	15	$E_8 + D_5 + A_2$	[1]
1237	15	$E_8 + D_5 + 2 A_1$	[1]
1238	15	$E_8 + D_4 + A_3$	[1]
1239	15	$E_8 + D_4 + A_2 + A_1$	[1]
1240	15	$E_8 + D_4 + 3 A_1$	[1]
1241	15	$E_8 + A_7$	[1]
1242	15	$E_8 + A_6 + A_1$	[1]

1243		15		$E_8 + A_5 + A_2$		[1]
1244		15		$E_8 + A_5 + 2 A_1$		[1]
1245		15		$E_8 + A_4 + A_3$		[1]
1246		15		$E_8 + A_4 + A_2 + A_1$		[1]
1247		15		$E_8 + A_4 + 3 A_1$		[1]
1248		15		$E_8 + 2 A_3 + A_1$		[1]
1249		15		$E_8 + A_3 + 2 A_2$		[1]
1250		15		$E_8 + A_3 + A_2 + 2 A_1$		[1]
1251		15		$E_8 + A_3 + 4 A_1$		[1]
1252		15		$E_8 + 3 A_2 + A_1$		[1]
1253		15		$E_8 + 2 A_2 + 3 A_1$		[1]
1254		15		$E_8 + A_2 + 5 A_1$		[1]
1255		15		$2 E_7 + A_1$		[1]
1256		15		$E_7 + E_6 + A_2$		[1]
1257		15		$E_7 + E_6 + 2 A_1$		[1]
1258		15		$E_7 + D_8$		[1]
1259		15		$E_7 + D_7 + A_1$		[1]
1260		15		$E_7 + D_6 + A_2$		[1]
1261		15		$E_7 + D_6 + 2 A_1$		[2], [1]
1262		15		$E_7 + D_5 + A_3$		[1]
1263		15		$E_7 + D_5 + A_2 + A_1$		[1]
1264		15		$E_7 + D_5 + 3 A_1$		[2], [1]
1265		15		$E_7 + 2 D_4$		[1]
1266		15		$E_7 + D_4 + A_4$		[1]
1267		15		$E_7 + D_4 + A_3 + A_1$		[2], [1]
1268		15		$E_7 + D_4 + 2 A_2$		[1]
1269		15		$E_7 + D_4 + A_2 + 2 A_1$		[1]
1270		15		$E_7 + D_4 + 4 A_1$		[2]
1271		15		$E_7 + A_8$		[1]
1272		15		$E_7 + A_7 + A_1$		[2], [1]
1273		15		$E_7 + A_6 + A_2$		[1]
1274		15		$E_7 + A_6 + 2 A_1$		[1]
1275		15		$E_7 + A_5 + A_3$		[2], [1]
1276		15		$E_7 + A_5 + A_2 + A_1$		[1]
1277		15		$E_7 + A_5 + 3 A_1$		[2], [1]
1278		15		$E_7 + 2 A_4$		[1]
1279		15		$E_7 + A_4 + A_3 + A_1$		[1]

1280		15		$E_7 + A_4 + 2 A_2$		[1]
1281		15		$E_7 + A_4 + A_2 + 2 A_1$		[1]
1282		15		$E_7 + A_4 + 4 A_1$		[1]
1283		15		$E_7 + 2 A_3 + A_2$		[1]
1284		15		$E_7 + 2 A_3 + 2 A_1$		[2], [1]
1285		15		$E_7 + A_3 + 2 A_2 + A_1$		[1]
1286		15		$E_7 + A_3 + A_2 + 3 A_1$		[2], [1]
1287		15		$E_7 + A_3 + 5 A_1$		[2]
1288		15		$E_7 + 4 A_2$		[1]
1289		15		$E_7 + 3 A_2 + 2 A_1$		[1]
1290		15		$E_7 + 2 A_2 + 4 A_1$		[1]
1291		15		$E_7 + A_2 + 6 A_1$		[2]
1292		15		$2 E_6 + A_3$		[1]
1293		15		$2 E_6 + A_2 + A_1$		[1]
1294		15		$2 E_6 + 3 A_1$		[1]
1295		15		$E_6 + D_9$		[1]
1296		15		$E_6 + D_8 + A_1$		[1]
1297		15		$E_6 + D_7 + A_2$		[1]
1298		15		$E_6 + D_7 + 2 A_1$		[1]
1299		15		$E_6 + D_6 + A_3$		[1]
1300		15		$E_6 + D_6 + A_2 + A_1$		[1]
1301		15		$E_6 + D_6 + 3 A_1$		[1]
1302		15		$E_6 + D_5 + D_4$		[1]
1303		15		$E_6 + D_5 + A_4$		[1]
1304		15		$E_6 + D_5 + A_3 + A_1$		[1]
1305		15		$E_6 + D_5 + 2 A_2$		[1]
1306		15		$E_6 + D_5 + A_2 + 2 A_1$		[1]
1307		15		$E_6 + D_5 + 4 A_1$		[1]
1308		15		$E_6 + 2 D_4 + A_1$		[1]
1309		15		$E_6 + D_4 + A_5$		[1]
1310		15		$E_6 + D_4 + A_4 + A_1$		[1]
1311		15		$E_6 + D_4 + A_3 + A_2$		[1]
1312		15		$E_6 + D_4 + A_3 + 2 A_1$		[1]
1313		15		$E_6 + D_4 + 2 A_2 + A_1$		[1]
1314		15		$E_6 + D_4 + A_2 + 3 A_1$		[1]
1315		15		$E_6 + A_9$		[1]
1316		15		$E_6 + A_8 + A_1$		[1]

1317		15		$E_6 + A_7 + A_2$		[1]
1318		15		$E_6 + A_7 + 2 A_1$		[1]
1319		15		$E_6 + A_6 + A_3$		[1]
1320		15		$E_6 + A_6 + A_2 + A_1$		[1]
1321		15		$E_6 + A_6 + 3 A_1$		[1]
1322		15		$E_6 + A_5 + A_4$		[1]
1323		15		$E_6 + A_5 + A_3 + A_1$		[1]
1324		15		$E_6 + A_5 + 2 A_2$		[3], [1]
1325		15		$E_6 + A_5 + A_2 + 2 A_1$		[1]
1326		15		$E_6 + A_5 + 4 A_1$		[1]
1327		15		$E_6 + 2 A_4 + A_1$		[1]
1328		15		$E_6 + A_4 + A_3 + A_2$		[1]
1329		15		$E_6 + A_4 + A_3 + 2 A_1$		[1]
1330		15		$E_6 + A_4 + 2 A_2 + A_1$		[1]
1331		15		$E_6 + A_4 + A_2 + 3 A_1$		[1]
1332		15		$E_6 + A_4 + 5 A_1$		[1]
1333		15		$E_6 + 3 A_3$		[1]
1334		15		$E_6 + 2 A_3 + A_2 + A_1$		[1]
1335		15		$E_6 + 2 A_3 + 3 A_1$		[1]
1336		15		$E_6 + A_3 + 3 A_2$		[1]
1337		15		$E_6 + A_3 + 2 A_2 + 2 A_1$		[1]
1338		15		$E_6 + A_3 + A_2 + 4 A_1$		[1]
1339		15		$E_6 + 4 A_2 + A_1$		[3], [1]
1340		15		$E_6 + 3 A_2 + 3 A_1$		[1]
1341		15		$E_6 + 2 A_2 + 5 A_1$		[1]
1342		15		D_{15}		[1]
1343		15		$D_{14} + A_1$		[2], [1]
1344		15		$D_{13} + A_2$		[1]
1345		15		$D_{13} + 2 A_1$		[1]
1346		15		$D_{12} + A_3$		[2], [1]
1347		15		$D_{12} + A_2 + A_1$		[1]
1348		15		$D_{12} + 3 A_1$		[2], [1]
1349		15		$D_{11} + D_4$		[1]
1350		15		$D_{11} + A_4$		[1]
1351		15		$D_{11} + A_3 + A_1$		[1]
1352		15		$D_{11} + 2 A_2$		[1]
1353		15		$D_{11} + A_2 + 2 A_1$		[1]

1354		15		$D_{11} + 4 A_1$		[1]
1355		15		$D_{10} + D_5$		[1]
1356		15		$D_{10} + D_4 + A_1$		[2], [1]
1357		15		$D_{10} + A_5$		[2], [1]
1358		15		$D_{10} + A_4 + A_1$		[1]
1359		15		$D_{10} + A_3 + A_2$		[1]
1360		15		$D_{10} + A_3 + 2 A_1$		[2], [1]
1361		15		$D_{10} + 2 A_2 + A_1$		[1]
1362		15		$D_{10} + A_2 + 3 A_1$		[2], [1]
1363		15		$D_{10} + 5 A_1$		[2]
1364		15		$D_9 + D_6$		[1]
1365		15		$D_9 + D_5 + A_1$		[1]
1366		15		$D_9 + D_4 + A_2$		[1]
1367		15		$D_9 + D_4 + 2 A_1$		[1]
1368		15		$D_9 + A_6$		[1]
1369		15		$D_9 + A_5 + A_1$		[1]
1370		15		$D_9 + A_4 + A_2$		[1]
1371		15		$D_9 + A_4 + 2 A_1$		[1]
1372		15		$D_9 + 2 A_3$		[1]
1373		15		$D_9 + A_3 + A_2 + A_1$		[1]
1374		15		$D_9 + A_3 + 3 A_1$		[1]
1375		15		$D_9 + 3 A_2$		[1]
1376		15		$D_9 + 2 A_2 + 2 A_1$		[1]
1377		15		$D_9 + A_2 + 4 A_1$		[1]
1378		15		$D_9 + 6 A_1$		[2]
1379		15		$D_8 + D_7$		[1]
1380		15		$D_8 + D_6 + A_1$		[2], [1]
1381		15		$D_8 + D_5 + A_2$		[1]
1382		15		$D_8 + D_5 + 2 A_1$		[2], [1]
1383		15		$D_8 + D_4 + A_3$		[2], [1]
1384		15		$D_8 + D_4 + A_2 + A_1$		[1]
1385		15		$D_8 + D_4 + 3 A_1$		[2]
1386		15		$D_8 + A_7$		[2], [1]
1387		15		$D_8 + A_6 + A_1$		[1]
1388		15		$D_8 + A_5 + A_2$		[1]
1389		15		$D_8 + A_5 + 2 A_1$		[2], [1]
1390		15		$D_8 + A_4 + A_3$		[1]

1391		15		$D_8 + A_4 + A_2 + A_1$		[1]
1392		15		$D_8 + A_4 + 3 A_1$		[1]
1393		15		$D_8 + 2 A_3 + A_1$		[2], [1]
1394		15		$D_8 + A_3 + 2 A_2$		[1]
1395		15		$D_8 + A_3 + A_2 + 2 A_1$		[2], [1]
1396		15		$D_8 + A_3 + 4 A_1$		[2]
1397		15		$D_8 + 3 A_2 + A_1$		[1]
1398		15		$D_8 + 2 A_2 + 3 A_1$		[1]
1399		15		$D_8 + A_2 + 5 A_1$		[2]
1400		15		$D_8 + 7 A_1$		[2, 2]
1401		15		$2 D_7 + A_1$		[1]
1402		15		$D_7 + D_6 + A_2$		[1]
1403		15		$D_7 + D_6 + 2 A_1$		[1]
1404		15		$D_7 + D_5 + A_3$		[1]
1405		15		$D_7 + D_5 + A_2 + A_1$		[1]
1406		15		$D_7 + D_5 + 3 A_1$		[1]
1407		15		$D_7 + 2 D_4$		[1]
1408		15		$D_7 + D_4 + A_4$		[1]
1409		15		$D_7 + D_4 + A_3 + A_1$		[1]
1410		15		$D_7 + D_4 + 2 A_2$		[1]
1411		15		$D_7 + D_4 + A_2 + 2 A_1$		[1]
1412		15		$D_7 + D_4 + 4 A_1$		[2]
1413		15		$D_7 + A_8$		[1]
1414		15		$D_7 + A_7 + A_1$		[1]
1415		15		$D_7 + A_6 + A_2$		[1]
1416		15		$D_7 + A_6 + 2 A_1$		[1]
1417		15		$D_7 + A_5 + A_3$		[1]
1418		15		$D_7 + A_5 + A_2 + A_1$		[1]
1419		15		$D_7 + A_5 + 3 A_1$		[2], [1]
1420		15		$D_7 + 2 A_4$		[1]
1421		15		$D_7 + A_4 + A_3 + A_1$		[1]
1422		15		$D_7 + A_4 + 2 A_2$		[1]
1423		15		$D_7 + A_4 + A_2 + 2 A_1$		[1]
1424		15		$D_7 + A_4 + 4 A_1$		[1]
1425		15		$D_7 + 2 A_3 + A_2$		[1]
1426		15		$D_7 + 2 A_3 + 2 A_1$		[2], [1]
1427		15		$D_7 + A_3 + 2 A_2 + A_1$		[1]

1428		15		$D_7 + A_3 + A_2 + 3 A_1$		[1]
1429		15		$D_7 + A_3 + 5 A_1$		[2]
1430		15		$D_7 + 4 A_2$		[1]
1431		15		$D_7 + 3 A_2 + 2 A_1$		[1]
1432		15		$D_7 + 2 A_2 + 4 A_1$		[1]
1433		15		$D_7 + A_2 + 6 A_1$		[2]
1434		15		$2 D_6 + A_3$		[2], [1]
1435		15		$2 D_6 + A_2 + A_1$		[1]
1436		15		$2 D_6 + 3 A_1$		[2]
1437		15		$D_6 + D_5 + D_4$		[1]
1438		15		$D_6 + D_5 + A_4$		[1]
1439		15		$D_6 + D_5 + A_3 + A_1$		[2], [1]
1440		15		$D_6 + D_5 + 2 A_2$		[1]
1441		15		$D_6 + D_5 + A_2 + 2 A_1$		[1]
1442		15		$D_6 + D_5 + 4 A_1$		[2]
1443		15		$D_6 + 2 D_4 + A_1$		[2]
1444		15		$D_6 + D_4 + A_5$		[2], [1]
1445		15		$D_6 + D_4 + A_4 + A_1$		[1]
1446		15		$D_6 + D_4 + A_3 + A_2$		[1]
1447		15		$D_6 + D_4 + A_3 + 2 A_1$		[2]
1448		15		$D_6 + D_4 + 2 A_2 + A_1$		[1]
1449		15		$D_6 + D_4 + A_2 + 3 A_1$		[2]
1450		15		$D_6 + D_4 + 5 A_1$		[2, 2]
1451		15		$D_6 + A_9$		[2], [1]
1452		15		$D_6 + A_8 + A_1$		[1]
1453		15		$D_6 + A_7 + A_2$		[1]
1454		15		$D_6 + A_7 + 2 A_1$		[2], [1]
1455		15		$D_6 + A_6 + A_3$		[1]
1456		15		$D_6 + A_6 + A_2 + A_1$		[1]
1457		15		$D_6 + A_6 + 3 A_1$		[1]
1458		15		$D_6 + A_5 + A_4$		[1]
1459		15		$D_6 + A_5 + A_3 + A_1$		[2], [1]
1460		15		$D_6 + A_5 + 2 A_2$		[1]
1461		15		$D_6 + A_5 + A_2 + 2 A_1$		[2], [1]
1462		15		$D_6 + A_5 + 4 A_1$		[2]
1463		15		$D_6 + 2 A_4 + A_1$		[1]
1464		15		$D_6 + A_4 + A_3 + A_2$		[1]

1465		15		$D_6 + A_4 + A_3 + 2 A_1$		[1]
1466		15		$D_6 + A_4 + 2 A_2 + A_1$		[1]
1467		15		$D_6 + A_4 + A_2 + 3 A_1$		[1]
1468		15		$D_6 + A_4 + 5 A_1$		[2]
1469		15		$D_6 + 3 A_3$		[2], [1]
1470		15		$D_6 + 2 A_3 + A_2 + A_1$		[2], [1]
1471		15		$D_6 + 2 A_3 + 3 A_1$		[2]
1472		15		$D_6 + A_3 + 3 A_2$		[1]
1473		15		$D_6 + A_3 + 2 A_2 + 2 A_1$		[1]
1474		15		$D_6 + A_3 + A_2 + 4 A_1$		[2]
1475		15		$D_6 + A_3 + 6 A_1$		[2, 2]
1476		15		$D_6 + 4 A_2 + A_1$		[1]
1477		15		$D_6 + 3 A_2 + 3 A_1$		[1]
1478		15		$D_6 + 2 A_2 + 5 A_1$		[2]
1479		15		$3 D_5$		[1]
1480		15		$2 D_5 + D_4 + A_1$		[1]
1481		15		$2 D_5 + A_5$		[1]
1482		15		$2 D_5 + A_4 + A_1$		[1]
1483		15		$2 D_5 + A_3 + A_2$		[1]
1484		15		$2 D_5 + A_3 + 2 A_1$		[2], [1]
1485		15		$2 D_5 + 2 A_2 + A_1$		[1]
1486		15		$2 D_5 + A_2 + 3 A_1$		[1]
1487		15		$2 D_5 + 5 A_1$		[2]
1488		15		$D_5 + 2 D_4 + A_2$		[1]
1489		15		$D_5 + 2 D_4 + 2 A_1$		[2]
1490		15		$D_5 + D_4 + A_6$		[1]
1491		15		$D_5 + D_4 + A_5 + A_1$		[2], [1]
1492		15		$D_5 + D_4 + A_4 + A_2$		[1]
1493		15		$D_5 + D_4 + A_4 + 2 A_1$		[1]
1494		15		$D_5 + D_4 + 2 A_3$		[2], [1]
1495		15		$D_5 + D_4 + A_3 + A_2 + A_1$		[1]
1496		15		$D_5 + D_4 + A_3 + 3 A_1$		[2]
1497		15		$D_5 + D_4 + 3 A_2$		[1]
1498		15		$D_5 + D_4 + 2 A_2 + 2 A_1$		[1]
1499		15		$D_5 + D_4 + A_2 + 4 A_1$		[2]
1500		15		$D_5 + A_{10}$		[1]
1501		15		$D_5 + A_9 + A_1$		[2], [1]

1502		15		$D_5 + A_8 + A_2$		[1]
1503		15		$D_5 + A_8 + 2 A_1$		[1]
1504		15		$D_5 + A_7 + A_3$		[2], [1]
1505		15		$D_5 + A_7 + A_2 + A_1$		[1]
1506		15		$D_5 + A_7 + 3 A_1$		[2], [1]
1507		15		$D_5 + A_6 + A_4$		[1]
1508		15		$D_5 + A_6 + A_3 + A_1$		[1]
1509		15		$D_5 + A_6 + 2 A_2$		[1]
1510		15		$D_5 + A_6 + A_2 + 2 A_1$		[1]
1511		15		$D_5 + A_6 + 4 A_1$		[1]
1512		15		$D_5 + 2 A_5$		[2], [1]
1513		15		$D_5 + A_5 + A_4 + A_1$		[1]
1514		15		$D_5 + A_5 + A_3 + A_2$		[1]
1515		15		$D_5 + A_5 + A_3 + 2 A_1$		[2], [1]
1516		15		$D_5 + A_5 + 2 A_2 + A_1$		[1]
1517		15		$D_5 + A_5 + A_2 + 3 A_1$		[2], [1]
1518		15		$D_5 + A_5 + 5 A_1$		[2]
1519		15		$D_5 + 2 A_4 + A_2$		[1]
1520		15		$D_5 + 2 A_4 + 2 A_1$		[1]
1521		15		$D_5 + A_4 + 2 A_3$		[1]
1522		15		$D_5 + A_4 + A_3 + A_2 + A_1$		[1]
1523		15		$D_5 + A_4 + A_3 + 3 A_1$		[1]
1524		15		$D_5 + A_4 + 3 A_2$		[1]
1525		15		$D_5 + A_4 + 2 A_2 + 2 A_1$		[1]
1526		15		$D_5 + A_4 + A_2 + 4 A_1$		[1]
1527		15		$D_5 + A_4 + 6 A_1$		[2]
1528		15		$D_5 + 3 A_3 + A_1$		[4], [2], [1]
1529		15		$D_5 + 2 A_3 + 2 A_2$		[1]
1530		15		$D_5 + 2 A_3 + A_2 + 2 A_1$		[2], [1]
1531		15		$D_5 + 2 A_3 + 4 A_1$		[2]
1532		15		$D_5 + A_3 + 3 A_2 + A_1$		[1]
1533		15		$D_5 + A_3 + 2 A_2 + 3 A_1$		[1]
1534		15		$D_5 + A_3 + A_2 + 5 A_1$		[2]
1535		15		$D_5 + 5 A_2$		[1]
1536		15		$D_5 + 4 A_2 + 2 A_1$		[1]
1537		15		$D_5 + 3 A_2 + 4 A_1$		[1]
1538		15		$3 D_4 + A_3$		[2]

1539		15		$3 D_4 + 3 A_1$		$[2, 2]$
1540		15		$2 D_4 + A_7$		$[2], [1]$
1541		15		$2 D_4 + A_6 + A_1$		$[1]$
1542		15		$2 D_4 + A_5 + A_2$		$[1]$
1543		15		$2 D_4 + A_5 + 2 A_1$		$[2]$
1544		15		$2 D_4 + A_4 + A_3$		$[1]$
1545		15		$2 D_4 + A_4 + A_2 + A_1$		$[1]$
1546		15		$2 D_4 + 2 A_3 + A_1$		$[2]$
1547		15		$2 D_4 + A_3 + A_2 + 2 A_1$		$[2]$
1548		15		$2 D_4 + A_3 + 4 A_1$		$[2, 2]$
1549		15		$2 D_4 + 3 A_2 + A_1$		$[1]$
1550		15		$D_4 + A_{11}$		$[2], [1]$
1551		15		$D_4 + A_{10} + A_1$		$[1]$
1552		15		$D_4 + A_9 + A_2$		$[1]$
1553		15		$D_4 + A_9 + 2 A_1$		$[2], [1]$
1554		15		$D_4 + A_8 + A_3$		$[1]$
1555		15		$D_4 + A_8 + A_2 + A_1$		$[1]$
1556		15		$D_4 + A_8 + 3 A_1$		$[1]$
1557		15		$D_4 + A_7 + A_4$		$[1]$
1558		15		$D_4 + A_7 + A_3 + A_1$		$[2], [1]$
1559		15		$D_4 + A_7 + 2 A_2$		$[1]$
1560		15		$D_4 + A_7 + A_2 + 2 A_1$		$[2], [1]$
1561		15		$D_4 + A_7 + 4 A_1$		$[2]$
1562		15		$D_4 + A_6 + A_5$		$[1]$
1563		15		$D_4 + A_6 + A_4 + A_1$		$[1]$
1564		15		$D_4 + A_6 + A_3 + A_2$		$[1]$
1565		15		$D_4 + A_6 + A_3 + 2 A_1$		$[1]$
1566		15		$D_4 + A_6 + 2 A_2 + A_1$		$[1]$
1567		15		$D_4 + A_6 + A_2 + 3 A_1$		$[1]$
1568		15		$D_4 + 2 A_5 + A_1$		$[2], [1]$
1569		15		$D_4 + A_5 + A_4 + A_2$		$[1]$
1570		15		$D_4 + A_5 + A_4 + 2 A_1$		$[1]$
1571		15		$D_4 + A_5 + 2 A_3$		$[1]$
1572		15		$D_4 + A_5 + A_3 + A_2 + A_1$		$[2], [1]$
1573		15		$D_4 + A_5 + A_3 + 3 A_1$		$[2]$
1574		15		$D_4 + A_5 + 3 A_2$		$[1]$
1575		15		$D_4 + A_5 + 2 A_2 + 2 A_1$		$[1]$

1576	15	$D_4 + A_5 + A_2 + 4 A_1$	[2]
1577	15	$D_4 + A_5 + 6 A_1$	[2, 2]
1578	15	$D_4 + 2 A_4 + A_3$	[1]
1579	15	$D_4 + 2 A_4 + A_2 + A_1$	[1]
1580	15	$D_4 + 2 A_4 + 3 A_1$	[1]
1581	15	$D_4 + A_4 + 2 A_3 + A_1$	[1]
1582	15	$D_4 + A_4 + A_3 + 2 A_2$	[1]
1583	15	$D_4 + A_4 + A_3 + A_2 + 2 A_1$	[1]
1584	15	$D_4 + A_4 + A_3 + 4 A_1$	[2]
1585	15	$D_4 + A_4 + 3 A_2 + A_1$	[1]
1586	15	$D_4 + A_4 + 2 A_2 + 3 A_1$	[1]
1587	15	$D_4 + 3 A_3 + A_2$	[2]
1588	15	$D_4 + 3 A_3 + 2 A_1$	[2]
1589	15	$D_4 + 2 A_3 + 2 A_2 + A_1$	[1]
1590	15	$D_4 + 2 A_3 + A_2 + 3 A_1$	[2]
1591	15	$D_4 + 2 A_3 + 5 A_1$	[2, 2]
1592	15	$D_4 + A_3 + 4 A_2$	[1]
1593	15	$D_4 + A_3 + 3 A_2 + 2 A_1$	[1]
1594	15	$D_4 + A_3 + 2 A_2 + 4 A_1$	[2]
1595	15	$D_4 + 4 A_2 + 3 A_1$	[1]
1596	15	A_{15}	[2], [1]
1597	15	$A_{14} + A_1$	[1]
1598	15	$A_{13} + A_2$	[1]
1599	15	$A_{13} + 2 A_1$	[2], [1]
1600	15	$A_{12} + A_3$	[1]
1601	15	$A_{12} + A_2 + A_1$	[1]
1602	15	$A_{12} + 3 A_1$	[1]
1603	15	$A_{11} + A_4$	[1]
1604	15	$A_{11} + A_3 + A_1$	[2], [1]
1605	15	$A_{11} + 2 A_2$	[3], [1]
1606	15	$A_{11} + A_2 + 2 A_1$	[2], [1]
1607	15	$A_{11} + 4 A_1$	[2], [1]
1608	15	$A_{10} + A_5$	[1]
1609	15	$A_{10} + A_4 + A_1$	[1]
1610	15	$A_{10} + A_3 + A_2$	[1]
1611	15	$A_{10} + A_3 + 2 A_1$	[1]
1612	15	$A_{10} + 2 A_2 + A_1$	[1]

1613		15		$A_{10} + A_2 + 3A_1$		[1]
1614		15		$A_{10} + 5A_1$		[1]
1615		15		$A_9 + A_6$		[1]
1616		15		$A_9 + A_5 + A_1$		[2], [1]
1617		15		$A_9 + A_4 + A_2$		[1]
1618		15		$A_9 + A_4 + 2A_1$		[1]
1619		15		$A_9 + 2A_3$		[1]
1620		15		$A_9 + A_3 + A_2 + A_1$		[2], [1]
1621		15		$A_9 + A_3 + 3A_1$		[2], [1]
1622		15		$A_9 + 3A_2$		[1]
1623		15		$A_9 + 2A_2 + 2A_1$		[1]
1624		15		$A_9 + A_2 + 4A_1$		[2], [1]
1625		15		$A_9 + 6A_1$		[2]
1626		15		$A_8 + A_7$		[1]
1627		15		$A_8 + A_6 + A_1$		[1]
1628		15		$A_8 + A_5 + A_2$		[3], [1]
1629		15		$A_8 + A_5 + 2A_1$		[1]
1630		15		$A_8 + A_4 + A_3$		[1]
1631		15		$A_8 + A_4 + A_2 + A_1$		[1]
1632		15		$A_8 + A_4 + 3A_1$		[1]
1633		15		$A_8 + 2A_3 + A_1$		[1]
1634		15		$A_8 + A_3 + 2A_2$		[1]
1635		15		$A_8 + A_3 + A_2 + 2A_1$		[1]
1636		15		$A_8 + A_3 + 4A_1$		[1]
1637		15		$A_8 + 3A_2 + A_1$		[3], [1]
1638		15		$A_8 + 2A_2 + 3A_1$		[1]
1639		15		$A_8 + A_2 + 5A_1$		[1]
1640		15		$2A_7 + A_1$		[2], [1]
1641		15		$A_7 + A_6 + A_2$		[1]
1642		15		$A_7 + A_6 + 2A_1$		[1]
1643		15		$A_7 + A_5 + A_3$		[1]
1644		15		$A_7 + A_5 + A_2 + A_1$		[2], [1]
1645		15		$A_7 + A_5 + 3A_1$		[2], [1]
1646		15		$A_7 + 2A_4$		[1]
1647		15		$A_7 + A_4 + A_3 + A_1$		[1]
1648		15		$A_7 + A_4 + 2A_2$		[1]
1649		15		$A_7 + A_4 + A_2 + 2A_1$		[1]

1650		15		$A_7 + A_4 + 4 A_1$		[2], [1]
1651		15		$A_7 + 2 A_3 + A_2$		[2], [1]
1652		15		$A_7 + 2 A_3 + 2 A_1$		[4], [2], [1]
1653		15		$A_7 + A_3 + 2 A_2 + A_1$		[1]
1654		15		$A_7 + A_3 + A_2 + 3 A_1$		[2], [1]
1655		15		$A_7 + A_3 + 5 A_1$		[2]
1656		15		$A_7 + 4 A_2$		[1]
1657		15		$A_7 + 3 A_2 + 2 A_1$		[1]
1658		15		$A_7 + 2 A_2 + 4 A_1$		[2], [1]
1659		15		$A_7 + A_2 + 6 A_1$		[2]
1660		15		$A_7 + 8 A_1$		[2, 2]
1661		15		$2 A_6 + A_3$		[1]
1662		15		$2 A_6 + A_2 + A_1$		[1]
1663		15		$2 A_6 + 3 A_1$		[1]
1664		15		$A_6 + A_5 + A_4$		[1]
1665		15		$A_6 + A_5 + A_3 + A_1$		[1]
1666		15		$A_6 + A_5 + 2 A_2$		[1]
1667		15		$A_6 + A_5 + A_2 + 2 A_1$		[1]
1668		15		$A_6 + A_5 + 4 A_1$		[1]
1669		15		$A_6 + 2 A_4 + A_1$		[1]
1670		15		$A_6 + A_4 + A_3 + A_2$		[1]
1671		15		$A_6 + A_4 + A_3 + 2 A_1$		[1]
1672		15		$A_6 + A_4 + 2 A_2 + A_1$		[1]
1673		15		$A_6 + A_4 + A_2 + 3 A_1$		[1]
1674		15		$A_6 + A_4 + 5 A_1$		[1]
1675		15		$A_6 + 3 A_3$		[1]
1676		15		$A_6 + 2 A_3 + A_2 + A_1$		[1]
1677		15		$A_6 + 2 A_3 + 3 A_1$		[1]
1678		15		$A_6 + A_3 + 3 A_2$		[1]
1679		15		$A_6 + A_3 + 2 A_2 + 2 A_1$		[1]
1680		15		$A_6 + A_3 + A_2 + 4 A_1$		[1]
1681		15		$A_6 + A_3 + 6 A_1$		[2]
1682		15		$A_6 + 4 A_2 + A_1$		[1]
1683		15		$A_6 + 3 A_2 + 3 A_1$		[1]
1684		15		$A_6 + 2 A_2 + 5 A_1$		[1]
1685		15		$3 A_5$		[3], [1]
1686		15		$2 A_5 + A_4 + A_1$		[1]

1687		15		$2A_5 + A_3 + A_2$		[2], [1]
1688		15		$2A_5 + A_3 + 2A_1$		[2], [1]
1689		15		$2A_5 + 2A_2 + A_1$		[3], [1]
1690		15		$2A_5 + A_2 + 3A_1$		[2], [1]
1691		15		$2A_5 + 5A_1$		[2]
1692		15		$A_5 + 2A_4 + A_2$		[1]
1693		15		$A_5 + 2A_4 + 2A_1$		[1]
1694		15		$A_5 + A_4 + 2A_3$		[1]
1695		15		$A_5 + A_4 + A_3 + A_2 + A_1$		[1]
1696		15		$A_5 + A_4 + A_3 + 3A_1$		[2], [1]
1697		15		$A_5 + A_4 + 3A_2$		[1]
1698		15		$A_5 + A_4 + 2A_2 + 2A_1$		[1]
1699		15		$A_5 + A_4 + A_2 + 4A_1$		[1]
1700		15		$A_5 + A_4 + 6A_1$		[2]
1701		15		$A_5 + 3A_3 + A_1$		[2], [1]
1702		15		$A_5 + 2A_3 + 2A_2$		[1]
1703		15		$A_5 + 2A_3 + A_2 + 2A_1$		[2], [1]
1704		15		$A_5 + 2A_3 + 4A_1$		[2]
1705		15		$A_5 + A_3 + 3A_2 + A_1$		[1]
1706		15		$A_5 + A_3 + 2A_2 + 3A_1$		[2], [1]
1707		15		$A_5 + A_3 + A_2 + 5A_1$		[2]
1708		15		$A_5 + A_3 + 7A_1$		[2], [2]
1709		15		$A_5 + 5A_2$		[3]
1710		15		$A_5 + 4A_2 + 2A_1$		[3], [1]
1711		15		$A_5 + 3A_2 + 4A_1$		[1]
1712		15		$A_5 + 2A_2 + 6A_1$		[2]
1713		15		$3A_4 + A_3$		[1]
1714		15		$3A_4 + A_2 + A_1$		[1]
1715		15		$3A_4 + 3A_1$		[1]
1716		15		$2A_4 + 2A_3 + A_1$		[1]
1717		15		$2A_4 + A_3 + 2A_2$		[1]
1718		15		$2A_4 + A_3 + A_2 + 2A_1$		[1]
1719		15		$2A_4 + A_3 + 4A_1$		[1]
1720		15		$2A_4 + 3A_2 + A_1$		[1]
1721		15		$2A_4 + 2A_2 + 3A_1$		[1]
1722		15		$2A_4 + A_2 + 5A_1$		[1]
1723		15		$A_4 + 3A_3 + A_2$		[1]

1724	15	$A_4 + 3 A_3 + 2 A_1$	[2], [1]
1725	15	$A_4 + 2 A_3 + 2 A_2 + A_1$	[1]
1726	15	$A_4 + 2 A_3 + A_2 + 3 A_1$	[1]
1727	15	$A_4 + 2 A_3 + 5 A_1$	[2]
1728	15	$A_4 + A_3 + 4 A_2$	[1]
1729	15	$A_4 + A_3 + 3 A_2 + 2 A_1$	[1]
1730	15	$A_4 + A_3 + 2 A_2 + 4 A_1$	[1]
1731	15	$A_4 + A_3 + A_2 + 6 A_1$	[2]
1732	15	$A_4 + 5 A_2 + A_1$	[1]
1733	15	$A_4 + 4 A_2 + 3 A_1$	[1]
1734	15	$A_4 + 3 A_2 + 5 A_1$	[1]
1735	15	$5 A_3$	[4]
1736	15	$4 A_3 + A_2 + A_1$	[2], [1]
1737	15	$4 A_3 + 3 A_1$	[4], [2]
1738	15	$3 A_3 + 3 A_2$	[1]
1739	15	$3 A_3 + 2 A_2 + 2 A_1$	[2], [1]
1740	15	$3 A_3 + A_2 + 4 A_1$	[2]
1741	15	$3 A_3 + 6 A_1$	[2, 2]
1742	15	$2 A_3 + 4 A_2 + A_1$	[1]
1743	15	$2 A_3 + 3 A_2 + 3 A_1$	[1]
1744	15	$2 A_3 + 2 A_2 + 5 A_1$	[2]
1745	15	$A_3 + 6 A_2$	[3]
1746	15	$A_3 + 5 A_2 + 2 A_1$	[1]
1747	15	$A_3 + 4 A_2 + 4 A_1$	[1]
1748	15	$7 A_2 + A_1$	[3]
1749	15	$6 A_2 + 3 A_1$	[3]

No.	rank	ADE -type	G
1750	16	$2 E_8$	[1]
1751	16	$E_8 + E_7 + A_1$	[1]
1752	16	$E_8 + E_6 + A_2$	[1]
1753	16	$E_8 + E_6 + 2 A_1$	[1]
1754	16	$E_8 + D_8$	[1]
1755	16	$E_8 + D_7 + A_1$	[1]
1756	16	$E_8 + D_6 + A_2$	[1]
1757	16	$E_8 + D_6 + 2 A_1$	[1]

1758	16	$E_8 + D_5 + A_3$	[1]
1759	16	$E_8 + D_5 + A_2 + A_1$	[1]
1760	16	$E_8 + D_5 + 3 A_1$	[1]
1761	16	$E_8 + 2 D_4$	[1]
1762	16	$E_8 + D_4 + A_4$	[1]
1763	16	$E_8 + D_4 + A_3 + A_1$	[1]
1764	16	$E_8 + D_4 + 2 A_2$	[1]
1765	16	$E_8 + D_4 + A_2 + 2 A_1$	[1]
1766	16	$E_8 + A_8$	[1]
1767	16	$E_8 + A_7 + A_1$	[1]
1768	16	$E_8 + A_6 + A_2$	[1]
1769	16	$E_8 + A_6 + 2 A_1$	[1]
1770	16	$E_8 + A_5 + A_3$	[1]
1771	16	$E_8 + A_5 + A_2 + A_1$	[1]
1772	16	$E_8 + A_5 + 3 A_1$	[1]
1773	16	$E_8 + 2 A_4$	[1]
1774	16	$E_8 + A_4 + A_3 + A_1$	[1]
1775	16	$E_8 + A_4 + 2 A_2$	[1]
1776	16	$E_8 + A_4 + A_2 + 2 A_1$	[1]
1777	16	$E_8 + A_4 + 4 A_1$	[1]
1778	16	$E_8 + 2 A_3 + A_2$	[1]
1779	16	$E_8 + 2 A_3 + 2 A_1$	[1]
1780	16	$E_8 + A_3 + 2 A_2 + A_1$	[1]
1781	16	$E_8 + A_3 + A_2 + 3 A_1$	[1]
1782	16	$E_8 + 4 A_2$	[1]
1783	16	$E_8 + 3 A_2 + 2 A_1$	[1]
1784	16	$E_8 + 2 A_2 + 4 A_1$	[1]
1785	16	$2 E_7 + A_2$	[1]
1786	16	$2 E_7 + 2 A_1$	[2], [1]
1787	16	$E_7 + E_6 + A_3$	[1]
1788	16	$E_7 + E_6 + A_2 + A_1$	[1]
1789	16	$E_7 + E_6 + 3 A_1$	[1]
1790	16	$E_7 + D_9$	[1]
1791	16	$E_7 + D_8 + A_1$	[2], [1]
1792	16	$E_7 + D_7 + A_2$	[1]
1793	16	$E_7 + D_7 + 2 A_1$	[1]
1794	16	$E_7 + D_6 + A_3$	[2], [1]

1795	16	$E_7 + D_6 + A_2 + A_1$	[1]
1796	16	$E_7 + D_6 + 3 A_1$	[2]
1797	16	$E_7 + D_5 + D_4$	[1]
1798	16	$E_7 + D_5 + A_4$	[1]
1799	16	$E_7 + D_5 + A_3 + A_1$	[2], [1]
1800	16	$E_7 + D_5 + 2 A_2$	[1]
1801	16	$E_7 + D_5 + A_2 + 2 A_1$	[1]
1802	16	$E_7 + D_5 + 4 A_1$	[2]
1803	16	$E_7 + 2 D_4 + A_1$	[2]
1804	16	$E_7 + D_4 + A_5$	[2], [1]
1805	16	$E_7 + D_4 + A_4 + A_1$	[1]
1806	16	$E_7 + D_4 + A_3 + A_2$	[1]
1807	16	$E_7 + D_4 + A_3 + 2 A_1$	[2]
1808	16	$E_7 + D_4 + 2 A_2 + A_1$	[1]
1809	16	$E_7 + D_4 + A_2 + 3 A_1$	[2]
1810	16	$E_7 + A_9$	[2], [1]
1811	16	$E_7 + A_8 + A_1$	[1]
1812	16	$E_7 + A_7 + A_2$	[1]
1813	16	$E_7 + A_7 + 2 A_1$	[2], [1]
1814	16	$E_7 + A_6 + A_3$	[1]
1815	16	$E_7 + A_6 + A_2 + A_1$	[1]
1816	16	$E_7 + A_6 + 3 A_1$	[1]
1817	16	$E_7 + A_5 + A_4$	[1]
1818	16	$E_7 + A_5 + A_3 + A_1$	[2], [1]
1819	16	$E_7 + A_5 + 2 A_2$	[1]
1820	16	$E_7 + A_5 + A_2 + 2 A_1$	[2], [1]
1821	16	$E_7 + A_5 + 4 A_1$	[2]
1822	16	$E_7 + 2 A_4 + A_1$	[1]
1823	16	$E_7 + A_4 + A_3 + A_2$	[1]
1824	16	$E_7 + A_4 + A_3 + 2 A_1$	[1]
1825	16	$E_7 + A_4 + 2 A_2 + A_1$	[1]
1826	16	$E_7 + A_4 + A_2 + 3 A_1$	[1]
1827	16	$E_7 + A_4 + 5 A_1$	[2]
1828	16	$E_7 + 3 A_3$	[1]
1829	16	$E_7 + 2 A_3 + A_2 + A_1$	[2], [1]
1830	16	$E_7 + 2 A_3 + 3 A_1$	[2]
1831	16	$E_7 + A_3 + 3 A_2$	[1]

1832		16		$E_7 + A_3 + 2A_2 + 2A_1$		[1]
1833		16		$E_7 + A_3 + A_2 + 4A_1$		[2]
1834		16		$E_7 + 4A_2 + A_1$		[1]
1835		16		$E_7 + 3A_2 + 3A_1$		[1]
1836		16		$2E_6 + D_4$		[1]
1837		16		$2E_6 + A_4$		[1]
1838		16		$2E_6 + A_3 + A_1$		[1]
1839		16		$2E_6 + 2A_2$		[3], [1]
1840		16		$2E_6 + A_2 + 2A_1$		[1]
1841		16		$2E_6 + 4A_1$		[1]
1842		16		$E_6 + D_{10}$		[1]
1843		16		$E_6 + D_9 + A_1$		[1]
1844		16		$E_6 + D_8 + A_2$		[1]
1845		16		$E_6 + D_8 + 2A_1$		[1]
1846		16		$E_6 + D_7 + A_3$		[1]
1847		16		$E_6 + D_7 + A_2 + A_1$		[1]
1848		16		$E_6 + D_7 + 3A_1$		[1]
1849		16		$E_6 + D_6 + D_4$		[1]
1850		16		$E_6 + D_6 + A_4$		[1]
1851		16		$E_6 + D_6 + A_3 + A_1$		[1]
1852		16		$E_6 + D_6 + 2A_2$		[1]
1853		16		$E_6 + D_6 + A_2 + 2A_1$		[1]
1854		16		$E_6 + 2D_5$		[1]
1855		16		$E_6 + D_5 + D_4 + A_1$		[1]
1856		16		$E_6 + D_5 + A_5$		[1]
1857		16		$E_6 + D_5 + A_4 + A_1$		[1]
1858		16		$E_6 + D_5 + A_3 + A_2$		[1]
1859		16		$E_6 + D_5 + A_3 + 2A_1$		[1]
1860		16		$E_6 + D_5 + 2A_2 + A_1$		[1]
1861		16		$E_6 + D_5 + A_2 + 3A_1$		[1]
1862		16		$E_6 + 2D_4 + A_2$		[1]
1863		16		$E_6 + D_4 + A_6$		[1]
1864		16		$E_6 + D_4 + A_5 + A_1$		[1]
1865		16		$E_6 + D_4 + A_4 + A_2$		[1]
1866		16		$E_6 + D_4 + A_4 + 2A_1$		[1]
1867		16		$E_6 + D_4 + 2A_3$		[1]
1868		16		$E_6 + D_4 + A_3 + A_2 + A_1$		[1]

1869	16	$E_6 + D_4 + 2 A_2 + 2 A_1$	[1]
1870	16	$E_6 + A_{10}$	[1]
1871	16	$E_6 + A_9 + A_1$	[1]
1872	16	$E_6 + A_8 + A_2$	[3], [1]
1873	16	$E_6 + A_8 + 2 A_1$	[1]
1874	16	$E_6 + A_7 + A_3$	[1]
1875	16	$E_6 + A_7 + A_2 + A_1$	[1]
1876	16	$E_6 + A_7 + 3 A_1$	[1]
1877	16	$E_6 + A_6 + A_4$	[1]
1878	16	$E_6 + A_6 + A_3 + A_1$	[1]
1879	16	$E_6 + A_6 + 2 A_2$	[1]
1880	16	$E_6 + A_6 + A_2 + 2 A_1$	[1]
1881	16	$E_6 + A_6 + 4 A_1$	[1]
1882	16	$E_6 + 2 A_5$	[3], [1]
1883	16	$E_6 + A_5 + A_4 + A_1$	[1]
1884	16	$E_6 + A_5 + A_3 + A_2$	[1]
1885	16	$E_6 + A_5 + A_3 + 2 A_1$	[1]
1886	16	$E_6 + A_5 + 2 A_2 + A_1$	[3], [1]
1887	16	$E_6 + A_5 + A_2 + 3 A_1$	[1]
1888	16	$E_6 + 2 A_4 + A_2$	[1]
1889	16	$E_6 + 2 A_4 + 2 A_1$	[1]
1890	16	$E_6 + A_4 + 2 A_3$	[1]
1891	16	$E_6 + A_4 + A_3 + A_2 + A_1$	[1]
1892	16	$E_6 + A_4 + A_3 + 3 A_1$	[1]
1893	16	$E_6 + A_4 + 3 A_2$	[1]
1894	16	$E_6 + A_4 + 2 A_2 + 2 A_1$	[1]
1895	16	$E_6 + A_4 + A_2 + 4 A_1$	[1]
1896	16	$E_6 + 3 A_3 + A_1$	[1]
1897	16	$E_6 + 2 A_3 + 2 A_2$	[1]
1898	16	$E_6 + 2 A_3 + A_2 + 2 A_1$	[1]
1899	16	$E_6 + A_3 + 3 A_2 + A_1$	[1]
1900	16	$E_6 + A_3 + 2 A_2 + 3 A_1$	[1]
1901	16	$E_6 + 5 A_2$	[3]
1902	16	$E_6 + 4 A_2 + 2 A_1$	[3]
1903	16	D_{16}	[2], [1]
1904	16	$D_{15} + A_1$	[1]
1905	16	$D_{14} + A_2$	[1]

1906		16		$D_{14} + 2 A_1$		[2], [1]
1907		16		$D_{13} + A_3$		[1]
1908		16		$D_{13} + A_2 + A_1$		[1]
1909		16		$D_{13} + 3 A_1$		[1]
1910		16		$D_{12} + D_4$		[2], [1]
1911		16		$D_{12} + A_4$		[1]
1912		16		$D_{12} + A_3 + A_1$		[2], [1]
1913		16		$D_{12} + 2 A_2$		[1]
1914		16		$D_{12} + A_2 + 2 A_1$		[2], [1]
1915		16		$D_{12} + 4 A_1$		[2]
1916		16		$D_{11} + D_5$		[1]
1917		16		$D_{11} + D_4 + A_1$		[1]
1918		16		$D_{11} + A_5$		[1]
1919		16		$D_{11} + A_4 + A_1$		[1]
1920		16		$D_{11} + A_3 + A_2$		[1]
1921		16		$D_{11} + A_3 + 2 A_1$		[1]
1922		16		$D_{11} + 2 A_2 + A_1$		[1]
1923		16		$D_{11} + A_2 + 3 A_1$		[1]
1924		16		$D_{10} + D_6$		[2], [1]
1925		16		$D_{10} + D_5 + A_1$		[2], [1]
1926		16		$D_{10} + D_4 + A_2$		[1]
1927		16		$D_{10} + D_4 + 2 A_1$		[2]
1928		16		$D_{10} + A_6$		[1]
1929		16		$D_{10} + A_5 + A_1$		[2], [1]
1930		16		$D_{10} + A_4 + A_2$		[1]
1931		16		$D_{10} + A_4 + 2 A_1$		[1]
1932		16		$D_{10} + 2 A_3$		[1]
1933		16		$D_{10} + A_3 + A_2 + A_1$		[2], [1]
1934		16		$D_{10} + A_3 + 3 A_1$		[2]
1935		16		$D_{10} + 3 A_2$		[1]
1936		16		$D_{10} + 2 A_2 + 2 A_1$		[1]
1937		16		$D_{10} + A_2 + 4 A_1$		[2]
1938		16		$D_{10} + 6 A_1$		[2, 2]
1939		16		$D_9 + D_7$		[1]
1940		16		$D_9 + D_6 + A_1$		[1]
1941		16		$D_9 + D_5 + A_2$		[1]
1942		16		$D_9 + D_5 + 2 A_1$		[1]

1943		16		$D_9 + D_4 + A_3$		[1]
1944		16		$D_9 + D_4 + A_2 + A_1$		[1]
1945		16		$D_9 + A_7$		[1]
1946		16		$D_9 + A_6 + A_1$		[1]
1947		16		$D_9 + A_5 + A_2$		[1]
1948		16		$D_9 + A_5 + 2 A_1$		[1]
1949		16		$D_9 + A_4 + A_3$		[1]
1950		16		$D_9 + A_4 + A_2 + A_1$		[1]
1951		16		$D_9 + A_4 + 3 A_1$		[1]
1952		16		$D_9 + 2 A_3 + A_1$		[1]
1953		16		$D_9 + A_3 + 2 A_2$		[1]
1954		16		$D_9 + A_3 + A_2 + 2 A_1$		[1]
1955		16		$D_9 + A_3 + 4 A_1$		[2]
1956		16		$D_9 + 3 A_2 + A_1$		[1]
1957		16		$D_9 + 2 A_2 + 3 A_1$		[1]
1958		16		$2 D_8$		[2], [1]
1959		16		$D_8 + D_7 + A_1$		[1]
1960		16		$D_8 + D_6 + A_2$		[1]
1961		16		$D_8 + D_6 + 2 A_1$		[2]
1962		16		$D_8 + D_5 + A_3$		[2], [1]
1963		16		$D_8 + D_5 + A_2 + A_1$		[1]
1964		16		$D_8 + D_5 + 3 A_1$		[2]
1965		16		$D_8 + 2 D_4$		[2]
1966		16		$D_8 + D_4 + A_4$		[1]
1967		16		$D_8 + D_4 + A_3 + A_1$		[2]
1968		16		$D_8 + D_4 + A_2 + 2 A_1$		[2]
1969		16		$D_8 + D_4 + 4 A_1$		[2, 2]
1970		16		$D_8 + A_8$		[1]
1971		16		$D_8 + A_7 + A_1$		[2], [1]
1972		16		$D_8 + A_6 + A_2$		[1]
1973		16		$D_8 + A_6 + 2 A_1$		[1]
1974		16		$D_8 + A_5 + A_3$		[1]
1975		16		$D_8 + A_5 + A_2 + A_1$		[2], [1]
1976		16		$D_8 + A_5 + 3 A_1$		[2]
1977		16		$D_8 + 2 A_4$		[1]
1978		16		$D_8 + A_4 + A_3 + A_1$		[1]
1979		16		$D_8 + A_4 + 2 A_2$		[1]

1980	16	$D_8 + A_4 + A_2 + 2 A_1$	[1]
1981	16	$D_8 + A_4 + 4 A_1$	[2]
1982	16	$D_8 + 2 A_3 + A_2$	[2]
1983	16	$D_8 + 2 A_3 + 2 A_1$	[2]
1984	16	$D_8 + A_3 + 2 A_2 + A_1$	[1]
1985	16	$D_8 + A_3 + A_2 + 3 A_1$	[2]
1986	16	$D_8 + A_3 + 5 A_1$	[2, 2]
1987	16	$D_8 + 4 A_2$	[1]
1988	16	$D_8 + 3 A_2 + 2 A_1$	[1]
1989	16	$D_8 + 2 A_2 + 4 A_1$	[2]
1990	16	$2 D_7 + A_2$	[1]
1991	16	$2 D_7 + 2 A_1$	[1]
1992	16	$D_7 + D_6 + A_3$	[1]
1993	16	$D_7 + D_6 + A_2 + A_1$	[1]
1994	16	$D_7 + D_6 + 3 A_1$	[2]
1995	16	$D_7 + D_5 + D_4$	[1]
1996	16	$D_7 + D_5 + A_4$	[1]
1997	16	$D_7 + D_5 + A_3 + A_1$	[1]
1998	16	$D_7 + D_5 + 2 A_2$	[1]
1999	16	$D_7 + D_5 + A_2 + 2 A_1$	[1]
2000	16	$D_7 + D_5 + 4 A_1$	[2]
2001	16	$D_7 + D_4 + A_5$	[1]
2002	16	$D_7 + D_4 + A_4 + A_1$	[1]
2003	16	$D_7 + D_4 + A_3 + 2 A_1$	[2]
2004	16	$D_7 + D_4 + 2 A_2 + A_1$	[1]
2005	16	$D_7 + A_9$	[1]
2006	16	$D_7 + A_8 + A_1$	[1]
2007	16	$D_7 + A_7 + A_2$	[1]
2008	16	$D_7 + A_7 + 2 A_1$	[2], [1]
2009	16	$D_7 + A_6 + A_3$	[1]
2010	16	$D_7 + A_6 + A_2 + A_1$	[1]
2011	16	$D_7 + A_6 + 3 A_1$	[1]
2012	16	$D_7 + A_5 + A_4$	[1]
2013	16	$D_7 + A_5 + A_3 + A_1$	[2], [1]
2014	16	$D_7 + A_5 + 2 A_2$	[1]
2015	16	$D_7 + A_5 + A_2 + 2 A_1$	[1]
2016	16	$D_7 + A_5 + 4 A_1$	[2]

2017		16		$D_7 + 2 A_4 + A_1$		[1]
2018		16		$D_7 + A_4 + A_3 + A_2$		[1]
2019		16		$D_7 + A_4 + A_3 + 2 A_1$		[1]
2020		16		$D_7 + A_4 + 2 A_2 + A_1$		[1]
2021		16		$D_7 + A_4 + A_2 + 3 A_1$		[1]
2022		16		$D_7 + 3 A_3$		[4]
2023		16		$D_7 + 2 A_3 + A_2 + A_1$		[1]
2024		16		$D_7 + 2 A_3 + 3 A_1$		[2]
2025		16		$D_7 + A_3 + 3 A_2$		[1]
2026		16		$D_7 + A_3 + 2 A_2 + 2 A_1$		[1]
2027		16		$D_7 + A_3 + A_2 + 4 A_1$		[2]
2028		16		$D_7 + 3 A_2 + 3 A_1$		[1]
2029		16		$2 D_6 + D_4$		[2]
2030		16		$2 D_6 + A_4$		[1]
2031		16		$2 D_6 + A_3 + A_1$		[2]
2032		16		$2 D_6 + 2 A_2$		[1]
2033		16		$2 D_6 + A_2 + 2 A_1$		[2]
2034		16		$2 D_6 + 4 A_1$		[2, 2]
2035		16		$D_6 + 2 D_5$		[1]
2036		16		$D_6 + D_5 + D_4 + A_1$		[2]
2037		16		$D_6 + D_5 + A_5$		[2], [1]
2038		16		$D_6 + D_5 + A_4 + A_1$		[1]
2039		16		$D_6 + D_5 + A_3 + A_2$		[1]
2040		16		$D_6 + D_5 + A_3 + 2 A_1$		[2]
2041		16		$D_6 + D_5 + 2 A_2 + A_1$		[1]
2042		16		$D_6 + D_5 + A_2 + 3 A_1$		[2]
2043		16		$D_6 + 2 D_4 + 2 A_1$		[2, 2]
2044		16		$D_6 + D_4 + A_6$		[1]
2045		16		$D_6 + D_4 + A_5 + A_1$		[2]
2046		16		$D_6 + D_4 + A_4 + A_2$		[1]
2047		16		$D_6 + D_4 + 2 A_3$		[2]
2048		16		$D_6 + D_4 + A_3 + A_2 + A_1$		[2]
2049		16		$D_6 + D_4 + A_3 + 3 A_1$		[2, 2]
2050		16		$D_6 + D_4 + 3 A_2$		[1]
2051		16		$D_6 + A_{10}$		[1]
2052		16		$D_6 + A_9 + A_1$		[2], [1]
2053		16		$D_6 + A_8 + A_2$		[1]

2054		16		$D_6 + A_8 + 2 A_1$		[1]
2055		16		$D_6 + A_7 + A_3$		[2], [1]
2056		16		$D_6 + A_7 + A_2 + A_1$		[2], [1]
2057		16		$D_6 + A_7 + 3 A_1$		[2]
2058		16		$D_6 + A_6 + A_4$		[1]
2059		16		$D_6 + A_6 + A_3 + A_1$		[1]
2060		16		$D_6 + A_6 + 2 A_2$		[1]
2061		16		$D_6 + A_6 + A_2 + 2 A_1$		[1]
2062		16		$D_6 + 2 A_5$		[2], [1]
2063		16		$D_6 + A_5 + A_4 + A_1$		[1]
2064		16		$D_6 + A_5 + A_3 + A_2$		[2], [1]
2065		16		$D_6 + A_5 + A_3 + 2 A_1$		[2]
2066		16		$D_6 + A_5 + 2 A_2 + A_1$		[1]
2067		16		$D_6 + A_5 + A_2 + 3 A_1$		[2]
2068		16		$D_6 + A_5 + 5 A_1$		[2, 2]
2069		16		$D_6 + 2 A_4 + A_2$		[1]
2070		16		$D_6 + 2 A_4 + 2 A_1$		[1]
2071		16		$D_6 + A_4 + 2 A_3$		[1]
2072		16		$D_6 + A_4 + A_3 + A_2 + A_1$		[1]
2073		16		$D_6 + A_4 + A_3 + 3 A_1$		[2]
2074		16		$D_6 + A_4 + 3 A_2$		[1]
2075		16		$D_6 + A_4 + 2 A_2 + 2 A_1$		[1]
2076		16		$D_6 + 3 A_3 + A_1$		[2]
2077		16		$D_6 + 2 A_3 + 2 A_2$		[1]
2078		16		$D_6 + 2 A_3 + A_2 + 2 A_1$		[2]
2079		16		$D_6 + 2 A_3 + 4 A_1$		[2, 2]
2080		16		$D_6 + A_3 + 3 A_2 + A_1$		[1]
2081		16		$D_6 + A_3 + 2 A_2 + 3 A_1$		[2]
2082		16		$D_6 + 4 A_2 + 2 A_1$		[1]
2083		16		$3 D_5 + A_1$		[1]
2084		16		$2 D_5 + D_4 + A_2$		[1]
2085		16		$2 D_5 + D_4 + 2 A_1$		[2]
2086		16		$2 D_5 + A_6$		[1]
2087		16		$2 D_5 + A_5 + A_1$		[2], [1]
2088		16		$2 D_5 + A_4 + A_2$		[1]
2089		16		$2 D_5 + A_4 + 2 A_1$		[1]
2090		16		$2 D_5 + 2 A_3$		[4], [2], [1]

2091		16		$2 D_5 + A_3 + A_2 + A_1$		[1]
2092		16		$2 D_5 + A_3 + 3 A_1$		[2]
2093		16		$2 D_5 + 3 A_2$		[1]
2094		16		$2 D_5 + 2 A_2 + 2 A_1$		[1]
2095		16		$D_5 + 2 D_4 + A_3$		[2]
2096		16		$D_5 + D_4 + A_7$		[2], [1]
2097		16		$D_5 + D_4 + A_6 + A_1$		[1]
2098		16		$D_5 + D_4 + A_5 + A_2$		[1]
2099		16		$D_5 + D_4 + A_5 + 2 A_1$		[2]
2100		16		$D_5 + D_4 + A_4 + A_3$		[1]
2101		16		$D_5 + D_4 + A_4 + A_2 + A_1$		[1]
2102		16		$D_5 + D_4 + 2 A_3 + A_1$		[2]
2103		16		$D_5 + D_4 + A_3 + A_2 + 2 A_1$		[2]
2104		16		$D_5 + D_4 + 3 A_2 + A_1$		[1]
2105		16		$D_5 + A_{11}$		[2], [1]
2106		16		$D_5 + A_{10} + A_1$		[1]
2107		16		$D_5 + A_9 + A_2$		[1]
2108		16		$D_5 + A_9 + 2 A_1$		[2], [1]
2109		16		$D_5 + A_8 + A_3$		[1]
2110		16		$D_5 + A_8 + A_2 + A_1$		[1]
2111		16		$D_5 + A_8 + 3 A_1$		[1]
2112		16		$D_5 + A_7 + A_4$		[1]
2113		16		$D_5 + A_7 + A_3 + A_1$		[4], [2], [1]
2114		16		$D_5 + A_7 + 2 A_2$		[1]
2115		16		$D_5 + A_7 + A_2 + 2 A_1$		[2], [1]
2116		16		$D_5 + A_7 + 4 A_1$		[2]
2117		16		$D_5 + A_6 + A_5$		[1]
2118		16		$D_5 + A_6 + A_4 + A_1$		[1]
2119		16		$D_5 + A_6 + A_3 + A_2$		[1]
2120		16		$D_5 + A_6 + A_3 + 2 A_1$		[1]
2121		16		$D_5 + A_6 + 2 A_2 + A_1$		[1]
2122		16		$D_5 + A_6 + A_2 + 3 A_1$		[1]
2123		16		$D_5 + 2 A_5 + A_1$		[2], [1]
2124		16		$D_5 + A_5 + A_4 + A_2$		[1]
2125		16		$D_5 + A_5 + A_4 + 2 A_1$		[1]
2126		16		$D_5 + A_5 + 2 A_3$		[1]
2127		16		$D_5 + A_5 + A_3 + A_2 + A_1$		[2], [1]

2128		16		$D_5 + A_5 + A_3 + 3 A_1$		[2]
2129		16		$D_5 + A_5 + 3 A_2$		[1]
2130		16		$D_5 + A_5 + 2 A_2 + 2 A_1$		[1]
2131		16		$D_5 + A_5 + A_2 + 4 A_1$		[2]
2132		16		$D_5 + 2 A_4 + A_3$		[1]
2133		16		$D_5 + 2 A_4 + A_2 + A_1$		[1]
2134		16		$D_5 + 2 A_4 + 3 A_1$		[1]
2135		16		$D_5 + A_4 + 2 A_3 + A_1$		[1]
2136		16		$D_5 + A_4 + A_3 + 2 A_2$		[1]
2137		16		$D_5 + A_4 + A_3 + A_2 + 2 A_1$		[1]
2138		16		$D_5 + A_4 + A_3 + 4 A_1$		[2]
2139		16		$D_5 + A_4 + 3 A_2 + A_1$		[1]
2140		16		$D_5 + A_4 + 2 A_2 + 3 A_1$		[1]
2141		16		$D_5 + 3 A_3 + A_2$		[2]
2142		16		$D_5 + 3 A_3 + 2 A_1$		[4], [2]
2143		16		$D_5 + 2 A_3 + 2 A_2 + A_1$		[1]
2144		16		$D_5 + 2 A_3 + A_2 + 3 A_1$		[2]
2145		16		$D_5 + A_3 + 4 A_2$		[1]
2146		16		$D_5 + A_3 + 3 A_2 + 2 A_1$		[1]
2147		16		$4 D_4$		[2, 2]
2148		16		$2 D_4 + A_8$		[1]
2149		16		$2 D_4 + A_7 + A_1$		[2]
2150		16		$2 D_4 + A_5 + A_2 + A_1$		[2]
2151		16		$2 D_4 + 2 A_4$		[1]
2152		16		$2 D_4 + 2 A_3 + 2 A_1$		[2, 2]
2153		16		$2 D_4 + 4 A_2$		[1]
2154		16		$D_4 + A_{12}$		[1]
2155		16		$D_4 + A_{11} + A_1$		[2], [1]
2156		16		$D_4 + A_{10} + A_2$		[1]
2157		16		$D_4 + A_{10} + 2 A_1$		[1]
2158		16		$D_4 + A_9 + A_3$		[1]
2159		16		$D_4 + A_9 + A_2 + A_1$		[2], [1]
2160		16		$D_4 + A_9 + 3 A_1$		[2]
2161		16		$D_4 + A_8 + A_4$		[1]
2162		16		$D_4 + A_8 + A_3 + A_1$		[1]
2163		16		$D_4 + A_8 + 2 A_2$		[1]
2164		16		$D_4 + A_8 + A_2 + 2 A_1$		[1]

2165	16	$D_4 + A_7 + A_5$	[1]
2166	16	$D_4 + A_7 + A_4 + A_1$	[1]
2167	16	$D_4 + A_7 + A_3 + A_2$	[2]
2168	16	$D_4 + A_7 + A_3 + 2 A_1$	[2]
2169	16	$D_4 + A_7 + 2 A_2 + A_1$	[1]
2170	16	$D_4 + A_7 + A_2 + 3 A_1$	[2]
2171	16	$D_4 + 2 A_6$	[1]
2172	16	$D_4 + A_6 + A_5 + A_1$	[1]
2173	16	$D_4 + A_6 + A_4 + A_2$	[1]
2174	16	$D_4 + A_6 + A_4 + 2 A_1$	[1]
2175	16	$D_4 + A_6 + A_3 + A_2 + A_1$	[1]
2176	16	$D_4 + A_6 + 3 A_2$	[1]
2177	16	$D_4 + A_6 + 2 A_2 + 2 A_1$	[1]
2178	16	$D_4 + 2 A_5 + A_2$	[2], [1]
2179	16	$D_4 + 2 A_5 + 2 A_1$	[2]
2180	16	$D_4 + A_5 + A_4 + A_3$	[1]
2181	16	$D_4 + A_5 + A_4 + A_2 + A_1$	[1]
2182	16	$D_4 + A_5 + A_4 + 3 A_1$	[2]
2183	16	$D_4 + A_5 + 2 A_3 + A_1$	[2]
2184	16	$D_4 + A_5 + A_3 + 2 A_2$	[1]
2185	16	$D_4 + A_5 + A_3 + A_2 + 2 A_1$	[2]
2186	16	$D_4 + A_5 + A_3 + 4 A_1$	[2, 2]
2187	16	$D_4 + A_5 + 2 A_2 + 3 A_1$	[2]
2188	16	$D_4 + 3 A_4$	[1]
2189	16	$D_4 + 2 A_4 + A_3 + A_1$	[1]
2190	16	$D_4 + 2 A_4 + 2 A_2$	[1]
2191	16	$D_4 + 2 A_4 + A_2 + 2 A_1$	[1]
2192	16	$D_4 + A_4 + 2 A_3 + 2 A_1$	[2]
2193	16	$D_4 + A_4 + A_3 + 2 A_2 + A_1$	[1]
2194	16	$D_4 + A_4 + 3 A_2 + 2 A_1$	[1]
2195	16	$D_4 + 3 A_3 + A_2 + A_1$	[2]
2196	16	$D_4 + 3 A_3 + 3 A_1$	[2, 2]
2197	16	$D_4 + 2 A_3 + 3 A_2$	[1]
2198	16	$D_4 + 2 A_3 + 2 A_2 + 2 A_1$	[2]
2199	16	A_{16}	[1]
2200	16	$A_{15} + A_1$	[2], [1]
2201	16	$A_{14} + A_2$	[3], [1]

2202		16		$A_{14} + 2 A_1$		[1]
2203		16		$A_{13} + A_3$		[1]
2204		16		$A_{13} + A_2 + A_1$		[2], [1]
2205		16		$A_{13} + 3 A_1$		[2], [1]
2206		16		$A_{12} + A_4$		[1]
2207		16		$A_{12} + A_3 + A_1$		[1]
2208		16		$A_{12} + 2 A_2$		[1]
2209		16		$A_{12} + A_2 + 2 A_1$		[1]
2210		16		$A_{12} + 4 A_1$		[1]
2211		16		$A_{11} + A_5$		[3], [1]
2212		16		$A_{11} + A_4 + A_1$		[1]
2213		16		$A_{11} + A_3 + A_2$		[2], [1]
2214		16		$A_{11} + A_3 + 2 A_1$		[4], [2], [1]
2215		16		$A_{11} + 2 A_2 + A_1$		[3], [1]
2216		16		$A_{11} + A_2 + 3 A_1$		[2], [1]
2217		16		$A_{11} + 5 A_1$		[2]
2218		16		$A_{10} + A_6$		[1]
2219		16		$A_{10} + A_5 + A_1$		[1]
2220		16		$A_{10} + A_4 + A_2$		[1]
2221		16		$A_{10} + A_4 + 2 A_1$		[1]
2222		16		$A_{10} + 2 A_3$		[1]
2223		16		$A_{10} + A_3 + A_2 + A_1$		[1]
2224		16		$A_{10} + A_3 + 3 A_1$		[1]
2225		16		$A_{10} + 3 A_2$		[1]
2226		16		$A_{10} + 2 A_2 + 2 A_1$		[1]
2227		16		$A_{10} + A_2 + 4 A_1$		[1]
2228		16		$A_9 + A_7$		[1]
2229		16		$A_9 + A_6 + A_1$		[1]
2230		16		$A_9 + A_5 + A_2$		[2], [1]
2231		16		$A_9 + A_5 + 2 A_1$		[2], [1]
2232		16		$A_9 + A_4 + A_3$		[1]
2233		16		$A_9 + A_4 + A_2 + A_1$		[1]
2234		16		$A_9 + A_4 + 3 A_1$		[2], [1]
2235		16		$A_9 + 2 A_3 + A_1$		[2], [1]
2236		16		$A_9 + A_3 + 2 A_2$		[1]
2237		16		$A_9 + A_3 + A_2 + 2 A_1$		[2], [1]
2238		16		$A_9 + A_3 + 4 A_1$		[2]

2239	16	$A_9 + 3 A_2 + A_1$	[1]
2240	16	$A_9 + 2 A_2 + 3 A_1$	[2], [1]
2241	16	$A_9 + A_2 + 5 A_1$	[2]
2242	16	$2 A_8$	[3], [1]
2243	16	$A_8 + A_7 + A_1$	[1]
2244	16	$A_8 + A_6 + A_2$	[1]
2245	16	$A_8 + A_6 + 2 A_1$	[1]
2246	16	$A_8 + A_5 + A_3$	[1]
2247	16	$A_8 + A_5 + A_2 + A_1$	[3], [1]
2248	16	$A_8 + A_5 + 3 A_1$	[1]
2249	16	$A_8 + 2 A_4$	[1]
2250	16	$A_8 + A_4 + A_3 + A_1$	[1]
2251	16	$A_8 + A_4 + 2 A_2$	[1]
2252	16	$A_8 + A_4 + A_2 + 2 A_1$	[1]
2253	16	$A_8 + A_4 + 4 A_1$	[1]
2254	16	$A_8 + 2 A_3 + A_2$	[1]
2255	16	$A_8 + 2 A_3 + 2 A_1$	[1]
2256	16	$A_8 + A_3 + 2 A_2 + A_1$	[1]
2257	16	$A_8 + A_3 + A_2 + 3 A_1$	[1]
2258	16	$A_8 + 4 A_2$	[3]
2259	16	$A_8 + 3 A_2 + 2 A_1$	[3], [1]
2260	16	$A_8 + 2 A_2 + 4 A_1$	[1]
2261	16	$2 A_7 + A_2$	[2], [1]
2262	16	$2 A_7 + 2 A_1$	[4], [2], [1]
2263	16	$A_7 + A_6 + A_3$	[1]
2264	16	$A_7 + A_6 + A_2 + A_1$	[1]
2265	16	$A_7 + A_6 + 3 A_1$	[1]
2266	16	$A_7 + A_5 + A_4$	[1]
2267	16	$A_7 + A_5 + A_3 + A_1$	[2], [1]
2268	16	$A_7 + A_5 + 2 A_2$	[1]
2269	16	$A_7 + A_5 + A_2 + 2 A_1$	[2], [1]
2270	16	$A_7 + A_5 + 4 A_1$	[2]
2271	16	$A_7 + 2 A_4 + A_1$	[1]
2272	16	$A_7 + A_4 + A_3 + A_2$	[1]
2273	16	$A_7 + A_4 + A_3 + 2 A_1$	[2], [1]
2274	16	$A_7 + A_4 + 2 A_2 + A_1$	[1]
2275	16	$A_7 + A_4 + A_2 + 3 A_1$	[1]

2276		16		$A_7 + A_4 + 5 A_1$		[2]
2277		16		$A_7 + 3 A_3$		[4]
2278		16		$A_7 + 2 A_3 + A_2 + A_1$		[2], [1]
2279		16		$A_7 + 2 A_3 + 3 A_1$		[4], [2]
2280		16		$A_7 + A_3 + 3 A_2$		[1]
2281		16		$A_7 + A_3 + 2 A_2 + 2 A_1$		[2], [1]
2282		16		$A_7 + A_3 + A_2 + 4 A_1$		[2]
2283		16		$A_7 + A_3 + 6 A_1$		[2, 2]
2284		16		$A_7 + 4 A_2 + A_1$		[1]
2285		16		$A_7 + 3 A_2 + 3 A_1$		[1]
2286		16		$A_7 + 2 A_2 + 5 A_1$		[2]
2287		16		$2 A_6 + A_4$		[1]
2288		16		$2 A_6 + A_3 + A_1$		[1]
2289		16		$2 A_6 + 2 A_2$		[1]
2290		16		$2 A_6 + A_2 + 2 A_1$		[1]
2291		16		$2 A_6 + 4 A_1$		[1]
2292		16		$A_6 + 2 A_5$		[1]
2293		16		$A_6 + A_5 + A_4 + A_1$		[1]
2294		16		$A_6 + A_5 + A_3 + A_2$		[1]
2295		16		$A_6 + A_5 + A_3 + 2 A_1$		[1]
2296		16		$A_6 + A_5 + 2 A_2 + A_1$		[1]
2297		16		$A_6 + A_5 + A_2 + 3 A_1$		[1]
2298		16		$A_6 + A_5 + 5 A_1$		[2]
2299		16		$A_6 + 2 A_4 + A_2$		[1]
2300		16		$A_6 + 2 A_4 + 2 A_1$		[1]
2301		16		$A_6 + A_4 + 2 A_3$		[1]
2302		16		$A_6 + A_4 + A_3 + A_2 + A_1$		[1]
2303		16		$A_6 + A_4 + A_3 + 3 A_1$		[1]
2304		16		$A_6 + A_4 + 3 A_2$		[1]
2305		16		$A_6 + A_4 + 2 A_2 + 2 A_1$		[1]
2306		16		$A_6 + A_4 + A_2 + 4 A_1$		[1]
2307		16		$A_6 + 3 A_3 + A_1$		[1]
2308		16		$A_6 + 2 A_3 + 2 A_2$		[1]
2309		16		$A_6 + 2 A_3 + A_2 + 2 A_1$		[1]
2310		16		$A_6 + 2 A_3 + 4 A_1$		[2]
2311		16		$A_6 + A_3 + 3 A_2 + A_1$		[1]
2312		16		$A_6 + A_3 + 2 A_2 + 3 A_1$		[1]

2313		16		$A_6 + 4A_2 + 2A_1$		[1]
2314		16		$A_6 + 3A_2 + 4A_1$		[1]
2315		16		$3A_5 + A_1$		[3], [1]
2316		16		$2A_5 + A_4 + A_2$		[1]
2317		16		$2A_5 + A_4 + 2A_1$		[2], [1]
2318		16		$2A_5 + 2A_3$		[2], [1]
2319		16		$2A_5 + A_3 + A_2 + A_1$		[2], [1]
2320		16		$2A_5 + A_3 + 3A_1$		[2]
2321		16		$2A_5 + 3A_2$		[3]
2322		16		$2A_5 + 2A_2 + 2A_1$		[6], [3], [2], [1]
2323		16		$2A_5 + A_2 + 4A_1$		[2]
2324		16		$2A_5 + 6A_1$		[2, 2]
2325		16		$A_5 + 2A_4 + A_3$		[1]
2326		16		$A_5 + 2A_4 + A_2 + A_1$		[1]
2327		16		$A_5 + 2A_4 + 3A_1$		[1]
2328		16		$A_5 + A_4 + 2A_3 + A_1$		[2], [1]
2329		16		$A_5 + A_4 + A_3 + 2A_2$		[1]
2330		16		$A_5 + A_4 + A_3 + A_2 + 2A_1$		[1]
2331		16		$A_5 + A_4 + A_3 + 4A_1$		[2]
2332		16		$A_5 + A_4 + 3A_2 + A_1$		[1]
2333		16		$A_5 + A_4 + 2A_2 + 3A_1$		[1]
2334		16		$A_5 + A_4 + A_2 + 5A_1$		[2]
2335		16		$A_5 + 3A_3 + A_2$		[1]
2336		16		$A_5 + 3A_3 + 2A_1$		[2]
2337		16		$A_5 + 2A_3 + 2A_2 + A_1$		[2], [1]
2338		16		$A_5 + 2A_3 + A_2 + 3A_1$		[2]
2339		16		$A_5 + 2A_3 + 5A_1$		[2, 2]
2340		16		$A_5 + A_3 + 4A_2$		[3]
2341		16		$A_5 + A_3 + 3A_2 + 2A_1$		[1]
2342		16		$A_5 + A_3 + 2A_2 + 4A_1$		[2]
2343		16		$A_5 + 5A_2 + A_1$		[3]
2344		16		$A_5 + 4A_2 + 3A_1$		[3]
2345		16		$4A_4$		[5], [1]
2346		16		$3A_4 + A_3 + A_1$		[1]
2347		16		$3A_4 + 2A_2$		[1]
2348		16		$3A_4 + A_2 + 2A_1$		[1]
2349		16		$3A_4 + 4A_1$		[1]

2350	16	$2A_4 + 2A_3 + A_2$	[1]
2351	16	$2A_4 + 2A_3 + 2A_1$	[1]
2352	16	$2A_4 + A_3 + 2A_2 + A_1$	[1]
2353	16	$2A_4 + A_3 + A_2 + 3A_1$	[1]
2354	16	$2A_4 + 4A_2$	[1]
2355	16	$2A_4 + 3A_2 + 2A_1$	[1]
2356	16	$2A_4 + 2A_2 + 4A_1$	[1]
2357	16	$A_4 + 3A_3 + A_2 + A_1$	[1]
2358	16	$A_4 + 3A_3 + 3A_1$	[2]
2359	16	$A_4 + 2A_3 + 3A_2$	[1]
2360	16	$A_4 + 2A_3 + 2A_2 + 2A_1$	[1]
2361	16	$A_4 + 2A_3 + A_2 + 4A_1$	[2]
2362	16	$A_4 + A_3 + 4A_2 + A_1$	[1]
2363	16	$A_4 + A_3 + 3A_2 + 3A_1$	[1]
2364	16	$A_4 + 6A_2$	[3]
2365	16	$5A_3 + A_1$	[4]
2366	16	$4A_3 + 2A_2$	[2], [1]
2367	16	$4A_3 + A_2 + 2A_1$	[4], [2]
2368	16	$4A_3 + 4A_1$	[4, 2], [2, 2]
2369	16	$3A_3 + 3A_2 + A_1$	[1]
2370	16	$3A_3 + 2A_2 + 3A_1$	[2]
2371	16	$2A_3 + 4A_2 + 2A_1$	[1]
2372	16	$A_3 + 6A_2 + A_1$	[3]
2373	16	$8A_2$	[3, 3]

No.	rank	ADE -type	G
2374	17	$2E_8 + A_1$	[1]
2375	17	$E_8 + E_7 + A_2$	[1]
2376	17	$E_8 + E_7 + 2A_1$	[1]
2377	17	$E_8 + E_6 + A_3$	[1]
2378	17	$E_8 + E_6 + A_2 + A_1$	[1]
2379	17	$E_8 + E_6 + 3A_1$	[1]
2380	17	$E_8 + D_9$	[1]
2381	17	$E_8 + D_8 + A_1$	[1]
2382	17	$E_8 + D_7 + A_2$	[1]
2383	17	$E_8 + D_7 + 2A_1$	[1]

2384	17	$E_8 + D_6 + A_3$		[1]
2385	17	$E_8 + D_6 + A_2 + A_1$		[1]
2386	17	$E_8 + D_5 + D_4$		[1]
2387	17	$E_8 + D_5 + A_4$		[1]
2388	17	$E_8 + D_5 + A_3 + A_1$		[1]
2389	17	$E_8 + D_5 + 2 A_2$		[1]
2390	17	$E_8 + D_5 + A_2 + 2 A_1$		[1]
2391	17	$E_8 + D_4 + A_5$		[1]
2392	17	$E_8 + D_4 + A_4 + A_1$		[1]
2393	17	$E_8 + D_4 + 2 A_2 + A_1$		[1]
2394	17	$E_8 + A_9$		[1]
2395	17	$E_8 + A_8 + A_1$		[1]
2396	17	$E_8 + A_7 + A_2$		[1]
2397	17	$E_8 + A_7 + 2 A_1$		[1]
2398	17	$E_8 + A_6 + A_3$		[1]
2399	17	$E_8 + A_6 + A_2 + A_1$		[1]
2400	17	$E_8 + A_6 + 3 A_1$		[1]
2401	17	$E_8 + A_5 + A_4$		[1]
2402	17	$E_8 + A_5 + A_3 + A_1$		[1]
2403	17	$E_8 + A_5 + 2 A_2$		[1]
2404	17	$E_8 + A_5 + A_2 + 2 A_1$		[1]
2405	17	$E_8 + 2 A_4 + A_1$		[1]
2406	17	$E_8 + A_4 + A_3 + A_2$		[1]
2407	17	$E_8 + A_4 + A_3 + 2 A_1$		[1]
2408	17	$E_8 + A_4 + 2 A_2 + A_1$		[1]
2409	17	$E_8 + A_4 + A_2 + 3 A_1$		[1]
2410	17	$E_8 + 2 A_3 + A_2 + A_1$		[1]
2411	17	$E_8 + A_3 + 3 A_2$		[1]
2412	17	$E_8 + A_3 + 2 A_2 + 2 A_1$		[1]
2413	17	$2 E_7 + A_3$		[2], [1]
2414	17	$2 E_7 + A_2 + A_1$		[1]
2415	17	$2 E_7 + 3 A_1$		[2]
2416	17	$E_7 + E_6 + D_4$		[1]
2417	17	$E_7 + E_6 + A_4$		[1]
2418	17	$E_7 + E_6 + A_3 + A_1$		[1]
2419	17	$E_7 + E_6 + 2 A_2$		[1]
2420	17	$E_7 + E_6 + A_2 + 2 A_1$		[1]

2421		17		$E_7 + D_{10}$		[2], [1]
2422		17		$E_7 + D_9 + A_1$		[1]
2423		17		$E_7 + D_8 + A_2$		[1]
2424		17		$E_7 + D_8 + 2 A_1$		[2]
2425		17		$E_7 + D_7 + A_3$		[1]
2426		17		$E_7 + D_7 + A_2 + A_1$		[1]
2427		17		$E_7 + D_7 + 3 A_1$		[2]
2428		17		$E_7 + D_6 + D_4$		[2]
2429		17		$E_7 + D_6 + A_4$		[1]
2430		17		$E_7 + D_6 + A_3 + A_1$		[2]
2431		17		$E_7 + D_6 + 2 A_2$		[1]
2432		17		$E_7 + D_6 + A_2 + 2 A_1$		[2]
2433		17		$E_7 + 2 D_5$		[1]
2434		17		$E_7 + D_5 + D_4 + A_1$		[2]
2435		17		$E_7 + D_5 + A_5$		[2], [1]
2436		17		$E_7 + D_5 + A_4 + A_1$		[1]
2437		17		$E_7 + D_5 + A_3 + A_2$		[1]
2438		17		$E_7 + D_5 + A_3 + 2 A_1$		[2]
2439		17		$E_7 + D_5 + 2 A_2 + A_1$		[1]
2440		17		$E_7 + D_4 + A_6$		[1]
2441		17		$E_7 + D_4 + A_5 + A_1$		[2]
2442		17		$E_7 + D_4 + A_4 + A_2$		[1]
2443		17		$E_7 + D_4 + A_3 + A_2 + A_1$		[2]
2444		17		$E_7 + A_{10}$		[1]
2445		17		$E_7 + A_9 + A_1$		[2], [1]
2446		17		$E_7 + A_8 + A_2$		[1]
2447		17		$E_7 + A_8 + 2 A_1$		[1]
2448		17		$E_7 + A_7 + A_3$		[1]
2449		17		$E_7 + A_7 + A_2 + A_1$		[2], [1]
2450		17		$E_7 + A_7 + 3 A_1$		[2]
2451		17		$E_7 + A_6 + A_4$		[1]
2452		17		$E_7 + A_6 + A_3 + A_1$		[1]
2453		17		$E_7 + A_6 + 2 A_2$		[1]
2454		17		$E_7 + A_6 + A_2 + 2 A_1$		[1]
2455		17		$E_7 + 2 A_5$		[1]
2456		17		$E_7 + A_5 + A_4 + A_1$		[1]
2457		17		$E_7 + A_5 + A_3 + A_2$		[2], [1]

2458		17		$E_7 + A_5 + A_3 + 2 A_1$		[2]
2459		17		$E_7 + A_5 + 2 A_2 + A_1$		[1]
2460		17		$E_7 + A_5 + A_2 + 3 A_1$		[2]
2461		17		$E_7 + 2 A_4 + A_2$		[1]
2462		17		$E_7 + 2 A_4 + 2 A_1$		[1]
2463		17		$E_7 + A_4 + 2 A_3$		[1]
2464		17		$E_7 + A_4 + A_3 + A_2 + A_1$		[1]
2465		17		$E_7 + A_4 + A_3 + 3 A_1$		[2]
2466		17		$E_7 + A_4 + 3 A_2$		[1]
2467		17		$E_7 + A_4 + 2 A_2 + 2 A_1$		[1]
2468		17		$E_7 + 3 A_3 + A_1$		[2]
2469		17		$E_7 + 2 A_3 + 2 A_2$		[1]
2470		17		$E_7 + 2 A_3 + A_2 + 2 A_1$		[2]
2471		17		$E_7 + A_3 + 3 A_2 + A_1$		[1]
2472		17		$2 E_6 + D_5$		[1]
2473		17		$2 E_6 + D_4 + A_1$		[1]
2474		17		$2 E_6 + A_5$		[3], [1]
2475		17		$2 E_6 + A_4 + A_1$		[1]
2476		17		$2 E_6 + A_3 + A_2$		[1]
2477		17		$2 E_6 + A_3 + 2 A_1$		[1]
2478		17		$2 E_6 + 2 A_2 + A_1$		[3]
2479		17		$E_6 + D_{11}$		[1]
2480		17		$E_6 + D_{10} + A_1$		[1]
2481		17		$E_6 + D_9 + A_2$		[1]
2482		17		$E_6 + D_9 + 2 A_1$		[1]
2483		17		$E_6 + D_8 + A_3$		[1]
2484		17		$E_6 + D_8 + A_2 + A_1$		[1]
2485		17		$E_6 + D_7 + D_4$		[1]
2486		17		$E_6 + D_7 + A_4$		[1]
2487		17		$E_6 + D_7 + A_3 + A_1$		[1]
2488		17		$E_6 + D_7 + A_2 + 2 A_1$		[1]
2489		17		$E_6 + D_6 + D_5$		[1]
2490		17		$E_6 + D_6 + A_5$		[1]
2491		17		$E_6 + D_6 + A_4 + A_1$		[1]
2492		17		$E_6 + D_6 + A_3 + A_2$		[1]
2493		17		$E_6 + D_6 + 2 A_2 + A_1$		[1]
2494		17		$E_6 + 2 D_5 + A_1$		[1]

2495		17		$E_6 + D_5 + D_4 + A_2$		[1]
2496		17		$E_6 + D_5 + A_6$		[1]
2497		17		$E_6 + D_5 + A_5 + A_1$		[1]
2498		17		$E_6 + D_5 + A_4 + A_2$		[1]
2499		17		$E_6 + D_5 + A_4 + 2 A_1$		[1]
2500		17		$E_6 + D_5 + 2 A_3$		[1]
2501		17		$E_6 + D_5 + A_3 + A_2 + A_1$		[1]
2502		17		$E_6 + D_4 + A_7$		[1]
2503		17		$E_6 + D_4 + A_6 + A_1$		[1]
2504		17		$E_6 + D_4 + A_4 + A_3$		[1]
2505		17		$E_6 + D_4 + A_4 + A_2 + A_1$		[1]
2506		17		$E_6 + A_{11}$		[3], [1]
2507		17		$E_6 + A_{10} + A_1$		[1]
2508		17		$E_6 + A_9 + A_2$		[1]
2509		17		$E_6 + A_9 + 2 A_1$		[1]
2510		17		$E_6 + A_8 + A_3$		[1]
2511		17		$E_6 + A_8 + A_2 + A_1$		[3], [1]
2512		17		$E_6 + A_8 + 3 A_1$		[1]
2513		17		$E_6 + A_7 + A_4$		[1]
2514		17		$E_6 + A_7 + A_3 + A_1$		[1]
2515		17		$E_6 + A_7 + 2 A_2$		[1]
2516		17		$E_6 + A_7 + A_2 + 2 A_1$		[1]
2517		17		$E_6 + A_6 + A_5$		[1]
2518		17		$E_6 + A_6 + A_4 + A_1$		[1]
2519		17		$E_6 + A_6 + A_3 + A_2$		[1]
2520		17		$E_6 + A_6 + A_3 + 2 A_1$		[1]
2521		17		$E_6 + A_6 + 2 A_2 + A_1$		[1]
2522		17		$E_6 + A_6 + A_2 + 3 A_1$		[1]
2523		17		$E_6 + 2 A_5 + A_1$		[3], [1]
2524		17		$E_6 + A_5 + A_4 + A_2$		[1]
2525		17		$E_6 + A_5 + A_4 + 2 A_1$		[1]
2526		17		$E_6 + A_5 + 2 A_3$		[1]
2527		17		$E_6 + A_5 + A_3 + A_2 + A_1$		[1]
2528		17		$E_6 + A_5 + 3 A_2$		[3]
2529		17		$E_6 + A_5 + 2 A_2 + 2 A_1$		[3]
2530		17		$E_6 + 2 A_4 + A_3$		[1]
2531		17		$E_6 + 2 A_4 + A_2 + A_1$		[1]

2532		17		$E_6 + 2 A_4 + 3 A_1$		[1]
2533		17		$E_6 + A_4 + 2 A_3 + A_1$		[1]
2534		17		$E_6 + A_4 + A_3 + 2 A_2$		[1]
2535		17		$E_6 + A_4 + A_3 + A_2 + 2 A_1$		[1]
2536		17		$E_6 + 2 A_3 + 2 A_2 + A_1$		[1]
2537		17		$E_6 + A_3 + 4 A_2$		[3]
2538		17		D_{17}		[1]
2539		17		$D_{16} + A_1$		[2], [1]
2540		17		$D_{15} + A_2$		[1]
2541		17		$D_{15} + 2 A_1$		[1]
2542		17		$D_{14} + A_3$		[1]
2543		17		$D_{14} + A_2 + A_1$		[2], [1]
2544		17		$D_{14} + 3 A_1$		[2]
2545		17		$D_{13} + D_4$		[1]
2546		17		$D_{13} + A_4$		[1]
2547		17		$D_{13} + A_3 + A_1$		[1]
2548		17		$D_{13} + 2 A_2$		[1]
2549		17		$D_{13} + A_2 + 2 A_1$		[1]
2550		17		$D_{12} + D_5$		[2], [1]
2551		17		$D_{12} + D_4 + A_1$		[2]
2552		17		$D_{12} + A_5$		[1]
2553		17		$D_{12} + A_4 + A_1$		[1]
2554		17		$D_{12} + A_3 + A_2$		[2]
2555		17		$D_{12} + A_3 + 2 A_1$		[2]
2556		17		$D_{12} + 2 A_2 + A_1$		[1]
2557		17		$D_{12} + A_2 + 3 A_1$		[2]
2558		17		$D_{11} + D_6$		[1]
2559		17		$D_{11} + D_5 + A_1$		[1]
2560		17		$D_{11} + A_6$		[1]
2561		17		$D_{11} + A_5 + A_1$		[1]
2562		17		$D_{11} + A_4 + A_2$		[1]
2563		17		$D_{11} + A_4 + 2 A_1$		[1]
2564		17		$D_{11} + A_3 + A_2 + A_1$		[1]
2565		17		$D_{11} + 3 A_2$		[1]
2566		17		$D_{11} + 2 A_2 + 2 A_1$		[1]
2567		17		$D_{10} + D_7$		[1]
2568		17		$D_{10} + D_6 + A_1$		[2]

2569		17		$D_{10} + D_5 + A_2$		[1]
2570		17		$D_{10} + D_5 + 2 A_1$		[2]
2571		17		$D_{10} + D_4 + A_2 + A_1$		[2]
2572		17		$D_{10} + A_7$		[1]
2573		17		$D_{10} + A_6 + A_1$		[1]
2574		17		$D_{10} + A_5 + A_2$		[2], [1]
2575		17		$D_{10} + A_5 + 2 A_1$		[2]
2576		17		$D_{10} + A_4 + A_3$		[1]
2577		17		$D_{10} + A_4 + A_2 + A_1$		[1]
2578		17		$D_{10} + A_4 + 3 A_1$		[2]
2579		17		$D_{10} + 2 A_3 + A_1$		[2]
2580		17		$D_{10} + A_3 + 2 A_2$		[1]
2581		17		$D_{10} + A_3 + A_2 + 2 A_1$		[2]
2582		17		$D_{10} + A_3 + 4 A_1$		[2, 2]
2583		17		$D_{10} + 2 A_2 + 3 A_1$		[2]
2584		17		$D_9 + D_8$		[1]
2585		17		$D_9 + D_7 + A_1$		[1]
2586		17		$D_9 + D_6 + A_2$		[1]
2587		17		$D_9 + D_5 + A_3$		[1]
2588		17		$D_9 + D_5 + A_2 + A_1$		[1]
2589		17		$D_9 + D_4 + A_4$		[1]
2590		17		$D_9 + A_8$		[1]
2591		17		$D_9 + A_7 + A_1$		[1]
2592		17		$D_9 + A_6 + A_2$		[1]
2593		17		$D_9 + A_6 + 2 A_1$		[1]
2594		17		$D_9 + A_5 + A_3$		[1]
2595		17		$D_9 + A_5 + A_2 + A_1$		[1]
2596		17		$D_9 + A_5 + 3 A_1$		[2]
2597		17		$D_9 + 2 A_4$		[1]
2598		17		$D_9 + A_4 + A_3 + A_1$		[1]
2599		17		$D_9 + A_4 + 2 A_2$		[1]
2600		17		$D_9 + A_4 + A_2 + 2 A_1$		[1]
2601		17		$D_9 + 2 A_3 + 2 A_1$		[2]
2602		17		$D_9 + A_3 + 2 A_2 + A_1$		[1]
2603		17		$D_9 + 3 A_2 + 2 A_1$		[1]
2604		17		$2 D_8 + A_1$		[2]
2605		17		$D_8 + D_7 + 2 A_1$		[2]

2606		17		$D_8 + D_6 + A_3$		[2]
2607		17		$D_8 + D_6 + A_2 + A_1$		[2]
2608		17		$D_8 + D_6 + 3 A_1$		[2, 2]
2609		17		$D_8 + D_5 + D_4$		[2]
2610		17		$D_8 + D_5 + A_4$		[1]
2611		17		$D_8 + D_5 + A_3 + A_1$		[2]
2612		17		$D_8 + D_5 + A_2 + 2 A_1$		[2]
2613		17		$D_8 + D_4 + A_3 + 2 A_1$		[2, 2]
2614		17		$D_8 + A_9$		[1]
2615		17		$D_8 + A_8 + A_1$		[1]
2616		17		$D_8 + A_7 + A_2$		[2]
2617		17		$D_8 + A_7 + 2 A_1$		[2]
2618		17		$D_8 + A_6 + A_2 + A_1$		[1]
2619		17		$D_8 + A_5 + A_4$		[1]
2620		17		$D_8 + A_5 + A_3 + A_1$		[2]
2621		17		$D_8 + A_5 + 2 A_2$		[1]
2622		17		$D_8 + A_5 + A_2 + 2 A_1$		[2]
2623		17		$D_8 + A_5 + 4 A_1$		[2, 2]
2624		17		$D_8 + 2 A_4 + A_1$		[1]
2625		17		$D_8 + A_4 + A_3 + 2 A_1$		[2]
2626		17		$D_8 + A_4 + 2 A_2 + A_1$		[1]
2627		17		$D_8 + 2 A_3 + A_2 + A_1$		[2]
2628		17		$D_8 + 2 A_3 + 3 A_1$		[2, 2]
2629		17		$D_8 + A_3 + 3 A_2$		[1]
2630		17		$D_8 + A_3 + 2 A_2 + 2 A_1$		[2]
2631		17		$2 D_7 + A_2 + A_1$		[1]
2632		17		$D_7 + D_6 + A_4$		[1]
2633		17		$D_7 + D_6 + A_3 + A_1$		[2]
2634		17		$D_7 + D_6 + 2 A_2$		[1]
2635		17		$D_7 + 2 D_5$		[1]
2636		17		$D_7 + D_5 + A_5$		[1]
2637		17		$D_7 + D_5 + A_4 + A_1$		[1]
2638		17		$D_7 + D_5 + A_3 + 2 A_1$		[2]
2639		17		$D_7 + D_5 + 2 A_2 + A_1$		[1]
2640		17		$D_7 + D_4 + A_5 + A_1$		[2]
2641		17		$D_7 + D_4 + 3 A_2$		[1]
2642		17		$D_7 + A_{10}$		[1]

2643		17		$D_7 + A_9 + A_1$		[2], [1]
2644		17		$D_7 + A_8 + A_2$		[1]
2645		17		$D_7 + A_8 + 2 A_1$		[1]
2646		17		$D_7 + A_7 + A_3$		[4]
2647		17		$D_7 + A_7 + A_2 + A_1$		[1]
2648		17		$D_7 + A_7 + 3 A_1$		[2]
2649		17		$D_7 + A_6 + A_4$		[1]
2650		17		$D_7 + A_6 + A_3 + A_1$		[1]
2651		17		$D_7 + A_6 + 2 A_2$		[1]
2652		17		$D_7 + A_6 + A_2 + 2 A_1$		[1]
2653		17		$D_7 + 2 A_5$		[2], [1]
2654		17		$D_7 + A_5 + A_4 + A_1$		[1]
2655		17		$D_7 + A_5 + A_3 + A_2$		[1]
2656		17		$D_7 + A_5 + A_3 + 2 A_1$		[2]
2657		17		$D_7 + A_5 + A_2 + 3 A_1$		[2]
2658		17		$D_7 + 2 A_4 + A_2$		[1]
2659		17		$D_7 + 2 A_4 + 2 A_1$		[1]
2660		17		$D_7 + A_4 + A_3 + A_2 + A_1$		[1]
2661		17		$D_7 + A_4 + 2 A_2 + 2 A_1$		[1]
2662		17		$D_7 + 3 A_3 + A_1$		[4]
2663		17		$D_7 + 2 A_3 + 2 A_2$		[1]
2664		17		$D_7 + 2 A_3 + A_2 + 2 A_1$		[2]
2665		17		$2 D_6 + D_5$		[2]
2666		17		$2 D_6 + D_4 + A_1$		[2, 2]
2667		17		$2 D_6 + A_5$		[2]
2668		17		$2 D_6 + A_3 + A_2$		[2]
2669		17		$2 D_6 + A_3 + 2 A_1$		[2, 2]
2670		17		$D_6 + 2 D_5 + A_1$		[2]
2671		17		$D_6 + D_5 + A_6$		[1]
2672		17		$D_6 + D_5 + A_5 + A_1$		[2]
2673		17		$D_6 + D_5 + A_4 + A_2$		[1]
2674		17		$D_6 + D_5 + 2 A_3$		[2]
2675		17		$D_6 + D_5 + A_3 + A_2 + A_1$		[2]
2676		17		$D_6 + D_5 + 3 A_2$		[1]
2677		17		$D_6 + D_4 + A_7$		[2]
2678		17		$D_6 + D_4 + A_5 + A_2$		[2]
2679		17		$D_6 + D_4 + 2 A_3 + A_1$		[2, 2]

2680		17		$D_6 + A_{11}$		[2], [1]
2681		17		$D_6 + A_{10} + A_1$		[1]
2682		17		$D_6 + A_9 + A_2$		[2], [1]
2683		17		$D_6 + A_9 + 2 A_1$		[2]
2684		17		$D_6 + A_8 + A_3$		[1]
2685		17		$D_6 + A_8 + A_2 + A_1$		[1]
2686		17		$D_6 + A_7 + A_4$		[1]
2687		17		$D_6 + A_7 + A_3 + A_1$		[2]
2688		17		$D_6 + A_7 + 2 A_2$		[1]
2689		17		$D_6 + A_7 + A_2 + 2 A_1$		[2]
2690		17		$D_6 + A_6 + A_5$		[1]
2691		17		$D_6 + A_6 + A_4 + A_1$		[1]
2692		17		$D_6 + A_6 + A_3 + A_2$		[1]
2693		17		$D_6 + A_6 + 2 A_2 + A_1$		[1]
2694		17		$D_6 + 2 A_5 + A_1$		[2]
2695		17		$D_6 + A_5 + A_4 + A_2$		[1]
2696		17		$D_6 + A_5 + A_4 + 2 A_1$		[2]
2697		17		$D_6 + A_5 + 2 A_3$		[2]
2698		17		$D_6 + A_5 + A_3 + A_2 + A_1$		[2]
2699		17		$D_6 + A_5 + A_3 + 3 A_1$		[2, 2]
2700		17		$D_6 + A_5 + 2 A_2 + 2 A_1$		[2]
2701		17		$D_6 + 2 A_4 + A_3$		[1]
2702		17		$D_6 + 2 A_4 + A_2 + A_1$		[1]
2703		17		$D_6 + A_4 + 2 A_3 + A_1$		[2]
2704		17		$D_6 + A_4 + A_3 + 2 A_2$		[1]
2705		17		$D_6 + A_4 + 3 A_2 + A_1$		[1]
2706		17		$D_6 + 3 A_3 + A_2$		[2]
2707		17		$D_6 + 3 A_3 + 2 A_1$		[2, 2]
2708		17		$D_6 + 2 A_3 + 2 A_2 + A_1$		[2]
2709		17		$3 D_5 + A_2$		[1]
2710		17		$2 D_5 + D_4 + A_3$		[2]
2711		17		$2 D_5 + A_7$		[4], [2], [1]
2712		17		$2 D_5 + A_6 + A_1$		[1]
2713		17		$2 D_5 + A_5 + A_2$		[1]
2714		17		$2 D_5 + A_5 + 2 A_1$		[2]
2715		17		$2 D_5 + A_4 + A_3$		[1]
2716		17		$2 D_5 + A_4 + A_2 + A_1$		[1]

2717		17		$2D_5 + 2A_3 + A_1$		[4]
2718		17		$D_5 + D_4 + A_8$		[1]
2719		17		$D_5 + D_4 + A_7 + A_1$		[2]
2720		17		$D_5 + D_4 + A_5 + A_2 + A_1$		[2]
2721		17		$D_5 + D_4 + 2A_4$		[1]
2722		17		$D_5 + A_{12}$		[1]
2723		17		$D_5 + A_{11} + A_1$		[4], [2], [1]
2724		17		$D_5 + A_{10} + A_2$		[1]
2725		17		$D_5 + A_{10} + 2A_1$		[1]
2726		17		$D_5 + A_9 + A_3$		[1]
2727		17		$D_5 + A_9 + A_2 + A_1$		[2], [1]
2728		17		$D_5 + A_9 + 3A_1$		[2]
2729		17		$D_5 + A_8 + A_4$		[1]
2730		17		$D_5 + A_8 + A_3 + A_1$		[1]
2731		17		$D_5 + A_8 + 2A_2$		[1]
2732		17		$D_5 + A_8 + A_2 + 2A_1$		[1]
2733		17		$D_5 + A_7 + A_5$		[1]
2734		17		$D_5 + A_7 + A_4 + A_1$		[1]
2735		17		$D_5 + A_7 + A_3 + A_2$		[2]
2736		17		$D_5 + A_7 + A_3 + 2A_1$		[4], [2]
2737		17		$D_5 + A_7 + 2A_2 + A_1$		[1]
2738		17		$D_5 + A_7 + A_2 + 3A_1$		[2]
2739		17		$D_5 + 2A_6$		[1]
2740		17		$D_5 + A_6 + A_5 + A_1$		[1]
2741		17		$D_5 + A_6 + A_4 + A_2$		[1]
2742		17		$D_5 + A_6 + A_4 + 2A_1$		[1]
2743		17		$D_5 + A_6 + A_3 + A_2 + A_1$		[1]
2744		17		$D_5 + A_6 + 3A_2$		[1]
2745		17		$D_5 + A_6 + 2A_2 + 2A_1$		[1]
2746		17		$D_5 + 2A_5 + A_2$		[2], [1]
2747		17		$D_5 + 2A_5 + 2A_1$		[2]
2748		17		$D_5 + A_5 + A_4 + A_3$		[1]
2749		17		$D_5 + A_5 + A_4 + A_2 + A_1$		[1]
2750		17		$D_5 + A_5 + A_4 + 3A_1$		[2]
2751		17		$D_5 + A_5 + 2A_3 + A_1$		[2]
2752		17		$D_5 + A_5 + A_3 + 2A_2$		[1]
2753		17		$D_5 + A_5 + A_3 + A_2 + 2A_1$		[2]

2754	17	$D_5 + 3 A_4$	[1]
2755	17	$D_5 + 2 A_4 + A_3 + A_1$	[1]
2756	17	$D_5 + 2 A_4 + 2 A_2$	[1]
2757	17	$D_5 + 2 A_4 + A_2 + 2 A_1$	[1]
2758	17	$D_5 + A_4 + 2 A_3 + 2 A_1$	[2]
2759	17	$D_5 + A_4 + A_3 + 2 A_2 + A_1$	[1]
2760	17	$D_5 + 3 A_3 + A_2 + A_1$	[4]
2761	17	$D_5 + 2 A_3 + 3 A_2$	[1]
2762	17	$D_4 + A_{13}$	[1]
2763	17	$D_4 + A_{12} + A_1$	[1]
2764	17	$D_4 + A_{11} + A_2$	[2]
2765	17	$D_4 + A_{11} + 2 A_1$	[2]
2766	17	$D_4 + A_{10} + A_2 + A_1$	[1]
2767	17	$D_4 + A_9 + A_4$	[1]
2768	17	$D_4 + A_9 + A_3 + A_1$	[2]
2769	17	$D_4 + A_9 + 2 A_2$	[1]
2770	17	$D_4 + A_9 + A_2 + 2 A_1$	[2]
2771	17	$D_4 + A_8 + A_5$	[1]
2772	17	$D_4 + A_8 + A_4 + A_1$	[1]
2773	17	$D_4 + A_7 + A_4 + 2 A_1$	[2]
2774	17	$D_4 + A_7 + A_3 + A_2 + A_1$	[2]
2775	17	$D_4 + A_7 + 2 A_2 + 2 A_1$	[2]
2776	17	$D_4 + 2 A_6 + A_1$	[1]
2777	17	$D_4 + A_6 + A_5 + A_2$	[1]
2778	17	$D_4 + A_6 + A_4 + A_2 + A_1$	[1]
2779	17	$D_4 + A_6 + A_3 + 2 A_2$	[1]
2780	17	$D_4 + 2 A_5 + A_3$	[2]
2781	17	$D_4 + 2 A_5 + 3 A_1$	[2, 2]
2782	17	$D_4 + A_5 + 2 A_4$	[1]
2783	17	$D_4 + A_5 + A_4 + A_3 + A_1$	[2]
2784	17	$D_4 + A_5 + 2 A_3 + 2 A_1$	[2, 2]
2785	17	$D_4 + 2 A_4 + 2 A_2 + A_1$	[1]
2786	17	$D_4 + 3 A_3 + 2 A_2$	[2]
2787	17	A_{17}	[3], [1]
2788	17	$A_{16} + A_1$	[1]
2789	17	$A_{15} + A_2$	[2], [1]
2790	17	$A_{15} + 2 A_1$	[4], [2], [1]

2791		17		$A_{14} + A_3$		[1]
2792		17		$A_{14} + A_2 + A_1$		[3], [1]
2793		17		$A_{14} + 3 A_1$		[1]
2794		17		$A_{13} + A_4$		[1]
2795		17		$A_{13} + A_3 + A_1$		[2], [1]
2796		17		$A_{13} + 2 A_2$		[1]
2797		17		$A_{13} + A_2 + 2 A_1$		[2], [1]
2798		17		$A_{13} + 4 A_1$		[2]
2799		17		$A_{12} + A_5$		[1]
2800		17		$A_{12} + A_4 + A_1$		[1]
2801		17		$A_{12} + A_3 + A_2$		[1]
2802		17		$A_{12} + A_3 + 2 A_1$		[1]
2803		17		$A_{12} + 2 A_2 + A_1$		[1]
2804		17		$A_{12} + A_2 + 3 A_1$		[1]
2805		17		$A_{11} + A_6$		[1]
2806		17		$A_{11} + A_5 + A_1$		[3], [1]
2807		17		$A_{11} + A_4 + A_2$		[1]
2808		17		$A_{11} + A_4 + 2 A_1$		[2], [1]
2809		17		$A_{11} + 2 A_3$		[4]
2810		17		$A_{11} + A_3 + A_2 + A_1$		[2], [1]
2811		17		$A_{11} + A_3 + 3 A_1$		[4], [2]
2812		17		$A_{11} + 3 A_2$		[3]
2813		17		$A_{11} + 2 A_2 + 2 A_1$		[6], [3], [2], [1]
2814		17		$A_{11} + A_2 + 4 A_1$		[2]
2815		17		$A_{10} + A_7$		[1]
2816		17		$A_{10} + A_6 + A_1$		[1]
2817		17		$A_{10} + A_5 + A_2$		[1]
2818		17		$A_{10} + A_5 + 2 A_1$		[1]
2819		17		$A_{10} + A_4 + A_3$		[1]
2820		17		$A_{10} + A_4 + A_2 + A_1$		[1]
2821		17		$A_{10} + A_4 + 3 A_1$		[1]
2822		17		$A_{10} + 2 A_3 + A_1$		[1]
2823		17		$A_{10} + A_3 + 2 A_2$		[1]
2824		17		$A_{10} + A_3 + A_2 + 2 A_1$		[1]
2825		17		$A_{10} + 3 A_2 + A_1$		[1]
2826		17		$A_{10} + 2 A_2 + 3 A_1$		[1]
2827		17		$A_9 + A_8$		[1]

2828		17		$A_9 + A_7 + A_1$		[1]
2829		17		$A_9 + A_6 + A_2$		[1]
2830		17		$A_9 + A_6 + 2 A_1$		[1]
2831		17		$A_9 + A_5 + A_3$		[2], [1]
2832		17		$A_9 + A_5 + A_2 + A_1$		[2], [1]
2833		17		$A_9 + A_5 + 3 A_1$		[2]
2834		17		$A_9 + 2 A_4$		[5], [1]
2835		17		$A_9 + A_4 + A_3 + A_1$		[2], [1]
2836		17		$A_9 + A_4 + 2 A_2$		[1]
2837		17		$A_9 + A_4 + A_2 + 2 A_1$		[1]
2838		17		$A_9 + A_4 + 4 A_1$		[2]
2839		17		$A_9 + 2 A_3 + A_2$		[1]
2840		17		$A_9 + 2 A_3 + 2 A_1$		[2]
2841		17		$A_9 + A_3 + 2 A_2 + A_1$		[2], [1]
2842		17		$A_9 + A_3 + A_2 + 3 A_1$		[2]
2843		17		$A_9 + 3 A_2 + 2 A_1$		[1]
2844		17		$A_9 + 2 A_2 + 4 A_1$		[2]
2845		17		$2 A_8 + A_1$		[3], [1]
2846		17		$A_8 + A_7 + A_2$		[1]
2847		17		$A_8 + A_7 + 2 A_1$		[1]
2848		17		$A_8 + A_6 + A_3$		[1]
2849		17		$A_8 + A_6 + A_2 + A_1$		[1]
2850		17		$A_8 + A_6 + 3 A_1$		[1]
2851		17		$A_8 + A_5 + A_4$		[1]
2852		17		$A_8 + A_5 + A_3 + A_1$		[1]
2853		17		$A_8 + A_5 + 2 A_2$		[3]
2854		17		$A_8 + A_5 + A_2 + 2 A_1$		[3], [1]
2855		17		$A_8 + 2 A_4 + A_1$		[1]
2856		17		$A_8 + A_4 + A_3 + A_2$		[1]
2857		17		$A_8 + A_4 + A_3 + 2 A_1$		[1]
2858		17		$A_8 + A_4 + 2 A_2 + A_1$		[1]
2859		17		$A_8 + A_4 + A_2 + 3 A_1$		[1]
2860		17		$A_8 + 2 A_3 + A_2 + A_1$		[1]
2861		17		$A_8 + A_3 + 3 A_2$		[3]
2862		17		$A_8 + A_3 + 2 A_2 + 2 A_1$		[1]
2863		17		$A_8 + 4 A_2 + A_1$		[3]
2864		17		$A_8 + 3 A_2 + 3 A_1$		[3]

2865		17		$2 A_7 + A_3$		[4]
2866		17		$2 A_7 + A_2 + A_1$		[2], [1]
2867		17		$2 A_7 + 3 A_1$		[4]
2868		17		$A_7 + A_6 + A_4$		[1]
2869		17		$A_7 + A_6 + A_3 + A_1$		[1]
2870		17		$A_7 + A_6 + 2 A_2$		[1]
2871		17		$A_7 + A_6 + A_2 + 2 A_1$		[1]
2872		17		$A_7 + A_6 + 4 A_1$		[2]
2873		17		$A_7 + 2 A_5$		[1]
2874		17		$A_7 + A_5 + A_4 + A_1$		[2], [1]
2875		17		$A_7 + A_5 + A_3 + A_2$		[1]
2876		17		$A_7 + A_5 + A_3 + 2 A_1$		[2]
2877		17		$A_7 + A_5 + 2 A_2 + A_1$		[2], [1]
2878		17		$A_7 + A_5 + A_2 + 3 A_1$		[2]
2879		17		$A_7 + A_5 + 5 A_1$		[2, 2]
2880		17		$A_7 + 2 A_4 + A_2$		[1]
2881		17		$A_7 + 2 A_4 + 2 A_1$		[1]
2882		17		$A_7 + A_4 + A_3 + A_2 + A_1$		[1]
2883		17		$A_7 + A_4 + A_3 + 3 A_1$		[2]
2884		17		$A_7 + A_4 + 3 A_2$		[1]
2885		17		$A_7 + A_4 + 2 A_2 + 2 A_1$		[1]
2886		17		$A_7 + A_4 + A_2 + 4 A_1$		[2]
2887		17		$A_7 + 3 A_3 + A_1$		[4]
2888		17		$A_7 + 2 A_3 + 2 A_2$		[2], [1]
2889		17		$A_7 + 2 A_3 + A_2 + 2 A_1$		[4], [2]
2890		17		$A_7 + 2 A_3 + 4 A_1$		[4, 2], [2, 2]
2891		17		$A_7 + A_3 + 3 A_2 + A_1$		[1]
2892		17		$A_7 + A_3 + 2 A_2 + 3 A_1$		[2]
2893		17		$2 A_6 + A_5$		[1]
2894		17		$2 A_6 + A_4 + A_1$		[1]
2895		17		$2 A_6 + A_3 + A_2$		[1]
2896		17		$2 A_6 + A_3 + 2 A_1$		[1]
2897		17		$2 A_6 + 2 A_2 + A_1$		[1]
2898		17		$2 A_6 + A_2 + 3 A_1$		[1]
2899		17		$A_6 + 2 A_5 + A_1$		[1]
2900		17		$A_6 + A_5 + A_4 + A_2$		[1]
2901		17		$A_6 + A_5 + A_4 + 2 A_1$		[1]

2902		17		$A_6 + A_5 + 2 A_3$		[1]
2903		17		$A_6 + A_5 + A_3 + A_2 + A_1$		[1]
2904		17		$A_6 + A_5 + A_3 + 3 A_1$		[2]
2905		17		$A_6 + A_5 + 2 A_2 + 2 A_1$		[1]
2906		17		$A_6 + 2 A_4 + A_3$		[1]
2907		17		$A_6 + 2 A_4 + A_2 + A_1$		[1]
2908		17		$A_6 + 2 A_4 + 3 A_1$		[1]
2909		17		$A_6 + A_4 + 2 A_3 + A_1$		[1]
2910		17		$A_6 + A_4 + A_3 + 2 A_2$		[1]
2911		17		$A_6 + A_4 + A_3 + A_2 + 2 A_1$		[1]
2912		17		$A_6 + A_4 + 3 A_2 + A_1$		[1]
2913		17		$A_6 + A_4 + 2 A_2 + 3 A_1$		[1]
2914		17		$A_6 + 3 A_3 + A_2$		[1]
2915		17		$A_6 + 3 A_3 + 2 A_1$		[2]
2916		17		$A_6 + 2 A_3 + 2 A_2 + A_1$		[1]
2917		17		$A_6 + A_3 + 3 A_2 + 2 A_1$		[1]
2918		17		$3 A_5 + A_2$		[3]
2919		17		$3 A_5 + 2 A_1$		[6], [2]
2920		17		$2 A_5 + A_4 + A_3$		[2], [1]
2921		17		$2 A_5 + A_4 + A_2 + A_1$		[1]
2922		17		$2 A_5 + A_4 + 3 A_1$		[2]
2923		17		$2 A_5 + 2 A_3 + A_1$		[2]
2924		17		$2 A_5 + A_3 + 2 A_2$		[6], [3]
2925		17		$2 A_5 + A_3 + A_2 + 2 A_1$		[2]
2926		17		$2 A_5 + A_3 + 4 A_1$		[2, 2]
2927		17		$2 A_5 + 3 A_2 + A_1$		[3]
2928		17		$2 A_5 + 2 A_2 + 3 A_1$		[6]
2929		17		$A_5 + 3 A_4$		[1]
2930		17		$A_5 + 2 A_4 + A_3 + A_1$		[1]
2931		17		$A_5 + 2 A_4 + 2 A_2$		[1]
2932		17		$A_5 + 2 A_4 + A_2 + 2 A_1$		[1]
2933		17		$A_5 + A_4 + 2 A_3 + A_2$		[1]
2934		17		$A_5 + A_4 + 2 A_3 + 2 A_1$		[2]
2935		17		$A_5 + A_4 + A_3 + 2 A_2 + A_1$		[1]
2936		17		$A_5 + A_4 + A_3 + A_2 + 3 A_1$		[2]
2937		17		$A_5 + A_4 + 4 A_2$		[3]
2938		17		$A_5 + 3 A_3 + A_2 + A_1$		[2]

2939	17	$A_5 + 3 A_3 + 3 A_1$		$[2, 2]$
2940	17	$A_5 + 2 A_3 + 2 A_2 + 2 A_1$		$[2]$
2941	17	$A_5 + A_3 + 4 A_2 + A_1$		$[3]$
2942	17	$A_5 + 6 A_2$		$[3, 3]$
2943	17	$4 A_4 + A_1$		$[5]$
2944	17	$3 A_4 + A_3 + 2 A_1$		$[1]$
2945	17	$3 A_4 + A_2 + 3 A_1$		$[1]$
2946	17	$2 A_4 + 2 A_3 + A_2 + A_1$		$[1]$
2947	17	$2 A_4 + A_3 + 3 A_2$		$[1]$
2948	17	$2 A_4 + A_3 + 2 A_2 + 2 A_1$		$[1]$
2949	17	$A_4 + 3 A_3 + 2 A_2$		$[1]$
2950	17	$A_4 + 3 A_3 + A_2 + 2 A_1$		$[2]$
2951	17	$A_4 + 2 A_3 + 3 A_2 + A_1$		$[1]$
2952	17	$5 A_3 + A_2$		$[4]$
2953	17	$5 A_3 + 2 A_1$		$[4, 2]$

No.	rank	ADE -type		G
2954	18	$2 E_8 + A_2$		$[1]$
2955	18	$2 E_8 + 2 A_1$		$[1]$
2956	18	$E_8 + E_7 + A_3$		$[1]$
2957	18	$E_8 + E_7 + A_2 + A_1$		$[1]$
2958	18	$E_8 + E_6 + D_4$		$[1]$
2959	18	$E_8 + E_6 + A_4$		$[1]$
2960	18	$E_8 + E_6 + A_3 + A_1$		$[1]$
2961	18	$E_8 + D_{10}$		$[1]$
2962	18	$E_8 + D_9 + A_1$		$[1]$
2963	18	$E_8 + D_7 + A_2 + A_1$		$[1]$
2964	18	$E_8 + D_6 + A_4$		$[1]$
2965	18	$E_8 + D_6 + 2 A_2$		$[1]$
2966	18	$E_8 + 2 D_5$		$[1]$
2967	18	$E_8 + D_5 + A_5$		$[1]$
2968	18	$E_8 + D_5 + A_4 + A_1$		$[1]$
2969	18	$E_8 + A_{10}$		$[1]$
2970	18	$E_8 + A_9 + A_1$		$[1]$
2971	18	$E_8 + A_8 + A_2$		$[1]$
2972	18	$E_8 + A_8 + 2 A_1$		$[1]$

2973	18	$E_8 + A_7 + A_2 + A_1$		[1]
2974	18	$E_8 + A_6 + A_4$		[1]
2975	18	$E_8 + A_6 + A_3 + A_1$		[1]
2976	18	$E_8 + A_6 + 2 A_2$		[1]
2977	18	$E_8 + A_6 + A_2 + 2 A_1$		[1]
2978	18	$E_8 + 2 A_5$		[1]
2979	18	$E_8 + A_5 + A_4 + A_1$		[1]
2980	18	$E_8 + A_5 + A_3 + A_2$		[1]
2981	18	$E_8 + 2 A_4 + 2 A_1$		[1]
2982	18	$E_8 + A_4 + A_3 + A_2 + A_1$		[1]
2983	18	$E_8 + 2 A_3 + 2 A_2$		[1]
2984	18	$2 E_7 + D_4$		[2]
2985	18	$2 E_7 + A_4$		[1]
2986	18	$2 E_7 + A_3 + A_1$		[2]
2987	18	$2 E_7 + 2 A_2$		[1]
2988	18	$E_7 + E_6 + D_5$		[1]
2989	18	$E_7 + E_6 + A_5$		[1]
2990	18	$E_7 + E_6 + A_4 + A_1$		[1]
2991	18	$E_7 + E_6 + A_3 + A_2$		[1]
2992	18	$E_7 + D_{11}$		[1]
2993	18	$E_7 + D_{10} + A_1$		[2]
2994	18	$E_7 + D_9 + A_2$		[1]
2995	18	$E_7 + D_8 + A_2 + A_1$		[2]
2996	18	$E_7 + D_7 + A_4$		[1]
2997	18	$E_7 + D_7 + A_3 + A_1$		[2]
2998	18	$E_7 + D_6 + D_5$		[2]
2999	18	$E_7 + D_6 + A_5$		[2]
3000	18	$E_7 + D_6 + A_3 + A_2$		[2]
3001	18	$E_7 + D_5 + A_6$		[1]
3002	18	$E_7 + D_5 + A_5 + A_1$		[2]
3003	18	$E_7 + D_5 + A_4 + A_2$		[1]
3004	18	$E_7 + A_{11}$		[1]
3005	18	$E_7 + A_{10} + A_1$		[1]
3006	18	$E_7 + A_9 + A_2$		[2], [1]
3007	18	$E_7 + A_9 + 2 A_1$		[2]
3008	18	$E_7 + A_8 + A_3$		[1]
3009	18	$E_7 + A_8 + A_2 + A_1$		[1]

3010		18		$E_7 + A_7 + A_4$		[1]
3011		18		$E_7 + A_7 + A_3 + A_1$		[2]
3012		18		$E_7 + A_7 + 2 A_2$		[1]
3013		18		$E_7 + A_7 + A_2 + 2 A_1$		[2]
3014		18		$E_7 + A_6 + A_5$		[1]
3015		18		$E_7 + A_6 + A_4 + A_1$		[1]
3016		18		$E_7 + A_6 + A_3 + A_2$		[1]
3017		18		$E_7 + A_6 + 2 A_2 + A_1$		[1]
3018		18		$E_7 + A_5 + A_4 + A_2$		[1]
3019		18		$E_7 + A_5 + A_4 + 2 A_1$		[2]
3020		18		$E_7 + A_5 + 2 A_3$		[2]
3021		18		$E_7 + A_5 + A_3 + A_2 + A_1$		[2]
3022		18		$E_7 + A_4 + 2 A_3 + A_1$		[2]
3023		18		$E_7 + A_4 + A_3 + 2 A_2$		[1]
3024		18		$3 E_6$		[3]
3025		18		$2 E_6 + D_6$		[1]
3026		18		$2 E_6 + A_6$		[1]
3027		18		$2 E_6 + A_5 + A_1$		[3]
3028		18		$2 E_6 + 2 A_3$		[1]
3029		18		$E_6 + D_{12}$		[1]
3030		18		$E_6 + D_{11} + A_1$		[1]
3031		18		$E_6 + D_9 + A_3$		[1]
3032		18		$E_6 + D_9 + A_2 + A_1$		[1]
3033		18		$E_6 + D_8 + A_4$		[1]
3034		18		$E_6 + D_7 + D_5$		[1]
3035		18		$E_6 + D_7 + A_4 + A_1$		[1]
3036		18		$E_6 + D_6 + A_6$		[1]
3037		18		$E_6 + D_6 + A_4 + A_2$		[1]
3038		18		$E_6 + D_5 + A_7$		[1]
3039		18		$E_6 + D_5 + A_6 + A_1$		[1]
3040		18		$E_6 + D_5 + A_4 + A_3$		[1]
3041		18		$E_6 + A_{12}$		[1]
3042		18		$E_6 + A_{11} + A_1$		[3], [1]
3043		18		$E_6 + A_{10} + A_2$		[1]
3044		18		$E_6 + A_{10} + 2 A_1$		[1]
3045		18		$E_6 + A_9 + A_3$		[1]
3046		18		$E_6 + A_9 + A_2 + A_1$		[1]

3047		18		$E_6 + A_8 + A_4$		[1]
3048		18		$E_6 + A_8 + A_3 + A_1$		[1]
3049		18		$E_6 + A_8 + 2 A_2$		[3]
3050		18		$E_6 + A_8 + A_2 + 2 A_1$		[3]
3051		18		$E_6 + A_7 + A_5$		[1]
3052		18		$E_6 + A_7 + A_4 + A_1$		[1]
3053		18		$E_6 + A_6 + A_5 + A_1$		[1]
3054		18		$E_6 + A_6 + A_4 + A_2$		[1]
3055		18		$E_6 + A_6 + A_4 + 2 A_1$		[1]
3056		18		$E_6 + A_6 + A_3 + A_2 + A_1$		[1]
3057		18		$E_6 + 2 A_5 + A_2$		[3]
3058		18		$E_6 + A_5 + A_4 + A_3$		[1]
3059		18		$E_6 + A_5 + A_3 + 2 A_2$		[3]
3060		18		$E_6 + 2 A_4 + A_3 + A_1$		[1]
3061		18		D_{18}		[1]
3062		18		$D_{17} + A_1$		[1]
3063		18		$D_{16} + A_2$		[2]
3064		18		$D_{16} + 2 A_1$		[2]
3065		18		$D_{15} + A_2 + A_1$		[1]
3066		18		$D_{14} + A_4$		[1]
3067		18		$D_{14} + A_3 + A_1$		[2]
3068		18		$D_{14} + 2 A_2$		[1]
3069		18		$D_{14} + A_2 + 2 A_1$		[2]
3070		18		$D_{13} + D_5$		[1]
3071		18		$D_{13} + A_5$		[1]
3072		18		$D_{13} + A_4 + A_1$		[1]
3073		18		$D_{12} + D_6$		[2]
3074		18		$D_{12} + D_5 + A_1$		[2]
3075		18		$D_{12} + A_4 + 2 A_1$		[2]
3076		18		$D_{12} + A_3 + A_2 + A_1$		[2]
3077		18		$D_{12} + 2 A_2 + 2 A_1$		[2]
3078		18		$D_{11} + A_6 + A_1$		[1]
3079		18		$D_{11} + A_5 + A_2$		[1]
3080		18		$D_{11} + A_4 + A_2 + A_1$		[1]
3081		18		$D_{11} + A_3 + 2 A_2$		[1]
3082		18		$D_{10} + D_7 + A_1$		[2]
3083		18		$D_{10} + D_6 + A_2$		[2]

3084		18		$D_{10} + D_5 + A_2 + A_1$		[2]
3085		18		$D_{10} + A_8$		[1]
3086		18		$D_{10} + A_6 + A_2$		[1]
3087		18		$D_{10} + A_5 + A_3$		[2]
3088		18		$D_{10} + A_5 + 3 A_1$		[2, 2]
3089		18		$D_{10} + 2 A_4$		[1]
3090		18		$D_{10} + A_4 + A_3 + A_1$		[2]
3091		18		$D_{10} + 2 A_3 + 2 A_1$		[2, 2]
3092		18		$2 D_9$		[1]
3093		18		$D_9 + D_5 + A_4$		[1]
3094		18		$D_9 + A_9$		[1]
3095		18		$D_9 + A_8 + A_1$		[1]
3096		18		$D_9 + A_7 + 2 A_1$		[2]
3097		18		$D_9 + A_6 + A_2 + A_1$		[1]
3098		18		$D_9 + A_5 + A_4$		[1]
3099		18		$D_9 + A_5 + A_3 + A_1$		[2]
3100		18		$D_9 + A_4 + 2 A_2 + A_1$		[1]
3101		18		$2 D_8 + 2 A_1$		[2, 2]
3102		18		$D_8 + D_6 + A_3 + A_1$		[2, 2]
3103		18		$D_8 + 2 D_5$		[2]
3104		18		$D_8 + A_9 + A_1$		[2]
3105		18		$D_8 + A_7 + A_2 + A_1$		[2]
3106		18		$D_8 + A_6 + 2 A_2$		[1]
3107		18		$D_8 + 2 A_5$		[2]
3108		18		$D_8 + A_5 + A_4 + A_1$		[2]
3109		18		$D_8 + A_5 + A_3 + 2 A_1$		[2, 2]
3110		18		$D_8 + 2 A_3 + 2 A_2$		[2]
3111		18		$2 D_7 + 2 A_2$		[1]
3112		18		$D_7 + D_6 + A_5$		[2]
3113		18		$D_7 + D_5 + A_5 + A_1$		[2]
3114		18		$D_7 + A_{11}$		[4]
3115		18		$D_7 + A_{10} + A_1$		[1]
3116		18		$D_7 + A_9 + A_2$		[1]
3117		18		$D_7 + A_9 + 2 A_1$		[2]
3118		18		$D_7 + A_7 + A_3 + A_1$		[4]
3119		18		$D_7 + A_7 + A_2 + 2 A_1$		[2]
3120		18		$D_7 + A_6 + A_5$		[1]

3121		18		$D_7 + A_6 + A_4 + A_1$		[1]
3122		18		$D_7 + A_6 + A_3 + A_2$		[1]
3123		18		$D_7 + 2 A_4 + A_2 + A_1$		[1]
3124		18		$D_7 + 3 A_3 + A_2$		[4]
3125		18		$3 D_6$		[2, 2]
3126		18		$2 D_6 + 2 A_3$		[2, 2]
3127		18		$D_6 + D_5 + A_7$		[2]
3128		18		$D_6 + D_5 + A_5 + A_2$		[2]
3129		18		$D_6 + A_{12}$		[1]
3130		18		$D_6 + A_{11} + A_1$		[2]
3131		18		$D_6 + A_{10} + A_2$		[1]
3132		18		$D_6 + A_9 + A_3$		[2]
3133		18		$D_6 + A_9 + A_2 + A_1$		[2]
3134		18		$D_6 + A_8 + A_4$		[1]
3135		18		$D_6 + A_7 + A_4 + A_1$		[2]
3136		18		$D_6 + A_7 + A_3 + A_2$		[2]
3137		18		$D_6 + A_7 + 2 A_2 + A_1$		[2]
3138		18		$D_6 + 2 A_6$		[1]
3139		18		$D_6 + A_6 + A_4 + A_2$		[1]
3140		18		$D_6 + 2 A_5 + 2 A_1$		[2, 2]
3141		18		$D_6 + A_5 + A_4 + A_3$		[2]
3142		18		$D_6 + A_5 + 2 A_3 + A_1$		[2, 2]
3143		18		$D_6 + 2 A_4 + 2 A_2$		[1]
3144		18		$2 D_5 + A_8$		[1]
3145		18		$2 D_5 + A_7 + A_1$		[4]
3146		18		$2 D_5 + 2 A_4$		[1]
3147		18		$D_5 + A_{13}$		[1]
3148		18		$D_5 + A_{12} + A_1$		[1]
3149		18		$D_5 + A_{11} + A_2$		[2]
3150		18		$D_5 + A_{11} + 2 A_1$		[4]
3151		18		$D_5 + A_{10} + A_2 + A_1$		[1]
3152		18		$D_5 + A_9 + A_4$		[1]
3153		18		$D_5 + A_9 + A_3 + A_1$		[2]
3154		18		$D_5 + A_9 + 2 A_2$		[1]
3155		18		$D_5 + A_9 + A_2 + 2 A_1$		[2]
3156		18		$D_5 + A_8 + A_5$		[1]
3157		18		$D_5 + A_8 + A_4 + A_1$		[1]

3158		18		$D_5 + A_7 + A_4 + 2 A_1$		[2]
3159		18		$D_5 + A_7 + A_3 + A_2 + A_1$		[4]
3160		18		$D_5 + 2 A_6 + A_1$		[1]
3161		18		$D_5 + A_6 + A_5 + A_2$		[1]
3162		18		$D_5 + A_6 + A_4 + A_2 + A_1$		[1]
3163		18		$D_5 + A_6 + A_3 + 2 A_2$		[1]
3164		18		$D_5 + 2 A_5 + A_3$		[2]
3165		18		$D_5 + A_5 + 2 A_4$		[1]
3166		18		$D_5 + A_5 + A_4 + A_3 + A_1$		[2]
3167		18		A_{18}		[1]
3168		18		$A_{17} + A_1$		[3], [1]
3169		18		$A_{16} + A_2$		[1]
3170		18		$A_{16} + 2 A_1$		[1]
3171		18		$A_{15} + A_3$		[4]
3172		18		$A_{15} + A_2 + A_1$		[2], [1]
3173		18		$A_{15} + 3 A_1$		[4]
3174		18		$A_{14} + A_4$		[1]
3175		18		$A_{14} + A_3 + A_1$		[1]
3176		18		$A_{14} + 2 A_2$		[3]
3177		18		$A_{14} + A_2 + 2 A_1$		[3], [1]
3178		18		$A_{13} + A_5$		[1]
3179		18		$A_{13} + A_4 + A_1$		[2], [1]
3180		18		$A_{13} + A_3 + A_2$		[1]
3181		18		$A_{13} + A_3 + 2 A_1$		[2]
3182		18		$A_{13} + 2 A_2 + A_1$		[2], [1]
3183		18		$A_{13} + A_2 + 3 A_1$		[2]
3184		18		$A_{12} + A_6$		[1]
3185		18		$A_{12} + A_5 + A_1$		[1]
3186		18		$A_{12} + A_4 + A_2$		[1]
3187		18		$A_{12} + A_4 + 2 A_1$		[1]
3188		18		$A_{12} + A_3 + A_2 + A_1$		[1]
3189		18		$A_{12} + 2 A_2 + 2 A_1$		[1]
3190		18		$A_{11} + A_6 + A_1$		[1]
3191		18		$A_{11} + A_5 + A_2$		[3]
3192		18		$A_{11} + A_5 + 2 A_1$		[6], [2]
3193		18		$A_{11} + A_4 + A_2 + A_1$		[1]
3194		18		$A_{11} + A_4 + 3 A_1$		[2]

3195		18		$A_{11} + 2A_3 + A_1$		[4]
3196		18		$A_{11} + A_3 + 2A_2$		[6], [3]
3197		18		$A_{11} + A_3 + A_2 + 2A_1$		[4], [2]
3198		18		$A_{11} + 3A_2 + A_1$		[3]
3199		18		$A_{11} + 2A_2 + 3A_1$		[6]
3200		18		$A_{10} + A_8$		[1]
3201		18		$A_{10} + A_7 + A_1$		[1]
3202		18		$A_{10} + A_6 + A_2$		[1]
3203		18		$A_{10} + A_6 + 2A_1$		[1]
3204		18		$A_{10} + A_5 + A_3$		[1]
3205		18		$A_{10} + A_5 + A_2 + A_1$		[1]
3206		18		$A_{10} + 2A_4$		[1]
3207		18		$A_{10} + A_4 + A_3 + A_1$		[1]
3208		18		$A_{10} + A_4 + 2A_2$		[1]
3209		18		$A_{10} + A_4 + A_2 + 2A_1$		[1]
3210		18		$A_{10} + 2A_3 + A_2$		[1]
3211		18		$A_{10} + A_3 + 2A_2 + A_1$		[1]
3212		18		$2A_9$		[5], [1]
3213		18		$A_9 + A_8 + A_1$		[1]
3214		18		$A_9 + A_7 + A_2$		[1]
3215		18		$A_9 + A_6 + A_3$		[1]
3216		18		$A_9 + A_6 + A_2 + A_1$		[1]
3217		18		$A_9 + A_6 + 3A_1$		[2]
3218		18		$A_9 + A_5 + A_4$		[2], [1]
3219		18		$A_9 + A_5 + A_3 + A_1$		[2]
3220		18		$A_9 + A_5 + A_2 + 2A_1$		[2]
3221		18		$A_9 + 2A_4 + A_1$		[5]
3222		18		$A_9 + A_4 + A_3 + 2A_1$		[2]
3223		18		$A_9 + A_4 + A_2 + 3A_1$		[2]
3224		18		$A_9 + 2A_3 + A_2 + A_1$		[2]
3225		18		$A_9 + A_3 + 2A_2 + 2A_1$		[2]
3226		18		$2A_8 + 2A_1$		[3], [1]
3227		18		$A_8 + A_7 + A_2 + A_1$		[1]
3228		18		$A_8 + A_6 + A_4$		[1]
3229		18		$A_8 + A_6 + A_3 + A_1$		[1]
3230		18		$A_8 + A_6 + A_2 + 2A_1$		[1]
3231		18		$A_8 + A_5 + A_4 + A_1$		[1]

3232		18		$A_8 + A_5 + A_3 + A_2$		[3]
3233		18		$A_8 + A_5 + 2A_2 + A_1$		[3]
3234		18		$A_8 + 2A_4 + 2A_1$		[1]
3235		18		$A_8 + A_4 + A_3 + A_2 + A_1$		[1]
3236		18		$A_8 + A_4 + 3A_2$		[3]
3237		18		$A_8 + A_3 + 3A_2 + A_1$		[3]
3238		18		$2A_7 + A_3 + A_1$		[8]
3239		18		$2A_7 + 2A_2$		[2], [1]
3240		18		$2A_7 + 4A_1$		[4, 2]
3241		18		$A_7 + A_6 + A_5$		[1]
3242		18		$A_7 + A_6 + A_4 + A_1$		[1]
3243		18		$A_7 + A_6 + A_3 + A_2$		[1]
3244		18		$A_7 + A_6 + A_3 + 2A_1$		[2]
3245		18		$A_7 + A_6 + 2A_2 + A_1$		[1]
3246		18		$A_7 + 2A_5 + A_1$		[2]
3247		18		$A_7 + A_5 + A_4 + A_2$		[1]
3248		18		$A_7 + A_5 + A_4 + 2A_1$		[2]
3249		18		$A_7 + A_5 + A_3 + A_2 + A_1$		[2]
3250		18		$A_7 + A_5 + A_3 + 3A_1$		[2, 2]
3251		18		$A_7 + A_4 + A_3 + 2A_2$		[1]
3252		18		$A_7 + A_4 + A_3 + A_2 + 2A_1$		[2]
3253		18		$A_7 + 3A_3 + A_2$		[4]
3254		18		$A_7 + 3A_3 + 2A_1$		[4, 2]
3255		18		$3A_6$		[7]
3256		18		$2A_6 + A_4 + A_2$		[1]
3257		18		$2A_6 + 2A_3$		[1]
3258		18		$2A_6 + 2A_2 + 2A_1$		[1]
3259		18		$A_6 + 2A_5 + 2A_1$		[2]
3260		18		$A_6 + A_5 + A_4 + A_3$		[1]
3261		18		$A_6 + A_5 + A_4 + A_2 + A_1$		[1]
3262		18		$A_6 + A_5 + 2A_3 + A_1$		[2]
3263		18		$A_6 + 2A_4 + A_3 + A_1$		[1]
3264		18		$A_6 + 2A_4 + A_2 + 2A_1$		[1]
3265		18		$A_6 + A_4 + 2A_3 + A_2$		[1]
3266		18		$A_6 + A_4 + A_3 + 2A_2 + A_1$		[1]
3267		18		$3A_5 + A_3$		[6]
3268		18		$3A_5 + 3A_1$		[6, 2]

3269		18		$2 A_5 + 2 A_4$		[1]
3270		18		$2 A_5 + A_4 + A_3 + A_1$		[2]
3271		18		$2 A_5 + A_4 + 2 A_2$		[3]
3272		18		$2 A_5 + 2 A_3 + 2 A_1$		[2, 2]
3273		18		$2 A_5 + A_3 + 2 A_2 + A_1$		[6]
3274		18		$2 A_5 + 4 A_2$		[3, 3]
3275		18		$A_5 + A_4 + 2 A_3 + A_2 + A_1$		[2]
3276		18		$4 A_4 + 2 A_1$		[5]
3277		18		$2 A_4 + 2 A_3 + 2 A_2$		[1]
3278		18		$6 A_3$		[4, 4]

Table 2.

$G = \mathbb{Z}/(3)$ $3E_6, 2E_6 + A_5 + A_1, 2E_6 + A_5, 2E_6 + 2A_2 + A_1, 2E_6 + 2A_2, E_6 + A_{11} + A_1, E_6 + A_{11}, E_6 + A_8 + 2A_2,$ $E_6 + A_8 + A_2 + 2A_1, E_6 + A_8 + A_2 + A_1, E_6 + A_8 + A_2, E_6 + 2A_5 + A_2, E_6 + 2A_5 + A_1, E_6 + 2A_5,$ $E_6 + A_5 + A_3 + 2A_2, E_6 + A_5 + 3A_2, E_6 + A_5 + 2A_2 + 2A_1, E_6 + A_5 + 2A_2 + A_1, E_6 + A_5 + 2A_2,$ $E_6 + A_3 + 4A_2, E_6 + 5A_2, E_6 + 4A_2 + 2A_1, E_6 + 4A_2 + A_1, E_6 + 4A_2, A_{17} + A_1, A_{17}, A_{14} + 2A_2,$ $A_{14} + A_2 + 2A_1, A_{14} + A_2 + A_1, A_{14} + A_2, A_{11} + A_5 + A_2, A_{11} + A_5 + A_1, A_{11} + A_5, A_{11} + A_3 + 2A_2,$ $A_{11} + 3A_2 + A_1, A_{11} + 3A_2, A_{11} + 2A_2 + 2A_1, A_{11} + 2A_2 + A_1, A_{11} + 2A_2, 2A_8 + 2A_1, 2A_8 + A_1,$ $2A_8, A_8 + A_5 + A_3 + A_2, A_8 + A_5 + 2A_2 + A_1, A_8 + A_5 + 2A_2, A_8 + A_5 + A_2 + 2A_1, A_8 + A_5 + A_2 + A_1,$ $A_8 + A_5 + A_2, A_8 + A_4 + 3A_2, A_8 + A_3 + 3A_2 + A_1, A_8 + A_3 + 3A_2, A_8 + 4A_2 + A_1, A_8 + 4A_2,$ $A_8 + 3A_2 + 3A_1, A_8 + 3A_2 + 2A_1, A_8 + 3A_2 + A_1, A_8 + 3A_2, 3A_5 + A_2, 3A_5 + A_1, 3A_5, 2A_5 + A_4 + 2A_2,$ $2A_5 + A_3 + 2A_2, 2A_5 + 3A_2 + A_1, 2A_5 + 3A_2, 2A_5 + 2A_2 + 2A_1, 2A_5 + 2A_2 + A_1, 2A_5 + 2A_2,$ $A_5 + A_4 + 4A_2, A_5 + A_3 + 4A_2 + A_1, A_5 + A_3 + 4A_2, A_5 + 5A_2 + A_1, A_5 + 5A_2, A_5 + 4A_2 + 3A_1,$ $A_5 + 4A_2 + 2A_1, A_5 + 4A_2 + A_1, A_5 + 4A_2, A_4 + 6A_2, A_3 + 6A_2 + A_1, A_3 + 6A_2, 7A_2 + A_1,$ $7A_2, 6A_2 + 3A_1, 6A_2 + 2A_1, 6A_2 + A_1, 6A_2$
$G = \mathbb{Z}/(4)$ $D_7 + A_{11}, D_7 + A_7 + A_3 + A_1, D_7 + A_7 + A_3, D_7 + 3A_3 + A_2, D_7 + 3A_3 + A_1, D_7 + 3A_3, 2D_5 + A_7 + A_1,$ $2D_5 + A_7, 2D_5 + 2A_3 + A_1, 2D_5 + 2A_3, D_5 + A_{11} + 2A_1, D_5 + A_{11} + A_1, D_5 + A_7 + A_3 + A_2 + A_1,$ $D_5 + A_7 + A_3 + 2A_1, D_5 + A_7 + A_3 + A_1, D_5 + 3A_3 + A_2 + A_1, D_5 + 3A_3 + 2A_1, D_5 + 3A_3 + A_1,$ $A_{15} + A_3, A_{15} + 3A_1, A_{15} + 2A_1, A_{11} + 2A_3 + A_1, A_{11} + 2A_3, A_{11} + A_3 + A_2 + 2A_1, A_{11} + A_3 + 3A_1,$ $A_{11} + A_3 + 2A_1, 2A_7 + A_3, 2A_7 + 3A_1, 2A_7 + 2A_1, A_7 + 3A_3 + A_2, A_7 + 3A_3 + A_1, A_7 + 3A_3,$ $A_7 + 2A_3 + A_2 + 2A_1, A_7 + 2A_3 + 3A_1, A_7 + 2A_3 + 2A_1, 5A_3 + A_2, 5A_3 + A_1, 5A_3, 4A_3 + A_2 + 2A_1,$ $4A_3 + 3A_1, 4A_3 + 2A_1$
$G = \mathbb{Z}/(5)$ $2A_9, A_9 + 2A_4 + A_1, A_9 + 2A_4, 4A_4 + 2A_1, 4A_4 + A_1, 4A_4$
$G = \mathbb{Z}/(6)$ $A_{11} + A_5 + 2A_1, A_{11} + A_3 + 2A_2, A_{11} + 2A_2 + 3A_1, A_{11} + 2A_2 + 2A_1, 3A_5 + A_3, 3A_5 + 2A_1,$ $2A_5 + A_3 + 2A_2 + A_1, 2A_5 + A_3 + 2A_2, 2A_5 + 2A_2 + 3A_1, 2A_5 + 2A_2 + 2A_1$
$G = \mathbb{Z}/(7)$ $3A_6$
$G = \mathbb{Z}/(8)$ $2A_7 + A_3 + A_1$
$G = \mathbb{Z}/(2) \times \mathbb{Z}/(2)$ $D_{10} + A_5 + 3A_1, D_{10} + 2A_3 + 2A_1, D_{10} + A_3 + 4A_1, D_{10} + 6A_1, 2D_8 + 2A_1, D_8 + D_6 + A_3 + A_1,$ $D_8 + D_6 + 3A_1, D_8 + D_4 + A_3 + 2A_1, D_8 + D_4 + 4A_1, D_8 + A_5 + A_3 + 2A_1, D_8 + A_5 + 4A_1,$ $D_8 + 2A_3 + 3A_1, D_8 + A_3 + 5A_1, D_8 + 7A_1, 3D_6, 2D_6 + D_4 + A_1, 2D_6 + 2A_3, 2D_6 + A_3 + 2A_1,$ $2D_6 + 4A_1, D_6 + 2D_4 + 2A_1, D_6 + D_4 + 2A_3 + A_1, D_6 + D_4 + A_3 + 3A_1, D_6 + D_4 + 5A_1, D_6 + 2A_5 + 2A_1,$ $D_6 + A_5 + 2A_3 + A_1, D_6 + A_5 + A_3 + 3A_1, D_6 + A_5 + 5A_1, D_6 + 3A_3 + 2A_1, D_6 + 2A_3 + 4A_1,$ $D_6 + A_3 + 6A_1, D_6 + 8A_1, 4D_4, 3D_4 + 3A_1, 2D_4 + 2A_3 + 2A_1, 2D_4 + A_3 + 4A_1, 2D_4 + 6A_1,$ $D_4 + 2A_5 + 3A_1, D_4 + A_5 + 2A_3 + 2A_1, D_4 + A_5 + A_3 + 4A_1, D_4 + A_5 + 6A_1, D_4 + 3A_3 + 3A_1,$ $D_4 + 2A_3 + 5A_1, D_4 + A_3 + 7A_1, D_4 + 9A_1, A_7 + A_5 + A_3 + 3A_1, A_7 + A_5 + 5A_1, A_7 + 2A_3 + 4A_1,$ $A_7 + A_3 + 6A_1, A_7 + 8A_1, 2A_5 + 2A_3 + 2A_1, 2A_5 + A_3 + 4A_1, 2A_5 + 6A_1, A_5 + 3A_3 + 3A_1,$ $A_5 + 2A_3 + 5A_1, A_5 + A_3 + 7A_1, A_5 + 9A_1, 4A_3 + 4A_1, 3A_3 + 6A_1, 2A_3 + 8A_1, A_3 + 10A_1,$ $12A_1$
$G = \mathbb{Z}/(4) \times \mathbb{Z}/(2)$ $2A_7 + 4A_1, A_7 + 3A_3 + 2A_1, A_7 + 2A_3 + 4A_1, 5A_3 + 2A_1, 4A_3 + 4A_1$
$G = \mathbb{Z}/(6) \times \mathbb{Z}/(2)$ $3A_5 + 3A_1$
$G = \mathbb{Z}/(3) \times \mathbb{Z}/(3)$ $2A_5 + 4A_2, A_5 + 6A_2, 8A_2$
$G = \mathbb{Z}/(4) \times \mathbb{Z}/(4)$ $6A_3$

DEPARTMENT OF MATHEMATICS, FACULTY OF SCIENCE, HOKKAIDO UNIVERSITY, SAPPORO 060-0810, JAPAN

E-mail address: `shimada@math.sci.hokudai.ac.jp`